

C 614.1

N87v

c. 2

The Library
of the
University of North Carolina



Collection of North Caroliniana

C 614.1

N87v

1937

C. 2

00017472487

This book may be kept out one month unless a recall notice is sent to you. It must be brought to the North Carolina Collection (in Wilson Library) for renewal.

ANNUAL REPORT
OF THE
BUREAU OF VITAL
STATISTICS

OF THE
NORTH CAROLINA
STATE BOARD OF HEALTH

1937

CARL V. REYNOLDS, M. D.,
SECRETARY
AND STATE HEALTH OFFICER

e

CONTENTS

Introduction	7
--------------------	---

GENERAL TABLES

Table I.—Total births and deaths (exclusive of stillbirths) with rate per 1,000 population for the years 1914-1937, inclusive.....	15
Table II.—Births (exclusive of stillbirths) in each county, by color, with rate per 1,000 population, per cent attended by physicians and number illegitimate, 1937.....	17
Table II-A.—Births (exclusive of stillbirths) in each city of 10,000 population or over in 1930, by color, with rate per 1,000 population; per cent attended by physicians and number illegitimate, 1937	21
Table III.—Deaths (exclusive of stillbirths) for the State as a whole from each cause, by sex, color and age 1937 (includes all deaths occurring in North Carolina).....	22
Table IV.—Deaths (exclusive of stillbirths) in each county, by color, with rate per 1,000 population, 1937.....	66
Table V.—Deaths (exclusive of stillbirths) in each county, by cause of death (abridged international list) and by color of decedent, 1937	70
Table VI.—Deaths (exclusive of stillbirths) in cities or towns, by cause of death (abridged international list) and by color of decedent, 1937	120
Table VII.—Death rates per 100,000 population (by place of death, also by place of usual residence) in each county, from nine important causes, with estimated population, 1937.....	130
Table VIII.—Deaths (exclusive of stillbirths) by cause by certain subdivisions of the first year of life, 1937.....	134
Table IX.—Deaths under 1 year of age (exclusive of stillbirths), and maternal deaths in each county with rates per 1,000 live births, 1937	136
Table X.—Cases and deaths from special diseases by month of occurrence, 1937.....	138
Table XI.—Cases from 30 of the reportable diseases by counties, 1937.....	142
Table XII.—Death rates per 100,000 population from ten important causes, for the State as a whole, with estimated population for each year, 1914-1937.....	146

246505

ANNUAL REPORT OF THE BUREAU OF VITAL STATISTICS

This annual report of the Bureau of Vital Statistics presents tabulations of births and deaths for the calendar year 1937. The Bureau of Vital Statistics was established July 1, 1913 by legislative enactment and began the registration of births and deaths in October of the same year, but it was not until 1916 for deaths and 1917 for births that registration was complete enough for admission to the United States Registration Area.

The first annual report contained tabulations for 1914, and a report has been published annually ever since with the exception of 1918 and 1919. Beginning with the 1931 report county and city tabulations have been made according to the abridged International List of Causes of Death. State tabulations have continued to be made according to the detailed International List. The present report follows the plan begun in 1932 of tabulating births and deaths both by place of occurrence and by place of residence. Births have been allocated to the legal residence of the mother and deaths to the place of legal residence before death of the deceased. In order to permit comparison with years before tabulations by place of residence were begun, deaths and births have been recorded by place of occurrence and by place of residence.

Although tabulation by residence corrects one, probably the greatest, source of error in comparing the rates of different localities there are other factors that must be taken into consideration. For example, the rates given in this report are crude rates in the calculation of which no allowance is made for the differences in sex, age and color distribution of the population. Furthermore, the degree of completeness of reporting may vary in different localities and this should be taken into consideration when comparing the rates of two areas.

POPULATION

Population estimates for the State, and more especially for its political sub-divisions, may vary widely from the true population when made this far removed from the 1930 census enumeration. State rates are based on the United States Census Bureau estimate of 3,492,000 population. To arrive at an esti-

mated population for each county the increase computed for the State as a whole was distributed among the counties in proportion to the share which each county had in the increase between 1920 and 1930. No estimate was made for areas where the population decreased between 1920 and 1930, the figures shown being those of the 1930 Federal Census.

NATALITY

Live Births: The birth rate of 22.7 per 1,000 population was the lowest ever recorded for North Carolina with the exception of last year with a rate of 22.1. In actual numbers there were 2,923 more births than in 1936, and 352 fewer than in 1935. Of the 79,244 live births, 53,857 were white; 24,578 negro; and 809 Indian, representing rates of 21.9 per 1,000 population for white and 24.6 for negro. The birth rate ranged between 30 and 35 per 1,000 population from 1914 to 1924. From the latter date the rate rapidly dropped to 24.7 in 1929 and since that time there has been only slight tendency for it to decrease.

Stillbirths: In conformity with statistical practice, the stillbirths were not included in the totals of either births or deaths, but tabulated separately. There were 38 more stillbirths than last year, but due to the greater number of births the rate declined from 40.9 to 39.9 per 1,000 live births, or approximately one stillbirth for every 100 live births.

MORTALITY

In the compilation of mortality statistics the cause of death as stated by the physician is used as the basis of classification by causes. Since the accuracy of statistics can be no greater than that of the material upon which they are based, it is desirable that physicians give as accurate and complete a diagnosis of the cause of death as possible. A specific cause, rather than a general condition or symptom, is essential if the greatest accuracy is to be expected. Failure to conform with this rule necessitates that hundreds of certificates be queried yearly as to cause of death in order to classify them correctly.

The health conditions in North Carolina for 1937 as indicated by the death rate were, in general, more favorable than for the preceding year. There were fewer deaths recorded from all causes combined and consequently a lower death rate than for

1936. The 33,976 deaths, exclusive of stillbirths, represent an annual death rate of 9.7 per 1,000 population. The mortality rate for 1936 was 10.3; for 1935, 9.8; and for 1934, 10.6. Considered in terms of total deaths, the number reported for 1937 was 1,613 fewer than for 1936.

When the deaths are analyzed by cause it is discovered that the group of degenerative diseases caused fewer deaths than in 1936. This group—heart diseases, chronic nephritis, apoplexy, cancer, diseases of the arteries, diabetes mellitus, and angina pectoris,—seven in all, accounted for 14,924 in 1936 and 14,153 in 1937. In each of the two years these degenerative diseases accounted for approximately 42 per cent of all deaths.

TABLE 1. DEATHS FROM DEGENERATIVE DISEASES

<i>Cause of Death</i>	<i>Number</i>	
	<i>1936</i>	<i>1937</i>
Heart Diseases	4,944	4,783
Cerebral Hemorrhage	3,250	2,940
Chronic Nephritis	3,190	2,755
Cancer	1,819	1,912
Angina Pectoris	835	975
Diseases of the Arteries	478	402
Diabetes	409	386
<hr/>		
Total	14,925	14,153

The principal causes of death in 1937 in order of their rank were diseases of the heart, apoplexy, nephritis, the pneumonias, congenital malformations and diseases of early infancy, violent and accidental deaths, cancer and tuberculosis. This order is entirely different from that shown twenty-three years ago, the first year of registration, when tuberculosis ranked first with a rate of 139 deaths for every 100,000 population. Tuberculosis ranked eighth in 1937 with a rate of 54.8.

Heart diseases rank first in 1937 in the list of causes of death. In 1914 there were 1,780 deaths charged to this condition and in 1937 diseases of the heart, including angina pectoris, accounted for 5,758 deaths. This represents a rate twice that of 1914. Nephritis, third in importance, was seventh twenty years ago. The death rate from pneumonias has changed little, but due to the increase in deaths from other conditions, pneumonia has

dropped from second to fourth place. Diarrhea and enteritis, a major cause of death in 1914, is ninth in 1937. The rate has fallen from 98.8 per 100,000 population in 1914 to 32.8 in 1937. Modern sanitary measures have played a large part in reducing the death rate from diarrhea among infants.

Typhoid Fever: The death rate from typhoid fever failed to continue the downward trend shown annually for the past five years, but both the number and the rate increased slightly. The 75 deaths from this cause were 4 more than for 1936, but 7 fewer than 1935. The improvement in the condition since the beginning of registration can be appreciated by comparing the rate of 35.8 in 1914, or a total of 839 deaths, to the present low rate of 2.2, or 75 deaths.

Smallpox: The five year period in which no deaths were reported as due to smallpox was brought to a close with the one death from this cause in 1937. There were 11 cases reported to the Division of Epidemiology. In 1936 there were 19 cases reported.

Diphtheria: The record for 1937 shows a decrease in diphtheria deaths with a lower death rate than in 1936. There were 168 deaths with a rate of 4.8 per 100,000 population compared to 190 deaths with a rate of 5.5 for 1935. There was a seventy per cent reduction in the mortality rate from this disease between 1915 and 1931, but no significant change in the rate since with the exception of the decrease shown in 1935 and the present year. This failure to show continued improvement is all the more striking since diphtheria is a disease for which we have a highly efficacious protective vaccine. In round numbers, five-sixths of the deaths from diphtheria occur in children under five years of age. This indicates that vaccination to be most profitable must be done long before the child becomes of school age.

Influenza and Pneumonia: There were 2,923 deaths from pneumonia and 862 deaths from influenza, making a total of 3,785 recorded for 1937. The deaths from these two conditions give a rate of 108.4 per 100,000 population for 1937 as against a rate of 127.3 for 1936. There were 301 fewer deaths from influenza during 1937 than for the previous year and 316 fewer from pneumonias.

Tuberculosis: The death rate from all forms of tuberculosis

was 54.8 in 1937 and 60.8 in 1936. This represents a decrease in actual numbers of 190. Tuberculosis ranked first among all causes of death in 1914, but has fallen to eighth place in 1937. In the past twenty years the mortality rate has declined by approximately 65 per cent.

Of the 1912 deaths from all forms of tuberculosis, 52.6 per cent were males and 47.4 per cent females; 40 per cent were white and 60 per cent negro. The colored rate of 111.0 for tuberculosis is over three times the white rate of 31.1.

Cancer: Cancer accounted for 1912 deaths in 1937, giving a rate of 54.8 against a rate of 51.6 for 1936 and 52.1 for 1935. Taken over a number of years the general trend of cancer mortality has been upward, but for four years prior to 1937 we had at least held our own. In 1937 there were 93 more deaths than in 1936, making the rate of 54.8 the highest ever recorded in North Carolina.

Pellagra: The mortality rate of 13.0 per 100,000 population from pellagra was an increase over the rate of 10.3 for 1936. There has been a downward trend in mortality from this disease since 1930 with the exception of 1934 and the present year. The peak year for pellagra deaths was 1930 when 1,015 were charged to this disease.

Suicides and Homicides: There were 305 suicides in 1937 and 302 in 1936. The difference was not great enough to make any change in the rate of 8.7 per 100,000 population. There were 6 more homicidal deaths in 1937 than in 1936, the totals being 408 and 402 respectively.

Accidental Causes: Violent and accidental deaths, exclusive of suicides and homicides, accounted for 2,484 deaths, 35 fewer than in 1936. Violent and accidental deaths rank sixth among the principal causes of death. Automobile accidents accounted for the greatest number of the accidental deaths. There were 1,056 deaths from all types of automobile accidents in 1937 and 1,006 in 1936. Railroad accidents, exclusive of collisions with automobiles, caused 99 deaths in 1937 and 109 in 1936.

Maternal Mortality: The diseases of pregnancy, childbirth and the puerperal state continued to exact a large number of lives. Deaths from maternal causes and the maternal mortality rates per 1,000 live births for the past nine years are shown in

Table 2. There were 445 maternal deaths in 1937 to 532 in 1936, or 87 fewer deaths although there were 2,923 more births. This gives a maternal mortality rate of 5.6 per 1,000 live births against a rate of 7.0 last year. There were 231 white, 211 negro and 3 Indian puerperal deaths, accounting for a death rate of 4.3 per 1,000 live births for the white and 8.7 for the colored.

TABLE 2.—TOTAL MATERNAL DEATHS AND RATES,
1929-1937.

<i>Year</i>	<i>No. of Deaths</i>	<i>Rate</i>
1929	684	8.8
1930	645	8.4
1931	640	8.5
1932	555	7.1
1933	535	7.1
1934	605	7.6
1935	554	7.0
1936	532	7.0
1937	445	5.6

Albuminuria and eclampsia, as in previous years, accounted for more of the puerperal deaths than any other single cause. The second and third greatest offenders were puerperal septicemia and puerperal hemorrhage, respectively. Albuminuria and eclampsia with other toxemias of pregnancy account for 164 maternal deaths, which is 37 per cent of all maternal deaths.

Infant Mortality: The total number of deaths under one year of age was 5,164 or 57 fewer than occurred in 1936. The rate for 1937 was 65.1 per 1,000 live births and 68.4 in 1936. Of the total deaths 3,017 were white and 2,147 colored. This gave a rate of 56.0 for the white and 84.6 for the colored. The number of deaths of infants under one year of age and the infant mortality rates per 1,000 live births for the past ten years are shown in Table 3.

TABLE 3.—TOTAL INFANT DEATHS AND RATES,
1928-1937.

<i>Year</i>	<i>No. of Deaths</i>	<i>Rate</i>
1928	6,929	85.6
1929	6,112	79.2
1930	6,021	78.4
1931	5,459	73.0
1932	5,173	66.4
1933	4,974	66.0
1934	6,196	77.9
1935	5,407	67.9
1936	5,221	68.4
1937	5,164	65.1

Five principal causes of infant mortality accounted for 70 per cent of all infant deaths. These causes with the number of infant deaths charged to each were as follows:

Premature birth	1,563
Diarrhea and enteritis	691
Pneumonias	560
Sudden death (cause not specified)	474
Congenital malformations	312
<hr/>	
Total	3,600

Of the 5,164 deaths of infants under one year of age 1,243 or 24 per cent died during the first day of life and 2,124 or 41 per cent within the first week.

REGISTRATION

Every birth and death occurring in North Carolina should be recorded with the Bureau of Vital Statistics. To the individual the registration of a birth occurring in North Carolina makes it possible always to obtain an official record of the facts surrounding his advent into life. The purposes for which certified copies of birth certificates are requested indicate that their value is becoming more generally realized from year to year. Likewise, the demand for death certificates show that this vital record is essential in upholding the right of citizens in the establishment of necessary facts in the closing event of life.

Vital Statistics are of inestimable value to the public health workers, but without complete registration full reliance cannot be placed on the data. For health organizations accurate certificates are essential if our true problems are to be known, if our programs are to be intelligently planned and we are to ascertain their effectiveness and if errors in our work are to be detected. It is, therefore, important that every effort be made to promote the completeness of our birth and death records.

TABLE 1—TOTAL BIRTHS AND DEATHS (EXCLUSIVE OF STILLBIRTHS) WITH RATE PER 1,000 POPULATION FOR THE YEARS 1914-1937 INCLUSIVE

YEAR	Births		Deaths	
	Number	Rate	Number	Rate
1914.....	*71,931	31.2	29,044	12.4
1915.....	*79,409	33.4	31,324	13.2
1916.....	76,658	31.9	31,372	13.0
1917.....	76,539	31.8	33,989	14.1
1918.....	76,175	30.8	42,411	17.6
1919.....	69,791	29.3	30,114	12.4
1920.....	81,407	31.8	32,336	12.6
1921.....	87,456	33.4	29,010	11.0
1922.....	81,673	30.8	30,660	11.5
1923.....	84,190	31.3	32,396	12.0
1924.....	87,023	31.9	33,234	12.2
1925.....	83,700	29.7	32,524	11.5
1926.....	82,459	28.8	34,608	12.1
1927.....	83,330	28.7	32,911	11.3
1928.....	80,887	27.5	36,133	12.3
1929.....	77,164	24.7	36,894	12.4
1930.....	76,717	24.1	35,739	11.2
1931.....	74,743	23.2	33,069	10.2
1932.....	77,880	24.0	31,000	9.6
1933.....	75,322	23.0	30,496	9.3
1934.....	79,556	24.1	35,112	10.6
1935.....	79,596	23.3	33,451	9.8
1936.....	76,321	22.1	35,580	10.3
1937.....	79,244	22.7	33,976	9.7

*Stillbirths included in births 1914 and 1915.

TABLE II—BIRTHS (EXCLUSIVE OF STILLBIRTHS) IN EACH COUNTY, BY COLOR, WITH RATE PER 1,000 POPULATION, PER CENT ATTENDED BY PHYSICIANS AND NUMBER ILLEGITIMATE—1937

COUNTY	Place of Birth			Usual Place of Residence			Place of Birth			Usual Place of Residence			Per Cent Attended by Physicians			Number Illegitimates			Place of Residence		
	Total			White			Colored			White			Colored			Total			Total		
	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	Total	White	Col.	Total	White	Col.
	Ind.	Ind.	Ind.	Ind.	Ind.	Ind.	Ind.	Ind.	Ind.	Ind.	Ind.	Ind.	Ind.	Ind.	Ind.	Ind.	Ind.	Ind.	Ind.	Ind.	Ind.
Entire State.....	79,244	22.7	79,120	22.7	53,857	21.9	24,578	24.6	24,564	24.6	24,564	24.6	89.5	35.3	6,346	1,535	4,710	101	6,329	1,522	4,706
Alamance.....	1,064	22.6	1,117	23.7	800	21.2	850	22.5	264	28.4	267	28.7	99	88	65	20	45	---	70	24	46
Alexander.....	322	24.2	328	24.7	299	24.5	305	25.0	23	20.9	23	20.9	95	47	23	16	7	---	24	17	7
Alleghany.....	138	19.2	147	20.5	131	19.1	140	20.5	7	20.4	7	20.4	91	57	5	3	2	---	5	3	2
Anson.....	706	23.6	692	23.1	337	23.5	323	22.5	369	23.7	369	23.7	79	11	74	6	68	---	76	8	68
Ashe.....	519	24.7	532	25.3	513	24.9	526	25.5	6	15.0	6	15.0	55	33	31	31	---	31	31	---	---
Avery.....	451	35.8	391	31.0	447	36.3	387	31.5	4	13.3	4	13.3	75	75	28	26	2	---	29	27	2
Beaufort.....	965	25.9	930	25.0	598	26.2	564	24.7	367	25.5	366	25.4	92	21	99	10	89	---	101	11	90
Bertie.....	768	28.7	770	28.7	230	19.7	232	19.9	538	35.5	538	35.5	85	7	79	2	77	---	80	3	77
Bladen.....	756	31.8	791	33.2	388	28.0	422	30.5	359	36.1	360	36.2	80	9	64	11	52	1	65	12	52
Brunswick.....	394	24.2	420	25.8	251	24.6	272	26.7	142	23.3	147	24.1	49	1	34	7	27	---	37	7	30
Buncombe.....	1,946	16.8	1,902	16.4	1,734	18.0	1,689	17.6	212	10.8	212	10.8	96	49	123	74	49	---	115	66	49
Burke.....	756	23.1	771	23.6	690	23.2	705	23.7	66	22.4	65	22.0	78	51	28	19	9	---	31	22	9
Cabarrus.....	919	18.4	1,058	21.2	752	18.3	890	21.7	167	18.6	168	18.7	98	30	52	21	31	---	61	29	32
Caldwell.....	957	29.6	965	29.9	894	30.3	901	30.5	63	22.5	64	22.9	89	77	47	37	10	---	49	39	10
Camden.....	115	20.9	121	22.0	63	19.1	69	20.9	52	23.6	52	23.6	73	1	10	2	8	---	10	2	8
Cartersville.....	380	21.5	378	21.4	316	21.0	314	20.9	64	24.2	64	24.2	91	39	22	7	15	---	21	6	15
Caswell.....	444	22.8	460	23.6	202	19.3	216	20.7	242	26.7	244	27.0	91	43	36	5	31	---	36	5	31
Catawba.....	1,054	21.3	1,059	21.4	930	21.2	936	21.4	124	22.1	123	22.0	93	39	62	35	27	---	64	37	27
Chatham.....	435	17.8	456	18.7	244	15.0	261	16.0	191	23.6	195	24.1	89	25	46	7	39	---	50	10	40
Cherokee.....	488	29.4	482	29.0	482	29.7	476	29.3	6	17.1	6	17.1	60	100	19	19	---	19	19	---	---
Chowan.....	296	25.5	300	25.9	166	27.0	170	27.6	130	23.9	130	23.9	95	22	33	3	30	---	33	3	30
Clay.....	150	25.4	159	26.9	149	25.9	158	27.5	1	6.7	1	6.7	79	100	5	5	---	6	6	---	---
Cleveland.....	1,267	20.7	1,271	20.7	919	19.5	925	19.7	348	24.4	346	24.3	94	13	64	10	54	---	65	11	54

TABLE II—Continued

COUNTY	Place of Birth		Usual Place of Residence		Place of Birth		Usual Place of Residence		Per Cent Attended by Physicians		Number Illegimates											
	Total		Total		White		White		Colored		Place of Birth											
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Total	White	Col.	Ind.								
Columbus.....	1,273	30.5	1,308	31.3	812	28.3	844	29.4	451	34.4	454	34.7	58	10	86	16	68	2	88	19	67	2
Craven.....	678	21.5	690	21.9	375	23.0	386	23.7	303	19.9	304	20.0	89	10	68	6	62	—	74	12	62	—
Cumberland.....	1,252	24.7	1,187	23.5	785	25.0	731	23.2	457	23.9	446	23.3	88	19	103	9	92	2	101	10	89	2
Currituck.....	89	13.3	95	14.2	53	11.9	59	13.2	36	16.0	36	16.0	94	25	4	—	4	—	4	—	4	—
Dare.....	115	22.1	117	22.5	103	21.2	105	21.6	12	34.3	12	34.3	80	33	9	4	5	—	9	4	5	—
Davidson.....	1,068	19.6	1,080	19.8	947	19.5	959	19.7	121	20.3	121	20.3	97	78	51	23	28	—	51	23	28	—
Davie.....	314	21.2	336	22.7	260	21.1	281	22.8	54	22.0	55	22.4	80	44	16	6	10	—	17	7	10	—
Duplin.....	1,003	26.6	1,036	27.5	605	25.5	633	26.7	398	28.5	403	28.9	97	31	67	8	59	—	70	11	59	—
Durham.....	1,644	20.4	1,369	17.0	1,064	20.3	822	15.7	580	20.6	547	19.5	89	72	264	97	167	—	180	26	154	—
Edgecombe.....	1,197	22.5	1,185	22.3	417	18.2	401	17.5	780	25.8	784	25.9	99	27	206	11	195	—	209	11	198	—
Forsyth.....	2,449	18.8	2,363	18.2	1,630	18.8	1,544	17.8	816	18.8	819	18.9	93	70	274	34	240	—	277	37	240	—
Franklin.....	714	23.1	739	23.9	322	18.6	344	19.8	392	28.9	395	29.2	99	33	62	6	56	—	66	9	57	—
Gaston.....	1,669	18.1	1,716	18.6	1,475	19.0	1,520	19.5	194	13.3	196	13.4	95	46	86	43	43	—	89	46	43	—
Gates.....	236	22.3	241	22.7	78	14.2	83	15.1	158	31.0	158	31.0	93	17	24	—	24	—	24	—	24	—
Graham.....	153	24.6	161	25.3	153	24.6	161	25.8	—	—	—	—	47	—	5	5	—	—	5	5	—	—
Granville.....	715	24.1	717	24.1	306	20.2	307	20.3	409	28.1	410	28.2	95	66	43	2	41	—	45	3	42	—
Greene.....	561	28.1	580	29.0	277	26.6	285	28.4	284	29.6	285	29.7	92	32	55	4	51	—	57	5	52	—
Guilford.....	2,663	16.5	2,609	16.1	2,172	17.1	2,122	16.7	490	14.0	486	13.9	99	79	173	68	105	—	163	60	103	—
Halifax.....	1,609	27.6	1,591	27.3	532	21.7	522	21.3	1,076	31.8	1,069	31.7	87	12	190	16	174	—	194	19	175	—
Harnett.....	1,039	24.2	1,069	24.9	774	24.8	803	25.8	257	21.7	258	21.8	91	28	58	19	39	—	62	22	40	—
Haywood.....	832	27.0	843	27.4	818	27.2	828	27.6	14	18.7	15	20.0	93	92	38	33	5	—	40	35	5	—
Henderson.....	528	20.2	518	19.8	477	20.1	466	19.7	51	21.3	52	21.7	91	64	26	13	13	—	27	14	13	—
Hertford.....	471	25.9	478	26.3	148	19.7	155	20.7	323	30.2	323	30.2	91	25	28	1	27	—	28	1	27	—
Hoke.....	408	26.2	414	26.5	100	17.4	106	18.4	292	29.6	292	29.6	90	12	61	1	55	—	61	1	55	—

Hyde.....	228	26.5	232	27.0	93	18.2	97	19.0	135	38.6	135	38.6	81	14	19	1	18	1	18
Iredell.....	1,195	23.3	1,059	20.6	999	24.3	896	21.1	196	19.2	193	18.9	98	36	78	32	27	45	1
Jackson.....	491	24.9	498	25.3	463	25.1	470	25.5	16	12.8	16	12.8	61	37	21	17	18	3	1
Johnston.....	1,596	25.7	1,653	26.6	1,215	25.3	1,270	26.5	381	26.8	383	27.0	91	24	93	27	66	98	31
Jones.....	271	25.3	290	27.1	123	20.8	139	23.6	148	30.8	151	31.5	82	21	32	3	29	33	4
Lee.....	418	22.1	410	21.7	298	23.1	290	22.5	120	20.0	120	20.0	94	28	41	11	30	40	10
Lenoir.....	1,048	26.9	992	25.4	624	28.2	567	25.7	424	25.1	425	25.1	91	17	91	13	78	94	14
Lincoln.....	544	21.3	519	20.4	454	20.8	429	19.7	88	23.8	88	23.8	97	43	20	9	11	18	7
McDowell.....	580	26.1	591	26.6	529	26.4	540	26.9	51	23.7	51	23.7	91	56	30	21	9	31	22
Macon.....	425	30.1	415	29.4	418	30.7	407	29.9	7	14.0	8	16.0	65	57	14	12	2	14	12
Madison.....	546	26.8	561	27.5	542	26.9	557	27.6	4	16.0	4	16.0	51	100	28	27	1	30	29
Martin.....	759	30.6	774	31.2	316	24.1	331	25.3	443	37.9	443	37.9	99	84	92	8	84	94	10
Mecklenburg.....	2,703	17.7	2,580	16.9	1,829	17.0	1,709	15.9	874	19.2	871	19.2	99	84	338	92	246	294	48
Mitchell.....	444	28.8	449	29.2	443	28.9	448	29.2	1	20.0	1	20.0	58	---	17	17	---	18	18
Montgomery.....	310	18.1	326	19.1	234	17.8	249	18.9	76	19.2	77	19.2	85	22	21	3	18	22	4
Moore.....	574	18.0	598	17.8	381	18.4	374	18.0	193	17.3	194	17.4	90	17	48	12	36	47	11
Nash.....	1,479	25.1	1,461	24.8	773	23.6	765	23.4	706	26.9	696	26.5	94	37	132	16	116	132	19
New Hanover.....	1,000	22.6	897	20.2	604	22.4	520	19.3	396	22.8	377	21.7	98	86	134	10	124	126	9
Northampton.....	621	21.2	670	22.9	137	12.6	171	15.7	484	26.3	498	27.1	81	18	71	5	66	72	5
Onslow.....	535	34.3	546	35.0	354	30.9	364	31.8	181	43.6	182	43.9	91	34	58	8	50	61	10
Orange.....	388	16.9	454	19.8	207	13.4	264	17.1	181	24.3	190	25.5	98	61	25	5	20	29	6
Pamlico.....	231	24.6	235	25.0	129	20.6	133	21.3	102	32.4	102	32.4	85	13	26	5	21	28	7
Pasquotank.....	359	18.0	332	17.7	197	17.3	190	16.7	102	19.1	102	19.1	95	8	26	4	22	26	4
Pender.....	412	25.4	430	26.5	175	21.0	187	22.4	237	30.2	243	31.0	80	5	43	4	39	47	5
Perquimans.....	241	22.5	242	22.6	98	18.2	99	18.4	143	27.0	143	27.0	91	11	31	1	30	32	2
Person.....	650	27.4	697	28.1	342	24.0	355	24.9	299	31.6	303	32.1	92	65	32	4	28	33	4
Pitt.....	1,420	24.0	1,460	24.7	655	21.5	690	22.6	765	26.7	770	26.8	95	26	137	10	147	162	13
Polk.....	250	22.7	228	20.7	213	22.9	192	20.6	37	21.8	36	21.2	86	27	19	9	10	18	8
Randolph.....	768	19.6	805	20.6	692	19.8	729	20.8	76	18.5	76	18.5	93	44	31	17	14	33	18
Richmond.....	834	21.7	849	22.1	540	23.1	555	23.7	292	19.3	292	19.3	93	17	94	8	85	96	10
Robeson.....	2,177	29.9	2,126	29.2	878	25.6	832	24.0	697	27.5	681	27.2	94	26	270	29	137	272	31
Rockingham.....	1,275	23.3	1,275	23.3	979	23.1	980	23.1	292	23.6	291	23.6	95	59	58	12	46	58	13
Rowan.....	1,285	20.3	1,269	20.0	1,017	20.1	999	19.8	268	20.8	270	20.9	97	24	85	27	58	89	30
Rutherford.....	1,023	22.6	1,023	22.6	909	23.2	910	23.2	114	18.8	113	18.7	94	53	56	34	22	57	35
Sampson.....	1,223	28.9	1,258	29.7	727	26.5	756	27.6	475	31.9	481	32.3	81	24	79	7	72	82	7
Scotland.....	484	21.4	493	21.8	201	20.3	209	21.1	267	21.0	268	21.1	84	9	72	9	63	72	9
Stanly.....	694	21.9	682	21.5	614	21.9	600	21.4	80	21.6	82	22.2	92	77	22	10	12	27	13

TABLE II—Continued

COUNTY	Place of Birth		Usual Place of Residence		Place of Birth		Usual Place of Residence		Place of Birth		Usual Place of Residence		Per Cent Attended by Physicians		Number Illegitimates				Number Illegitimates			
	Total		White		Colored		White		Colored		Colored		Physicians		Place of Birth				Place of Residence			
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	White	Col.	Total	White	Col.	Ind.	Total	White	Col.	Ind.
Stokes.....	524	22.6	552	23.8	465	22.5	493	23.9	59	23.1	59	23.1	96	52	12	3	9	---	13	4	9	---
Surry.....	1,088	25.0	1,067	24.5	1,028	25.3	1,008	24.8	60	20.3	59	20.0	91	50	25	20	5	---	28	23	5	---
Swain.....	387	33.5	385	33.3	313	30.3	311	30.2	3	15.5	2	10.4	69	100	18	13	---	5	18	13	---	
Tennessee.....	264	27.1	267	27.4	248	27.3	251	27.6	16	24.6	16	24.6	85	68	13	10	3	---	13	10	3	---
Tyrell.....	157	29.6	157	29.6	86	24.2	86	24.2	71	40.6	71	40.6	87	29	17	5	12	---	17	5	12	---
Union.....	942	21.6	937	21.4	709	21.5	703	21.3	233	21.9	234	22.0	89	31	44	13	31	---	49	17	32	---
Vance.....	699	23.5	689	23.2	309	18.6	304	18.3	390	29.8	385	29.4	95	25	57	5	52	---	54	4	50	---
Wake.....	2,016	19.2	2,014	19.1	1,199	17.8	1,208	17.9	817	21.7	806	21.4	97	47	177	17	160	---	172	23	149	---
Warren.....	688	27.5	678	27.9	175	19.8	183	20.7	493	31.9	495	32.0	72	10	53	1	52	---	57	4	53	---
Washington.....	276	23.6	279	23.8	124	20.0	127	20.5	151	27.5	151	27.5	82	11	32	2	30	---	32	2	30	---
Watauga.....	424	26.3	433	26.9	416	26.3	425	26.9	8	26.7	8	26.7	79	87	10	9	1	---	11	10	1	---
Wayne.....	1,218	21.0	1,222	21.1	686	21.0	691	21.2	532	21.0	531	20.9	95	52	123	15	108	---	127	18	109	---
Wilkes.....	1,025	27.0	1,033	27.2	950	27.0	958	29.3	75	26.8	75	26.8	64	49	69	50	19	---	72	53	19	---
Wilson.....	1,264	25.7	1,231	25.0	712	20.2	678	33.8	552	18.9	553	19.0	96	36	123	11	112	---	124	11	113	---
Yadkin.....	413	21.9	455	24.1	391	21.9	432	24.2	22	21.0	23	21.9	90	45	12	10	2	---	14	12	2	---
Yancey.....	428	29.5	440	30.4	426	29.7	438	30.6	2	12.3	2	12.3	51	100	11	11	---	---	11	---	---	---

Indians: Total 899; Bladen 9; Brunswick 1; Columbus 10; Cumberland 10; Forsyth 3; Guilford 1; Halifax 1; Harnett 8; Hoke 16; Jackson 12; Lincoln 2; Person 9; Richmond 2; Robeson 612; Rockingham 4; Sampson 21; Scotland 16; Swain 71; Washington 1. (Indians by place of residence same with the exception of Forsyth 0; Halifax 0; Northampton 1; Robeson 613; Swain 72.)

TABLE II-A—BIRTHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY, BY COLOR, WITH RATE PER 1,000 POPULATION; PER CENT ATTENDED BY PHYSICIANS AND NUMBER ILLEGITIMATE—1937

City	Place of Birth		Usual Place of Residence		Place of Birth		Usual Place of Residence		Per Cent Attended by Physicians		Number Illegitimates		Place of Birth		Number Illegitimates		Place of Residence	
	Total		Total		White		Colored		White		Col.		Total		White		Total	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
	Total		Total		White		Colored		White		Col.		Total		White		Total	
Total.....	14,528	21.6	11,786	17.5	10,281	22.6	7,805	17.2	4,240	19.3	3,978	18.1	99.5	63.5	1,547	324	1,223	1,366
Asheville.....	1,019	18.3	810	14.6	845	21.2	635	16.0	174	11.0	175	11.1	99	46	90	47	43	74
Charlotte.....	2,005	20.9	1,612	16.8	1,447	21.7	1,079	16.2	558	19.1	533	18.3	100	90	251	82	169	195
Concord.....	253	20.2	272	21.8	205	19.7	224	21.5	48	22.9	48	22.9	98	33	15	6	9	15
Durham.....	1,332	19.6	990	14.5	850	19.5	568	13.0	482	19.7	422	17.2	99	75	183	26	157	146
Elizabeth City.....	187	18.0	174	16.7	123	18.9	110	16.9	64	16.4	64	16.4	96	6	14	3	11	14
Fayetteville.....	417	28.2	323	21.8	284	32.6	203	23.3	129	21.1	117	19.2	97	34	41	5	36	37
Gastonia.....	471	25.2	427	22.8	415	27.3	371	24.4	56	16.0	56	16.0	100	17	22	9	13	24
Goldensboro.....	363	22.1	338	20.6	171	19.2	157	17.6	192	25.6	181	24.1	98	52	55	6	49	57
Greensboro.....	1,145	18.3	905	14.5	918	19.9	695	15.1	227	13.8	210	12.8	99	79	94	38	56	77
High Point.....	771	17.0	753	16.6	652	17.9	634	17.4	119	13.4	119	13.4	99	79	45	18	27	47
Kinston.....	488	41.0	291	24.5	361	54.7	174	26.4	127	24.0	117	22.1	98	20	46	8	38	43
New Bern.....	256	21.4	229	19.1	151	26.5	127	22.3	105	16.7	102	16.2	93	8	32	1	31	35
Raleigh.....	883	21.4	730	17.7	587	21.4	461	16.8	296	21.4	269	19.5	99	55	105	10	95	88
Rocky Mount.....	528	21.4	414	16.8	324	22.0	223	15.2	204	20.4	191	19.1	99	58	67	5	62	60
Salisbury.....	386	21.2	310	17.0	326	23.5	250	18.0	60	14.0	60	14.0	100	63	17	2	15	19
Shelby.....	277	20.4	254	18.7	233	21.4	211	19.4	44	16.3	43	15.9	100	18	6	1	5	7
Statesville.....	270	23.7	201	17.6	259	27.0	191	19.9	11	6.1	10	5.6	100	63	9	8	1	5
Thomasville.....	228	19.5	229	19.6	194	19.8	195	19.9	34	17.9	34	17.9	100	82	18	11	7	17
Wilmington.....	970	30.1	680	21.1	591	30.8	377	19.7	379	28.9	303	23.1	99	88	127	10	117	103
Wilson.....	471	34.9	331	21.9	271	39.3	137	19.9	200	30.3	194	29.4	98	22	60	8	52	52
Winston-Salem.....	1,808	21.7	1,513	18.2	1,074	22.6	783	16.5	731	20.1	730	20.1	99	70	250	20	230	250

TABLE III—DEATHS (EXCLUSIVE OF STILLBIRTHS) FOR THE ENTIRE

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
All Causes.....		33,976	5,164	1,384	531	457
Males.....	Total.....	18,549	2,851	758	276	249
	White.....	11,899	1,705	470	184	158
	Indian.....	114	34	11	3	1
	Colored.....	6,536	1,112	277	89	90
Females.....	Total.....	15,427	2,313	626	255	208
	White.....	9,312	1,312	391	146	105
	Indian.....	79	21	3	3	---
	Colored.....	6,036	980	232	106	103
I. INFECTIOUS AND PARASITIC DISEASES:						
Males.....	Total.....	2,112	223	172	54	37
	White.....	1,077	127	110	38	22
	Indian.....	4	---	2	---	---
	Colored.....	1,031	96	60	16	15
Females.....	Total.....	1,986	227	180	67	51
	White.....	927	115	118	43	22
	Indian.....	7	2	---	---	---
	Colored.....	1,052	110	62	24	29
1. Typhoid fever.....	W { Male.....	14	1	---	1	---
	{ Female.....	20	2	---	2	8
	C { Male.....	22	---	1	1	4
	{ Female.....	19	1	1	3	1
2. Paratyphoid fever.....	W Male.....	2	---	---	---	---
3. Typhus fever.....	W { Male.....	6	---	---	1	---
	C { Male.....	1	---	---	---	---
5. Undulant fever.....	W { Male.....	1	---	---	---	---
	{ Female.....	2	---	---	---	---
6. Smallpox.....	W Male.....	1	---	---	---	---
7. Measles.....	W { Male.....	15	1	6	1	1
	{ Female.....	12	3	5	2	---
	I { Male.....	1	---	1	---	---
	{ Female.....	1	---	---	---	---
	C { Male.....	7	3	2	2	---
	{ Female.....	8	3	4	---	1
8. Scarlet fever.....	W { Male.....	5	1	3	1	---
	{ Female.....	11	---	6	1	4
	C Female.....	1	---	1	---	---
9. Whooping cough.....	W { Male.....	52	32	19	1	---
	{ Female.....	67	39	26	2	---
	C { Male.....	18	14	3	1	---
	{ Female.....	33	24	9	---	---

STATE FROM EACH CAUSE, BY SEX, COLOR AND AGE—1937

[illegible]

TABLE III—

CAUSE OF DEATH		RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
10. Diphtheria	W	Male.....	72	11	44	15	1
		Female.....	61	6	39	16	---
	I	Male.....	1	---	1	---	---
		Female.....	1	1	---	---	---
	C	Male.....	19	5	12	1	---
		Female.....	14	4	7	1	---
11. Influenza	W	Male.....	251	31	11	5	5
		Female.....	255	28	18	5	3
	I	Male.....	1	---	---	---	---
		Female.....	2	1	---	---	---
	C	Male.....	171	28	14	3	4
		Female.....	182	30	12	8	4
13. Dysentery	W	Male.....	35	16	10	---	1
		Female.....	40	14	6	---	---
	C	Male.....	16	9	3	---	---
		Female.....	23	8	2	---	---
15. Erysipelas	W	Male.....	12	1	1	1	---
		Female.....	21	2	---	2	---
	C	Male.....	4	---	---	---	1
		Female.....	5	1	---	---	---
16. Acute poliomyelitis and acute polioencephalitis	W	Male.....	6	---	3	1	2
		Female.....	7	1	2	2	---
	C	Male.....	2	---	1	1	---
		Female.....	4	---	1	2	---
17. Lethargic or epidemic encephalitis	W	Male.....	8	---	4	---	---
		Female.....	6	---	1	1	---
	C	Male.....	2	---	1	1	---
18. Epidemic cerebrospinal meningitis	W	Male.....	23	4	4	1	3
		Female.....	10	2	4	1	1
	C	Male.....	8	---	2	---	---
		Female.....	5	2	1	---	1
21. Rabies	C	Male.....	1	---	---	1	---
22. Tetanus	W	Male.....	6	1	---	2	2
		Female.....	4	---	1	1	1
	C	Male.....	9	1	---	3	1
		Female.....	1	---	---	---	---
23. Tuberculosis of the respiratory system	W	Male.....	424	---	1	---	1
		Female.....	287	---	1	1	3
	I	Male.....	1	---	---	---	---
		Female.....	2	---	---	---	---
	C	Male.....	499	2	1	---	5
		Female.....	540	2	2	2	21

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
				1							
				1							
1		1									
8	4	14	10	32	24	39	26	29	13		
5	9	12	7	23	17	32	38	42	15	1	
					1						
					1						
6	13	8	10	22	25	21	7	7	3		
5	8	9	11	28	19	16	17	8	5	2	
			1		1	1	1	3	1		
				2	1	3	2	8	4		
1			1		1		1				
	1	2	1		3	2	2	2			
1		1		4	1		1		1		
3	1			1		3	1	6	2		
					1		1	1			
	1	1			1		1				
	1	1									
			1								
					1	1					
				2			1	1			
1	1	1	1	4	3						
1					1						
2	1	1		1	1						
	1										
			1								
			1								
	1		1		1	1					
1											
4	20	34	28	136	115	54	24	6	1		
13	36	39	31	55	40	40	17	10	1		
						1					
	1			1							
35	77	68	50	141	72	32	13	2			1
96	125	77	62	75	48	22	7		1		

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
24. Tuberculosis of the meninges and central nervous system.....	W { Male.....	5	3	-----	1	1
	Female.....	8	3	1	-----	1
	C { Male.....	13	1	3	-----	-----
	Female.....	15	2	5	2	-----
25. Tuberculosis of the intestines and peritonitis.....	W { Male.....	8	1	-----	-----	-----
	Female.....	8	1	-----	-----	-----
	C { Male.....	17	-----	1	-----	-----
	Female.....	18	-----	-----	1	-----
26. Tuberculosis of the vertebral column.....	W { Male.....	3	-----	-----	-----	-----
	Female.....	3	-----	-----	-----	-----
	C { Male.....	6	-----	-----	-----	-----
	Female.....	2	-----	-----	-----	-----
27. Tuberculosis of the bones and joints (vertebral column excepted).....	W { Male.....	2	-----	-----	-----	-----
	Female.....	2	-----	-----	1	-----
	C { Male.....	2	-----	-----	-----	-----
	Female.....	3	-----	1	-----	-----
29. Tuberculosis of the lymphatic system, (bronchial, mesenteric and retroperitoneal glands excepted)	C { Male.....	2	-----	-----	1	-----
	Female.....	3	-----	1	-----	-----
30. Tuberculosis of the genitourinary system.....	W { Male.....	2	-----	-----	-----	-----
	Female.....	4	-----	-----	-----	-----
	C { Male.....	2	-----	-----	-----	-----
31. Tuberculosis of other organs.....	W Male.....	1	-----	-----	-----	-----
32. Disseminated tuberculosis.....	W { Male.....	6	2	-----	1	-----
	Female.....	2	-----	-----	-----	-----
	C { Male.....	13	-----	2	-----	-----
	Female.....	9	-----	-----	1	1
34. Syphilis.....	W { Male.....	54	12	2	-----	-----
	Female.....	34	9	2	-----	-----
	C { Male.....	155	31	6	1	-----
	Female.....	120	30	5	1	-----
35. Gonococcus infection and other venereal diseases.....	W Female.....	1	-----	1	-----	-----
	C { Male.....	2	-----	-----	-----	-----
	Female.....	7	-----	-----	-----	-----
36. Purulent infection, septicemia (nonpuerperal).....	W { Male.....	31	6	-----	2	3
	Female.....	27	2	3	3	-----
	C { Male.....	7	-----	1	-----	-----
	Female.....	6	-----	-----	1	-----
38. Malaria.....	W { Male.....	19	3	1	2	-----
	Female.....	23	3	1	1	1
	I Female.....	1	-----	-----	-----	-----
	C { Male.....	21	-----	4	-----	-----
	Female.....	27	3	6	1	-----

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
1				1		1					
1	1	3	2	1	1						
1	4	1									
1	1	1		1	1		2				
	1	1	1	1	1	1	1	1			
1	7		2	1	4	1					
6	3	1	1	3	2		1				
				1		1	1				
1		1			1						
2	1	1		1		1					
				2							
			1		1						
	1		1			1					
	1		1								
							1				
	1			1							
			1			1					
1		1			1	1	1				
					1		1				
			2	1							
1					1						
2	1		2	3	2	1					
1	1	1	1		1	2					
1	1	3	4	13	6	7	4	1			
2	3	3	4	6	3	1	1				
2	4	19	11	28	27	16	7	3			
4	9	19	9	19	12	11	1				
	1			1							
4	1			2							
4	1		1	6	3	3		2			
4	2		3	2	1	1	4	1		1	
	2	1		1		1	1				
2				1		1					1
1	1	1	1	1	1	4	1	2			
	1	3	1	3	1	1	3	3	1		
					1						
1	1	1		2	5	4	2	1			
	2	4	2	2	4		1	2			

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
39. Other diseases due to protozoal parasites.....	W { Male..... Female..... C { Male..... Female.....	2 1 3 1	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----
40. Ankylostomiasis.....	W Female..... C Male.....	1 1	----- -----	----- -----	----- -----	----- -----
42. Other diseases caused by helminths.....	W { Male..... Female..... C { Male..... Female.....	1 1 2 6	----- ----- ----- -----	1 1 2 4	----- ----- ----- 1	----- ----- ----- -----
43. Mycoses.....	W { Male..... Female..... C Male.....	3 3 5	----- ----- 2	----- ----- 1	----- ----- -----	----- ----- -----
44. (a) Chickenpox.....	W { Male..... Female..... C Male.....	1 1 1	1 ----- -----	----- ----- -----	----- 1 -----	----- ----- -----
44. (b) German measles.....	W Male.....	2	-----	-----	1	1
44. (c) Parotitis.....	W Female.....	2	-----	-----	-----	-----
44. (d) Rocky Mountain spotted fever.....	W { Male..... Female.....	3 2	----- -----	----- -----	1 1	1 -----
44. (e) Trench mouth.....	W Female.....	1	-----	-----	-----	-----
44. (f) Tularemia.....	W Male.....	1	-----	-----	-----	-----
II. CANCERS AND OTHER TUMORS:						
Males.....	Total..... White..... Indian..... Colored.....	804 641 1 162	1 1 ----- -----	10 6 ----- 4	9 8 ----- 1	5 4 ----- 1
Females.....	Total..... White..... Indian..... Colored.....	1,248 891 1 356	1 1 ----- -----	5 3 ----- 2	8 6 ----- 2	1 1 ----- -----
45. Cancer and other malignant tumors of the buccal cavity and pharynx.....	W { Male..... Female..... C { Male..... Female.....	37 29 10 4	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----
46. Cancer and other malignant tumors of the digestive tract and peritoneum.....	W { Male..... Female..... C { Male..... Female.....	314 304 81 100	1 ----- ----- -----	----- 1 ----- -----	----- ----- ----- 1	----- ----- ----- -----

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
					2						
					1	1					
				2	1						
					1						
1											
		1									
		1									
					1	1	1				
					2	1					
			2								
					1						
1				1							
					1						
		1									
		1									
						1					
14	10	10	23	46	122	183	205	142	24		
11	6	8	20	33	91	146	157	131	19		
								1			
3	4	2	3	13	31	37	48	10	5		
6	13	31	55	199	236	275	242	136	37	3	
5	8	19	29	108	156	204	198	119	31	3	
					1						
1	5	12	26	91	79	71	44	17	6		
1			1	4	5	5	11	8	2		
			3	3	4	9	6	2	1	1	
	1			1	2	2	4				
					1	3					
3	2	4	4	13	48	83	85	62	5		
2		4	5	20	40	85	86	50	11		
1	1		2	7	15	18	26	8	3		
	1	2	4	23	19	25	19	3	3		

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
47. Cancer and other malignant tumors of the respiratory system-----	W { Male..... Female..... C { Male..... Female.....	28 18 7 3	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----
48. Cancer and other malignant tumors of the uterus---	W Female.... I Female.... C Female....	209 1 118	----- ----- -----	----- ----- -----	----- ----- -----	----- ----- -----
49. Cancer and other malignant tumors of other female genital organs-----	W Female.... C Female....	12 2	----- -----	----- -----	----- -----	----- -----
50. Cancer and other malignant tumors of the breast---	W { Male..... Female..... C Female....	2 128 54	----- ----- -----	----- ----- -----	----- ----- -----	----- ----- -----
51. Cancer and other malignant tumors of the male genitourinary organs-----	W Male..... C Male.....	100 41	----- -----	----- -----	1 -----	----- -----
52. Cancer and other malignant tumors of the skin-----	W { Male..... Female..... C { Male..... Female.....	44 32 1 3	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----
53. Cancer and other malignant tumors of other or unspecified organs-----	W { Male..... Female..... I { Male..... Female..... C { Male..... Female.....	84 105 1 ----- 13 27	----- ----- ----- ----- ----- -----	5 2 ----- ----- 4 1	4 2 ----- ----- 1 1	1 ----- ----- ----- ----- 1 -----
54. Non-malignant tumors-----	W { Male..... Female..... C { Male..... Female.....	12 32 3 37	----- ----- ----- -----	----- ----- ----- -----	1 2 ----- -----	----- 1 ----- -----
55. Tumors of which the nature is not specified-----	W { Male..... Female..... C { Male..... Female.....	20 22 6 8	----- 1 ----- -----	1 ----- ----- 1	1 2 ----- -----	----- ----- ----- -----
III. RHEUMATIC DISEASES, NUTRITIONAL DISEASES, DISEASES OF THE ENDOCRINE GLANDS AND OTHER GENERAL DISEASES:						
Males-----	Total----- White----- Indian----- Colored-----	381 284 2 95	39 31 ----- 8	15 7 ----- 8	5 3 ----- 2	12 9 ----- 3
Females-----	Total----- White----- Indian----- Colored-----	604 382 2 220	17 11 ----- 6	9 5 ----- 4	15 5 ----- 10	10 7 ----- 3

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
1		1	2	2	6	7	6	3			
	2	1		3	2	3	7				
				1	4	2					
1							2				
	1	4	11	39	57	38	36	19	4		
					1						
	2	7	12	28	31	23	9	4	2		
				3	4	1	2	2			
						2					
					1	1					
		4	3	15	28	36	25	14	3		
		1	4	12	14	12	3	8			
			2	3	7	18	32	30	7		
		1		3	5	12	18		2		
			1	3	3	10	8	14	5		
		2		1	2	3	8	7	8	1	
					1						
				1	1			1			
5	4	1	6	5	15	15	13	10			
1	2	2	1	10	9	24	24	23	4	1	
								1			
2	1				2	1		2			
			2	3	6	5	8	1			
		1	1	1	2	2		4			
	1	2	3	13	7	2	1				
			1		1	1					
	2	1	4	21	6	1	1		1		
1		1	3	2	4	5	2				
2	2		3	1	3	3	3	2			
	1	1		1	1	1					
		1		3	1		2				
13	12	5	7	31	48	77	70	40	7		
7	7	4	1	22	34	59	58	37	5		
					1		1	1			
6	5	1	6	9	13	18	11	3	2		
17	22	25	29	83	94	112	111	49	11		
8	6	9	17	51	51	80	85	37	10		
						2					
9	16	16	12	32	43	30	26	12	1		

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
56. Acute rheumatic fever.....	W	Male.....	17	1	1	5
		Female.....	23	1	2	6
	C	Male.....	9	2	2	1
		Female.....	15		3	3
57. Chronic rheumatism, osteoarthritis.....	W	Male.....	14			
		Female.....	19			
	C	Male.....	1			
		Female.....	8			
59. Diabetes mellitus.....	W	Male.....	129	3	1	3
		Female.....	152		2	
	I	Male.....	1			
		Female.....	1			
	C	Male.....	40	1		2
		Female.....	63		3	
60. Scurvy.....	W	Male.....	1	1		
	C	Female.....	1			
61. Beriberi.....	W	Male.....	1			
		Female.....	2		1	
	I	Male.....	78			
		Female.....	130			
62. Pellagra.....	I	Male.....	1			
		Female.....	1			
	C	Male.....	27			
		Female.....	93	1	2	
63. Rickets.....	W	Male.....	3	2	1	
		Female.....	1		1	
	C	Male.....	4	2	2	
		Female.....	5	2	3	
64. Osteomalocia.....	W	Female.....	1			
65. Diseases of the pituitary body.....	W	Female.....	1			
66. Diseases of the thyroid and parathyroid glands.....	W	Male.....	8		2	1
		Female.....	35	1	1	
	C	Male.....	5	1	1	
		Female.....	27			
67. Diseases of the thymus gland.....	W	Male.....	23	19	2	1
		Female.....	10	9		
	C	Male.....	4	3	1	
		Female.....	3	3		
68. Diseases of the adrenals (Addison's disease, not specified as tuberculous).....	W	Male.....	1			
		Female.....	2			
	C	Male.....	1			

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
3		2		1	1	2		1			
3	1	2	2	2	1	2		1			
1	1						2				
2	1	2		1	1	2					
1				3	1	1	4	4			
					2	8	6	1	2		
					1	1					
	1		1	1	1	2	2				
3	6	1		6	17	36	34	17	2		
5	2	3	3	10	19	33	53	19	3		
					1						
						1					
4	3	1	3	4	4	10	5	2	1		
1	4	1	3	8	19	9	11	3	1		
		1									
					1						
				1							
		1	1	12	11	18	18	14	3		
	1	3	7	29	23	27	21	15	4		
							1				
						1					
	1		2	5	6	7	4	1	1		
6	10	11	7	15	12	12	11	6			
				1							
				1							
					3	2					
	2	1	5	5	6	9	4	1			
			1		2						
		1	1	7	10	5	2	1			
	1										
				1							
							1				
				1		1					
					1						

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
69. Other general diseases.....	W { Male..... Female.....	9 6	6 1	1 2	----- -----	----- 1
	C { Male..... Female.....	4 5	2 1	1 -----	----- 2	----- -----
IV. DISEASES OF THE BLOOD AND BLOOD-MAKING ORGANS:						
Males.....	Total..... White..... Indian..... Colored.....	117 96 ----- 21	9 6 ----- 3	5 4 ----- 1	5 4 ----- 1	5 4 ----- 1
Females.....	Total..... White..... Indian..... Colored.....	99 67 ----- 32	8 6 ----- 2	11 10 ----- 1	4 2 ----- 2	4 1 ----- 3
70. Hemorrhagic conditions.....	W { Male..... Female.....	6 8	3 4	1 1	----- -----	2 -----
	C { Male..... Female.....	3 5	2 1	----- -----	----- -----	----- 2
71. Anemias.....	W { Male..... Female.....	51 33	2 1	2 2	3 -----	1 -----
	C { Male..... Female.....	6 22	1 1	1 1	----- -----	----- -----
72. Leukemias and pseudoleukemias.....	W { Male..... Female.....	35 24	1 -----	----- 7	1 2	1 1
	C { Male..... Female.....	10 5	----- -----	----- -----	----- 2	1 1
73. Diseases of the spleen.....	W { Male..... Female.....	4 2	----- 1	1 -----	----- -----	----- -----
	C Male.....	2	-----	-----	1	-----
V. CHRONIC POISONINGS AND INTOXICATIONS:						
Males.....	Total..... White..... Indian..... Colored.....	89 62 ----- 25	----- ----- ----- -----	3 1 ----- 1	----- ----- ----- -----	----- ----- ----- -----
Females.....	Total..... White..... Colored.....	12 8 ----- 4	----- ----- -----	1 ----- 1	----- ----- -----	1 ----- 1
75. Alcoholism (acute or chronic).....	W { Male..... Female.....	58 5	----- -----	----- -----	----- -----	----- -----
	I Male.....	1	-----	-----	-----	-----
	C { Male..... Female.....	22 4	----- -----	----- 1	----- -----	----- 1
76. Chronic poisonings by other organic substances.....	W { Male..... Female.....	1 2	----- -----	1 -----	----- -----	----- -----
	C { Male..... Female.....	3 -----	----- -----	1 -----	----- -----	----- -----

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
							1	1			
							1		1		
1								2			
9	9		2	10	7	24	20	9	3		
7	6		1	10	6	20	18	7	3		
2	3		1		1	4	2	2			
3	9	5	10	10	8	10	12	5			
	7	2	7	4	6	8	10	4			
3	2	3	3	6	2	2	2	1			
								3			
	1										
	1					1					
3				5	3	10	14	5	3		
	3	1	4	3	5	6	7	1			
						1	1	2			
3	1	3	2	5	2	1	2	1			
4	5		1	4	3	9	4	2			
	4	1	3	1	1	2	2				
2	2				1	3	1				
			1	1							
	1			1		1					
			1				1				
2	3	11	10	23	24	9	3	1			
2	2	6	10	12	18	8	3				
		1									
	1	4		11	6	1		1			
	2	1		5	1		1				
	1			5	1		1				
	1	1									
2	2	5	10	11	17	8	3				
	1			4							
		1									
	1	4		9	6	1		1			
	1	1									
				1	1						
				2							

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
77. Chronic poisoning by mineral substances.....	W { Male..... Female..... I Male.....	3 1 1	----- ----- -----	----- ----- 1	----- ----- -----	----- ----- -----
VI. DISEASES OF THE NERVOUS SYSTEM, AND OF THE ORGANS OF SPECIAL SENSE:						
Males.....	Total..... White..... Indian..... Colored.....	1,937 1,248 6 683	46 25 ----- 21	32 23 ----- 9	23 16 ----- 7	14 8 ----- 6
Females.....	Total..... White..... Indian..... Colored.....	1,680 1,013 6 661	30 21 ----- 9	20 13 ----- 7	9 3 ----- 6	12 5 ----- 7
78. Encephalitis (nonepidemic).....	W { Male..... Female..... I Male..... C { Male..... Female.....	24 15 1 8 7	3 1 ----- ----- -----	2 3 ----- ----- -----	3 1 ----- ----- -----	1 1 ----- ----- -----
79. Meningitis.....	W { Male..... Female..... C { Male..... Female.....	32 24 42 11	5 6 6 2	6 5 6 3	6 1 5 1	2 ----- 3 1
80. Progressive locomotor ataxia (tabes dorsalis).....	W Male..... C { Male..... Female.....	2 1 2	----- ----- -----	----- ----- -----	----- ----- -----	----- ----- -----
81. Other diseases of the spinal cord.....	W { Male..... Female..... I Male..... C { Male..... Female.....	25 17 1 11 5	----- ----- ----- ----- -----	----- ----- ----- ----- -----	1 ----- ----- 1 -----	----- ----- ----- ----- -----
82. Cerebral hemorrhage, cerebral embolis and thrombosis.....	W { Male..... Female..... I { Male..... Female..... C { Male..... Female.....	1,003 849 4 4 519 561	----- ----- ----- ----- ----- 1	1 ----- ----- ----- ----- -----	----- ----- ----- ----- ----- 1	----- ----- ----- ----- ----- -----
83. General paralysis of the insane.....	W { Male..... Female..... I Female..... C { Male..... Female.....	27 12 1 23 9	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----
84. Dementia praecox and other psychoses.....	W { Male..... Female..... C { Male..... Female.....	25 20 27 20	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- 1

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
		1		1	1		1				
36	38	32	48	162	290	385	445	317	64	5	
16	16	16	20	74	156	244	318	266	49	1	
	1					2	2	1			
20	21	16	28	88	134	139	125	50	15	4	
24	22	17	36	120	261	321	375	316	103	13	1
16	6	7	14	52	126	171	249	257	69	4	
1				1	2		1		1		
7	16	10	22	67	133	150	125	59	33	9	1
	5	1		5	2		2				
1			2		2	1	2	1			
	1										
2			1	4							
1	1			2	1						
4		2	1	3	1	1	1				
2			1	2	3	3		1			
7	5	3	2	3	1		1				
	1			1	1		1				
				1			1				
1											
	1					1					
1			1		6	9	4	3			
			1	2	4	3	3	3	1		
	1			2	2	1	4				
			1		1	1	2				
2		6	3	46	126	224	298	248	48	1	
1	3	2	3	38	107	158	229	239	65	4	
						2					
					2		1		1		
2	5	7	13	64	119	128	114	48	15	4	
1	2	3	12	54	124	144	118	59	32	9	1
		1	4	8	6	1	3	4			
1	1		1		2		5	2			
				1							
	1	2	6	9	1	2	2				
		1		3	3		1		1		
1	2		4	4	3	4	4	3			
1	1	2	3	1	2	1	2	4	2		
2	5	1	3	3	8	1	2	2			
2	4	2	4	4		1	2				

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
85. Epilepsy.....	W {	Male.....	25	1	1	
		Female.....	19			1
	C {	Male.....	26		1	2
		Female.....	23			3
86. Convulsions (under 5 years of age).....	W {	Male.....	15	8	7	
		Female.....	5	3	2	
	C {	Male.....	9	8	1	
		Female.....	7	6	1	
87. Other diseases of the nervous system.....	W {	Male.....	29	1	1	1
		Female.....	29	2		1
	C {	Male.....	1			
		Female.....	8		1	1
88. Diseases of the organs of vision.....	W {	Male.....	29	1	1	1
		Female.....	29	2		1
	C {	Male.....	1			
		Female.....	8		1	3
89. Diseases of the ear and of the mastoid process.....	W {	Male.....	40	7	5	4
		Female.....	23	9	3	2
	C {	Male.....	9	7		
		Female.....	8		2	1
VII. DISEASES OF THE CIRCULATORY SYSTEM:						
Males.....	{	Total.....	3,616	2	6	13
		White.....	2,563	2	4	8
		Indian.....	13			
		Colored.....	1,040		2	5
Females.....	{	Total.....	2,678	3	4	11
		White.....	1,762	3	3	5
		Indian.....	10			
		Colored.....	906		1	6
90. Pericarditis.....	W {	Male.....	13			2
		Female.....	7			
	C {	Male.....	9			
		Female.....	7			
91. Acute endocarditis.....	W {	Male.....	20	1	1	
		Female.....	16	1	1	2
	C {	Male.....	1			
		Female.....	10			3
92. Chronic endocarditis, valvular diseases.....	W {	Male.....	329		1	2
		Female.....	266	1	1	2
	C {	Male.....	1			
		Female.....	2			
C {	Male.....	186		1	1	
	Female.....	165		3	3	

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
3	2	5	5	4	2	-----	2	-----	-----	-----	-----
3	1	3	2	5	2	-----	1	1	-----	-----	-----
5	4	2	3	3	3	3	-----	-----	-----	-----	-----
2	5	3	4	3	2	1	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
2	1	-----	2	1	5	4	3	8	-----	-----	-----
4	-----	-----	1	2	2	4	6	6	1	-----	-----
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	1	-----	-----	-----	3	2	-----	-----	-----	-----
-----	1	1	-----	-----	1	1	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
3	6	1	-----	2	5	1	-----	-----	1	-----	-----
3	-----	-----	-----	2	2	1	1	-----	-----	-----	-----
1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
1	1	-----	1	-----	-----	1	1	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
32	30	39	70	268	504	841	895	717	161	24	1
22	17	19	35	133	306	590	692	599	121	8	-----
1	-----	-----	-----	1	1	4	4	1	1	-----	-----
9	13	20	35	134	197	247	199	117	39	16	1
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
22	45	56	54	189	332	483	627	600	211	19	1
9	20	27	23	81	151	287	456	513	164	8	1
-----	-----	-----	-----	2	1	1	1	3	2	-----	-----
13	25	29	31	106	180	195	170	84	45	11	-----
-----	-----	-----	1	-----	-----	4	3	3	-----	-----	-----
-----	1	-----	1	1	-----	-----	2	2	-----	-----	-----
-----	1	-----	-----	2	-----	1	4	-----	1	-----	-----
1	1	-----	-----	-----	2	2	1	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1	3	4	1	2	4	1	2	-----	-----	-----	-----
1	1	6	-----	1	-----	2	1	-----	-----	-----	-----
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	2	-----	1	2	1	1	-----	-----	-----	-----
3	5	1	1	1	1	-----	1	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
6	2	4	9	18	24	56	91	93	21	1	-----
2	4	4	2	13	19	35	63	86	26	3	-----
-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----
1	2	4	9	31	37	36	33	24	6	-----	1
2	3	10	9	18	36	30	27	15	8	1	-----

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
93. Diseases of the myocardium.....	W	Male.....	605	-----	1	-----
		Female.....	577	-----	-----	-----
	I	Male.....	7	-----	-----	-----
		Female.....	3	-----	-----	-----
	C	Male.....	241	-----	1	-----
		Female.....	210	-----	-----	3
94. Diseases of the coronary arteries and angina pectoris.....	W	Male.....	594	-----	-----	-----
		Female.....	233	-----	-----	-----
	I	Male.....	1	-----	-----	-----
		Female.....	-----	-----	-----	-----
	C	Male.....	79	-----	1	-----
		Female.....	68	-----	-----	-----
95. Other diseases of the heart.....	W	Male.....	787	-----	1	5
		Female.....	515	-----	1	3
	I	Male.....	2	-----	-----	-----
		Female.....	3	-----	-----	-----
	C	Male.....	434	-----	-----	2
		Female.....	352	-----	1	3
96. Aneurysm (except of the heart).....	W	Male.....	9	-----	-----	-----
		Female.....	3	-----	-----	-----
	C	Male.....	9	-----	-----	-----
		Female.....	5	-----	-----	-----
97. Arteriosclerosis (diseases of the coronary arteries excepted).....	W	Male.....	148	-----	-----	-----
		Female.....	105	-----	-----	-----
	I	Male.....	-----	-----	-----	-----
		Female.....	2	-----	-----	-----
	C	Male.....	48	-----	-----	-----
		Female.....	58	-----	-----	-----
98. Gangrene.....	W	Male.....	25	1	1	1
		Female.....	18	-----	-----	-----
	C	Male.....	11	-----	-----	-----
		Female.....	14	-----	-----	-----
99. Other diseases of the arteries.....	W	Male.....	10	-----	-----	-----
		Female.....	1	-----	-----	1
	C	Male.....	3	-----	-----	-----
		Female.....	1	-----	-----	-----
100. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	W	Male.....	8	-----	-----	-----
		Female.....	7	-----	-----	-----
	C	Male.....	1	-----	-----	-----
		Female.....	-----	-----	-----	-----
101. Diseases of the lymphatic system (lymphangitis, etc.).....	W	Male.....	1	-----	-----	-----
		Female.....	4	1	-----	1
	I	Male.....	1	-----	-----	-----
		Female.....	-----	-----	-----	-----
	C	Male.....	2	-----	-----	-----
		Female.....	-----	-----	-----	-----

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years	
102. Idiopathic anomalies of the blood pressure-----	W	Male-----	12	-----	-----	-----	
		Female-----	6	-----	-----	-----	
	C	Male-----	4	-----	-----	-----	
		Female-----	8	-----	-----	-----	
103. Other diseases of the circulatory system-----	W	Male-----	2	-----	-----	-----	
		Female-----	4	-----	-----	-----	
	C	Male-----	3	-----	1	1	
		Female-----	3	-----	-----	-----	
VIII. DISEASES OF THE RESPIRATORY SYSTEM:							
Males-----	Total-----	1,824	428	199	57	31	
	White-----	1,020	221	118	32	19	
	Indian-----	17	9	4	1	-----	
	Colored-----	787	198	77	24	12	
Females-----	Total-----	1,396	291	144	34	34	
	White-----	837	153	80	20	15	
	Indian-----	10	3	2	-----	-----	
	Colored-----	549	135	62	14	19	
104. Diseases of the nasal fossae and annexae-----	W	Male-----	15	6	-----	1	
		Female-----	19	8	2	-----	2
	C	Male-----	10	5	-----	1	-----
		Female-----	12	7	-----	-----	1
105. Diseases of the larynx-----	W	Male-----	10	2	3	4	1
		Female-----	6	1	3	1	-----
	C	Male-----	2	-----	2	-----	-----
		Female-----	3	3	-----	-----	-----
106. Bronchitis-----	W	Male-----	12	4	1	-----	-----
		Female-----	15	2	1	-----	-----
	C	Male-----	9	4	-----	-----	-----
		Female-----	10	5	2	-----	-----
107. Bronchopneumonia (including capillary bronchitis)-----	W	Male-----	383	155	55	12	3
		Female-----	323	93	41	6	5
	I	Male-----	8	5	3	-----	-----
		Female-----	7	3	2	-----	-----
	C	Male-----	274	122	50	11	3
		Female-----	211	71	38	7	6
108. Lobar pneumonia-----	W	Male-----	513	37	51	14	11
		Female-----	383	28	26	11	6
	I	Male-----	4	-----	1	1	-----
		Female-----	3	-----	-----	-----	-----
	C	Male-----	385	26	21	9	8
		Female-----	233	18	17	4	10

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
		1		2	2	3	2	2			
				1		2	1	2			
		2	1			1					
			1	1	1	3	2				
1						1					
		2					1	1			
								1			
					1	1	1				
63	84	84	86	164	183	159	134	107	42	1	2
26	27	31	36	73	106	97	107	93	34		
	1	1				1					
37	56	52	50	91	77	61	27	14	8	1	2
54	44	54	46	109	106	122	153	140	55	10	
20	17	24	16	52	69	83	112	124	45	7	
1				2			1	1			
33	27	30	30	55	37	39	40	15	10	3	
2		1	2		2		1				
		2	1		3				1		
2	1	1									
1		1		1					1		
						1					
					1	2	1	2	1		
			1		1	3	3	3	1		
			1		1	1		1	1		
							1		1	1	
2	5	5	7	10	24	21	31	36	17		
2	3	1		9	10	21	43	64	22	3	
				1				1			
5	6	6	5	18	16	15	8	5	4		
8	3	5	8	10	10	13	18	7	5	2	
21	19	24	24	53	68	67	63	48	13		
16	14	21	12	36	45	52	57	43	14	2	
		1				1					
1				1			1				
28	44	40	39	57	53	36	14	6	2		2
23	17	22	21	38	22	18	17	5	1		

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years		
109. Pneumonia, unspecified.....	W {	Male.....	28	17	5	-----		
		Female.....	44	18	7	1		
	I {	Male.....	5	4	-----	-----		
		Female.....	-----	-----	-----	-----		
	C {	Male.....	66	40	3	1	1	
		Female.....	51	31	3	1	-----	
110. Pleurisy.....	W {	Male.....	7	-----	-----	1	1	
		Female.....	7	1	-----	-----	1	
	C {	Male.....	9	1	-----	1	-----	
		Female.....	9	-----	-----	2	1	
111. Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lungs.....	W {	Male.....	14	-----	-----	-----	1	
		Female.....	16	-----	-----	-----	-----	
	C {	Male.....	6	-----	-----	-----	-----	
		Female.....	8	-----	-----	-----	-----	
112. Asthma.....	W {	Male.....	12	-----	1	-----	-----	
		Female.....	11	-----	-----	1	-----	
	C {	Male.....	13	-----	1	-----	-----	
		Female.....	6	-----	2	-----	-----	
114. Other diseases of the respiratory system, (tuberculosis excepted).....	W {	Male.....	25	-----	2	-----	1	
		Female.....	11	-----	-----	-----	1	
	C {	Male.....	13	-----	-----	1	-----	
		Female.....	6	-----	-----	-----	1	
IX. DISEASES OF THE DIGESTIVE SYSTEM:								
Males.....	Total.....		1,394	419	180	24	29	
	White.....		909	253	116	18	18	
	Indian.....		13	5	3	-----	-----	
	Colored.....		472	161	61	6	11	
Females.....	Total.....		1,091	309	129	26	24	
	White.....		696	177	88	16	18	
	Indian.....		8	2	1	-----	-----	
	Colored.....		387	130	40	10	6	
115. Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetation).....	W {	Male.....	58	-----	17	7	1	
		Female.....	51	2	10	6	5	
	C {	Male.....	24	3	1	-----	1	
		Female.....	27	1	4	1	2	
	116. Diseases of the esophagus.....	W {	Male.....	3	-----	-----	-----	-----
			Female.....	1	-----	-----	-----	-----
C {		Male.....	1	-----	1	-----	-----	
		Female.....	1	-----	-----	-----	-----	
117. Ulcer of the stomach and duodenum.....	W {	Male.....	44	-----	-----	-----	-----	
		Female.....	15	-----	-----	-----	-----	
	I {	Male.....	1	-----	-----	-----	-----	
		Female.....	-----	-----	-----	-----	-----	
	C {	Male.....	20	-----	-----	-----	-----	
		Female.....	6	-----	-----	-----	-----	

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
					1		3	1	1		
				2	3	2	1	6	3	1	
	1										
2		4	1	5	2	2	2	2	1		
1	2			1	2	4	2	3	1		
			1	2	1	1					
				1	1	1	1	1			
	2	1		3		1					
	1	2		1	1	1					
			1	1	2	2	1	4	2		
1					3		2	5	4	1	
			1		1	3				1	
	2				2	2	1		1		
	2			3	2	1	2	1			
			1	4	2		2	1			
			2	2	2	3	3				
			1	1		1	1				
1	1	1	1	4	5	3	5	1			
1			1		1	3	3	1			
	3		1	6	2						
	2			3							
48	44	37	46	120	128	143	84	74	14	3	1
31	19	18	25	79	78	111	69	59	12	2	1
1			2	1				1			
16	25	19	19	40	50	32	15	14	2	1	
36	44	37	34	94	94	88	79	71	25	1	
17	28	17	16	48	57	69	59	68	17	1	
1	2						1		1		
18	14	20	18	46	37	19	19	3	7		
3	2	3	1	4	7	8	2	2	1		
	4	3	2	5	3	3	2	4	1	1	
5	2	3	1	1	2	4			1		
1	2	3	1	7	3	1	1				
					1		1	1			
						1					
				1							
			6	8	12	11	6	1			
			1	5	3	2	2	2			
1											
1	2	1	4	4	4	2		2			
		1		2	1	2					

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
118. Other diseases of the stomach (cancer excepted).....	W { Male.....	50	2	2	-----	-----
	Female.....	17	-----	-----	-----	1
	C { Male.....	43	3	1	-----	2
	Female.....	39	-----	4	-----	2
119. Diarrhea and enteritis (under 2 years of age).....	W { Male.....	288	233	55	-----	-----
	Female.....	216	171	45	-----	-----
	I { Male.....	7	5	2	-----	-----
	Female.....	3	2	1	-----	-----
	C { Male.....	191	152	39	-----	-----
	Female.....	155	128	27	-----	-----
120. Diarrhea and enteritis (2 years and over).....	W { Male.....	80	-----	31	1	-----
	Female.....	108	-----	26	-----	3
	I { Male.....	2	-----	1	-----	-----
	Female.....	2	-----	-----	-----	-----
	C { Male.....	47	-----	15	3	1
	Female.....	45	-----	5	4	2
121. Appendicitis.....	W { Male.....	167	-----	4	10	14
	Female.....	92	-----	4	8	8
	I { Male.....	2	-----	-----	-----	-----
	Female.....	3	-----	-----	-----	-----
	C { Male.....	42	-----	-----	2	7
	Female.....	32	-----	-----	3	-----
122. Hernia, intestinal obstruction.....	W { Male.....	86	11	6	-----	1
	Female.....	69	3	2	1	-----
	I { Male.....	1	-----	-----	-----	-----
	Female.....	-----	-----	-----	-----	-----
	C { Male.....	55	2	3	-----	-----
	Female.....	35	-----	-----	1	-----
123. Other diseases of the intestines.....	W { Male.....	12	1	-----	-----	1
	Female.....	16	1	1	-----	1
	C { Male.....	9	-----	-----	-----	-----
	Female.....	6	-----	-----	-----	-----
124. Cirrhosis of the liver.....	W { Male.....	61	-----	-----	-----	-----
	Female.....	21	-----	-----	-----	-----
	C { Male.....	23	-----	1	-----	-----
	Female.....	16	-----	-----	1	-----
125. Other diseases of the liver (including yellow atrophy of the liver).....	W { Male.....	14	4	1	-----	-----
	Female.....	11	-----	-----	-----	-----
	C { Male.....	6	1	-----	-----	-----
	Female.....	6	-----	-----	-----	-----
126. Biliary calculi.....	W { Male.....	7	-----	-----	-----	-----
	Female.....	7	-----	-----	-----	-----
	C { Male.....	-----	-----	-----	-----	-----
	Female.....	2	-----	-----	-----	-----

Continued

[illegible]

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
127. Other diseases of the gall-bladder and biliary passages.....	W { Male..... Female.....	30 64	1			1
	C { Male..... Female.....	9 6			1	
128. Diseases of the pancreas.....	W { Male..... Female.....	3 1				
129. Peritonitis, cause not specified.....	W { Male..... Female.....	6 7	1		1	
	C { Male..... Female.....	2 11				
X. DISEASES OF THE GENITOURINARY SYSTEM:						
Males.....	Total.....	1,835	8	11	8	8
	White.....	1,217	2	5	4	4
	Indian.....	10		1		
	Colored.....	608	6	5	4	4
Females.....	Total.....	1,494	2	8	5	9
	White.....	920		3	2	5
	Indian.....	6				
	Colored.....	568	2	5	3	4
130. Acute nephritis (including unspecified under 10 years of age).....	W { Male..... Female.....	49 38	1	5 1		1 2
	I { Male..... Female.....	1		1		
	C { Male..... Female.....	54 38	1 1	4 2	3	3 2
131. Chronic nephritis.....	W { Male..... Female.....	961 742			4 1	1 3
	I { Male..... Female.....	8 4				
	C { Male..... Female.....	439 427		1 1		1 2
132. Nephritis, unspecified (10 years and over).....	W { Male..... Female.....	53 42				
	I { Male..... Female.....	1 1				
	C { Male..... Female.....	40 37				
133. Other diseases of the kidneys and ureters (puerperal diseases excepted).....	W { Male..... Female.....	34 40	1			2
	C { Male..... Female.....	19 17	4 1	1 2	1 2	
134. Calculi of the urinary passages.....	W { Male..... Female.....	5 7				
	C { Male..... Female.....	1 2				

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
	1			1	4	7	8	6		1	
	1	1	3	6	8	15	15	11	4		
	1	1		2	1	2	1				
1				2	2		1				
		1		1	1						
					1						
				2	1	1		1			
1	1	1	1	1		1					
	1				1						
	2	2	2	2	1		1				
8	20	22	30	116	222	398	464	392	115	13	
5	13	10	10	57	121	258	335	310	79	4	
				1	1	4		2	1		
3	7	12	20	58	100	136	129	80	35	9	
22	28	48	50	162	171	280	320	274	98	15	2
5	4	22	24	71	82	162	227	231	76	6	
			2			2	1	1			
17	24	26	24	91	89	116	92	42	22	9	2
1	1	2	2	6	7	12	8	2	1		
	1	3	1	10	3	4	4	5	2		
					12		5		1		
3	1	3	5	9		4	5				
3	1	7	1	12		5	3	1			
3	8	7	6	37	99	210	269	254	59	4	
4	2	6	15	36	61	139	197	208	66	4	
				1	1	3		2	1		
			1			1	1	1			
	5	8	10	33	78	103	103	66	25	6	
6	4	8	11	61	78	102	87	37	19	8	2
	2			3	6	9	14	14	5		
		1		3	5	2	9	14	6	2	
						1					
						1					
			3	5	6	13	5	3	4	1	
	3	3	4	7	8	6	1	2	2	1	
	1	1	2	6	5	10	6				
		1	3	7	7	9	11		1		
			2	2	3	3	2		2		
	2	1	2	2	1	1	1	1	1		
	1			1	1	1	1				
		1		1		3	1	1			
				1							
			1					1			

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
135. Diseases of the bladder (tumors excepted)-----	W { Male..... Female..... C { Male..... Female.....	18 5 20 3	1			
136. Diseases of the urethra, urinary abscess, etc.-----	W Male..... C Male.....	6 1				
137. Diseases of the prostate-----	W Male..... C Male.....	90 33				
138. Diseases of the male genital organs, not specified as venereal-----	W Male..... C Male.....	1 1				
139. Diseases of the female genital organs, not specified as venereal-----	W Female.... I Female.... C Female....	46 1 44				
XI. DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERAL STATE:						
Females-----	Total..... White..... Indian..... Colored.....	445 232 3 210				3 1 2
140. Abortion with septic conditions-----	W Female.... C Female....	9 16				
141. Abortion without mention of septic conditions (to include hemorrhages)-----	W Female.... C Female....	14 12				
142. Ectopic gestation-----	W Female.... C Female....	2 3				
143. Other accidents of pregnancy (not to include hemorrhages)-----	W Female.... C Female....	11 7				
144. Puerperal hemorrhage-----	W Female.... C Female....	28 27				1
145. Puerperal septicoemia (not specified as due to abortion)-----	W Male..... I Female.... C Female....	32 2 27				1
146. Puerperal albuminuria and eclampsia-----	W Female.... C Female....	63 55				1
147. Other toxemias of pregnancy-----	W Female.... I Female.... C Female....	26 1 19				
148. Puerperal phlegmasia albadolens, embolus, sudden death (not specified as septic)-----	W Female.... C Female....	13 9				
149. Other accidents of childbirth-----	W Female.... C Female....	34 35				

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
1				2	1	1	7	2	4		
		1				1	2	1			
				7		5	5	2			
1	1					1					
				1	1	2		2			
		1									
				1	1	13	29	36	10		
	1				1	8	9	9	3	2	
							1				
				1							
1	1	9	5	14	6	4	3	2	1		
			1								
7	13	7	5	9	2	1					
76	121	84	66	93	2						
34	61	40	41	53	2						
	1		2								
42	59	44	23	40							
2	2	3	1	1							
3	7	5	1								
2	5		4	3							
	3	6	3								
			2								
		2		1							
2	1	3	2	3							
1	2		1	3							
1	3	5	10	9							
	4	8	6	8							
6	11	6	5	3							
	1		1								
7	11	1	2	6							
15	13	11	9	15							
18	13	7	3	13							
3	8	4	2	8	1						
			1								
4	8	3	2	2							
2	3	2	2	4							
3	3	2		1							
1	15	6	4	7	1						
6	8	10	5	6							

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE:						
Males.....	Total.....	42	2	6	2	5
	White.....	30	1	3	1	3
	Indian.....	2	1		1	
	Colored.....	10		3		2
Females.....	Total.....	32	4	2		3
	White.....	20	3	2		2
	Indian.....	1				
	Colored.....	11	1			1
151. Furuncle, carbuncle.....	W { Male.....	11				1
	Female.....	7	1	2		
	I { Male.....	1	1			
	Female.....					
	C { Male.....	2		1		
	Female.....	1				
152. Phlegmon, acute abscess.....	W { Male.....	18	1	3	1	2
	Female.....	10	2			2
	I { Male.....	1			1	
	Female.....	1				
	C { Male.....	5		1		2
	Female.....	5	1			1
153. Other diseases of the skin and annexa, and of the cellular tissue.....	W { Male.....	1				
	Female.....	3				
	C { Male.....	3		1		
	Female.....	5				
XIII. DISEASES OF THE BONES AND ORGANS OF LOCOMOTION:						
Males.....	Total.....	39		4	4	6
	White.....	26		2	3	5
	Colored.....	13		2	1	1
Females.....	Total.....	30	3	3	3	3
	White.....	18	3	2	3	3
	Colored.....	12		1		
154. Osteomyelitis.....	W { Male.....	17		2	3	5
	Female.....	11	2	2	3	2
	C { Male.....	10		2	1	1
	Female.....	5		1		
155. Other diseases of the bones (tuberculosis excepted).....	W { Male.....	2				
	Female.....	2				1
	C { Male.....	1				
	Female.....					
156. Diseases of the joints and other organs of locomotion.....	W { Male.....	7				
	Female.....	5	1			
	C { Male.....	2				
	Female.....	7				

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
1	1	1	4	1	6	2	8	2	1		
1	1	1	3	1	6		6	2	1		
			1			2	2				
1		4	1	4	4	5	3		1		
1		1		2	4	3	2				
							1				
		3	1	2		2			1		
			2		2		5		1		
				2	2						
							1				
1	1	1	1	1	3		1	2			
1		1			2	2					
							1				
			1			1					
				2		1					
					1						
						1	2				
						1	1				
		3	1						1		
7	4			2	4	3	2	3			
7	2			1		2	2	2			
	2			1	4	1		1			
2		2	2	5	3	2	1		1		
1				1	1	2	1		1		
1		2	2	4	2						
5						1	1				
1							1				
	1			1	4						
1		1	1		1						
2											
						1					
	1										
	2			1		1	1	2			
				1	1	1			1		
						1		1			
		1	1	4	1						

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
XIV. CONGENITAL MALFORMATIONS:						
Males.....	Total.....	180	171	8	-----	1
	White.....	137	132	5	-----	-----
	Indian.....	4	4	-----	-----	-----
	Colored.....	39	35	3	-----	1
157. Congenital malformations (stillbirths not included)						
Females.....	Total.....	148	142	5	1	-----
	White.....	106	103	3	-----	-----
	Indian.....	1	1	-----	-----	-----
	Colored.....	41	38	2	1	-----
XV. DISEASES OF EARLY INFANCY:						
Males.....	Total.....	1,182	1,181	1	-----	-----
	White.....	747	746	1	-----	-----
	Indian.....	11	11	-----	-----	-----
	Colored.....	424	424	-----	-----	-----
Females.....	Total.....	995	994	1	-----	-----
	White.....	591	590	1	-----	-----
	Indian.....	11	11	-----	-----	-----
	Colored.....	393	393	-----	-----	-----
158. Congenital debility.....	W { Male.....	58	58	-----	-----	-----
	Female.....	45	44	1	-----	-----
	I { Male.....	2	2	-----	-----	-----
	Female.....	4	4	-----	-----	-----
	C { Male.....	65	65	-----	-----	-----
	Female.....	68	68	-----	-----	-----
159. Premature birth.....	W { Male.....	533	533	-----	-----	-----
	Female.....	444	444	-----	-----	-----
	I { Male.....	6	6	-----	-----	-----
	Female.....	4	4	-----	-----	-----
	C { Male.....	303	303	-----	-----	-----
	Female.....	273	273	-----	-----	-----
160. Injury at birth.....	W { Male.....	107	106	1	-----	-----
	Female.....	68	68	-----	-----	-----
	I { Male.....	2	2	-----	-----	-----
	Female.....	2	2	-----	-----	-----
	C { Male.....	28	28	-----	-----	-----
	Female.....	24	24	-----	-----	-----
161. Other diseases peculiar to early infancy.....	W { Male.....	49	49	-----	-----	-----
	Female.....	34	34	-----	-----	-----
	I { Male.....	1	1	-----	-----	-----
	Female.....	1	1	-----	-----	-----
	C { Male.....	28	28	-----	-----	-----
	Female.....	28	28	-----	-----	-----
XVI. SENILITY:						
Males.....	Total.....	124	-----	-----	-----	-----
	White.....	65	-----	-----	-----	-----
	Indian.....	2	-----	-----	-----	-----
	Colored.....	57	-----	-----	-----	-----

Continued

[illegible]

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
162. Senility						
Females.....	Total.....	174	-----	-----	-----	-----
	White.....	93	-----	-----	-----	-----
	Indian.....	3	-----	-----	-----	-----
	Colored.....	78	-----	-----	-----	-----
XVII. VIOLENT AND ACCIDENTAL DEATHS:						
Maies.....	Total.....	2,342	68	92	65	77
	White.....	1,504	42	58	44	52
	Indian.....	25	2	-----	1	1
	Colored.....	813	24	34	20	24
Females.....	Total.....	854	62	72	69	27
	White.....	544	23	48	39	12
	Indian.....	7	-----	-----	3	-----
	Colored.....	303	39	24	27	15
163. Suicide by solid or liquid poisons or by absorption of corrosive substances.....	W { Male.....	17	-----	-----	-----	-----
	Female.....	23	-----	-----	-----	-----
	C { Male.....	1	-----	-----	-----	-----
	Female.....	2	-----	-----	-----	-----
164. Suicide by poisonous gas.....	W { Male.....	6	-----	-----	-----	-----
	Female.....	6	-----	-----	-----	-----
	C { Male.....	1	-----	-----	-----	-----
	Female.....	1	-----	-----	-----	-----
165. Suicide by hanging or strangulation.....	W { Male.....	16	-----	-----	-----	1
	Female.....	3	-----	-----	-----	-----
	C { Male.....	1	-----	-----	-----	-----
	Female.....	1	-----	-----	-----	-----
166. Suicide by drowning.....	W { Male.....	6	-----	-----	-----	-----
	Female.....	4	-----	-----	-----	-----
	C { Male.....	3	-----	-----	-----	-----
	Female.....	-----	-----	-----	-----	-----
167. Suicide by firearms.....	W { Male.....	162	-----	-----	-----	-----
	Female.....	22	-----	-----	-----	-----
	I { Male.....	-----	-----	-----	-----	-----
	Female.....	1	-----	-----	-----	-----
	C { Male.....	12	-----	-----	-----	1
	Female.....	1	-----	-----	-----	-----
168. Suicide by cutting or piercing instruments.....	W { Male.....	7	-----	-----	-----	-----
	Female.....	2	-----	-----	-----	-----
169. Suicide by jumping from high places.....	W Male.....	2	-----	-----	-----	-----
	C Male.....	2	-----	-----	-----	-----
170. Suicide by crushing.....	W { Male.....	1	-----	-----	-----	-----
	Female.....	1	-----	-----	-----	-----
171. Suicide by other means.....	W Male.....	1	-----	-----	-----	-----

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
							22	65	62	25	
							7	42	38	6	
							1		1	1	
							14	23	23	18	
223	306	289	176	380	274	197	117	55	18	1	4
131	176	166	113	235	195	143	87	46	14		2
2	3	2	4	3	1	4	2				
90	127	121	59	142	78	50	28	9	4	1	2
69	69	55	45	65	62	47	64	99	44	3	2
42	39	28	22	40	40	34	47	91	38	1	
	1							1			2
27	29	27	23	25	22	13	17	7	6	2	
		4	1	5	5		2				
4	4	1	3	6	2	1	2				
		1									
		1			1						
	2		2	1	1						
	1	1	2			1	1				
			1								
				1							
1		2		4	5	1	2				
			1	1	1						
1											
					1						
		1		1	4						
	1		1	1	1						
	1		1	1							
10	12	14	12	30	37	32	11	3	1		
3	2	1	1	5	8	2					
	1										
		4		3	2	1	1				
	1										
				3	2	1	1				
				1		1					
				1		1					
	1				1						
			1			1					
				1							

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
173. Homicide by firearms-----	W {	Male-----	72	1		
		Female-----	10			
	I {	Male-----	4			
		Female-----				
	C {	Male-----	143			1
		Female-----	31		1	2
174. Homicide by cutting or piercing instruments-----	W {	Male-----	11			
		Female-----	3			
	C {	Male-----	63			1
		Female-----	16			
175. Homicide by other means-----	W {	Male-----	19			
		Female-----	5			
	I {	Male-----	1			
		Female-----				
	C {	Male-----	22			1
		Female-----	8			
176. Attack by venomous animals-----	C {	Female-----	1			
177. Poisoning by food-----	W {	Male-----	12	2	4	1
		Female-----	7	1	1	
	C {	Male-----	9		3	
		Female-----	7	2		
178. Accidental absorption of poisonous gas-----	W {	Male-----	7		1	1
		Female-----	6			1
	I {	Male-----	2			
179. Other acute accidental poisonings (gas excepted)---	W {	Male-----	6		2	
		Female-----	3		1	
	C {	Male-----	9	1	4	
		Female-----	9	1	3	
180. Conflagration-----	W {	Male-----	11	1	1	1
		Female-----	6	1	3	
	C {	Male-----	18	2	3	3
		Female-----	15		5	5
181. Accidental burns (conflagration excepted)-----	W {	Male-----	56	3	14	6
		Female-----	64	2	21	12
	I {	Female-----	1			1
		Male-----	35		8	4
	C {	Female-----	41	5	8	8
		Male-----				
182. Accidental mechanical suffocation-----	W {	Male-----	25	24		
		Female-----	15	15		
	C {	Male-----	6	5		1
		Female-----	18	18		

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
183. Accidental drowning.....	W	Male.....	55	5	4	6
		Female.....	6	1		1
	I	Male.....	2	2		
		Female.....	4		2	
	C	Male.....	41	3	2	3
		Female.....	9	1	1	5
184. Accidental traumatism by firearms (wounds of war excepted).....	W	Male.....	61	1	3	8
		Female.....	4	1		
	I	Male.....	1			
		Female.....				
	C	Male.....	25		1	2
		Female.....	8		2	
185. Accidental traumatism by cutting or piercing instruments (wounds of war excepted).....	W	Male.....	4			
		Female.....	1		1	
	C	Male.....	4			
		Female.....	1			
	W	Male.....	124	1	4	4
		Female.....	165		2	1
186. Accidental traumatism by fall, crushing, landslide..	I	Male.....	1			
		Female.....				
	C	Male.....	44	1	3	
		Female.....	20	1	2	1
	W	Male.....	8	2	1	1
		Female.....	1			
189. Hunger and thirst.....	C	Male.....	4			
		Female.....				
	W	Male.....	3	1		
		Female.....				
	C	Male.....				
		Female.....				
190. Excessive cold.....	W	Male.....	23	1		
		Female.....	5	2	1	
	C	Male.....	33	6	4	1
		Female.....	25	3		1
	W	Male.....	5			
		Female.....				
191. Excessive heat.....	C	Male.....	4			
		Female.....	3			
	W	Male.....	11			6
		Female.....	10		1	3
	C	Male.....	1			
		Female.....	2			
192. Lightning.....	W	Male.....	19	1		
		Female.....	1		1	
	C	Male.....	4			
		Female.....				
	W	Male.....	35	5	5	1
		Female.....	7	2	3	1
193. Accidents due to electric currents.....	C	Male.....	23	7	1	
		Female.....	17	9	2	1
	W	Male.....	3			
		Female.....				
	C	Male.....	2			
		Female.....				
194. Other accidents.....	W	Male.....	3			
		Female.....				
	C	Male.....				
		Female.....				
	W	Male.....	3			
		Female.....				
195. Violent deaths of which the nature (accident, suicide, homicide) is unknown.....	C	Male.....	2			
		Female.....				
	W	Male.....				
		Female.....				
	C	Male.....				
		Female.....				

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	* Unknown
11	4	8	3	7	4	2		1			
1	2						1				
											2
16	5	3	4	1	3			1			
				2							
20	8	4	3	10	3	1					
1			1	1							
			1								
3	6	4	2	4	1	2					
3		1	1			1					
		1		1		2					
2				1			1				
					1						
7	6	9	11	8	8	17	16	22	9		1
1		1		1	5	9	31	77	35	1	
				1							
5	8	3	2	4	11	3	2	2			
	1		1		4	1	5	2	1		
1					1		1	1			
1		1				1					
			1	1							
2	2	3	1	5	3	2	3	1			
						1		1			
2	3	3		5	2	1	2		2		
3	4		3	1	3	2	3		1	1	
				1	2	1	1				
	1	2			1						
		1					1	1			
1		1	1	1	1						
3	1	1		1							
		1									
2											
3	4	3	2	4	2						
		1	2	1							
3	1	4	1	4	4	5		1			
				1	1						
1		2	1	6	1	1	1			1	
1	3		1								
		1			1	1					
		1					1				

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
198. Legal executions.....	W Male.....	1				
	C Male.....	11				
201. Accidental traumatism in mines and quarries.....	W Male.....	3				1
	C Male.....	2				
202. Accidents from agricultural machinery.....	W Male.....	2				
	C Male.....	1				
203. Elevator accidents.....	W Male.....	2				
205. Other machinery accidents.....	W Male.....	20				
	C Male.....	7				
206. Railroad and automobile collisions.....	W { Male.....	22				2
	{ Female.....	10		1		
	C { Male.....	3				
	{ Female.....	1				
207. Other railroad accidents.....	W { Male.....	56		3	1	1
	{ Female.....	3				1
	I { Male.....	2				
	{ Female.....	1				
	C { Male.....	29				3
	{ Female.....	8				
209. Other street car accidents.....	W Female.....	1				
210. Automobile accidents.....	W { Male.....	574	4	15	21	21
	{ Female.....	148		13	20	5
	I { Male.....	12			1	1
	{ Female.....					
	C { Male.....	231	2	6	5	9
	{ Female.....	55		4	7	5
211. Motor-cycle accidents.....	W Male.....	3				
212. Other land transportation accidents.....	W { Male.....	10		1		1
	{ Female.....	1			1	
	C { Male.....	7		1		
	{ Female.....	1				
213. Water transportation accidents.....	W Male.....	20				1
	C { Male.....	9				1
	{ Female.....	2				
214. Air transportation accidents.....	W { Male.....	6				
	{ Female.....	1				
XVIII. ILL-DEFINED CAUSES OF DEATH:						
Males.....	Total.....	532	254	14	7	6
	White.....	273	116	7	5	3
	Indian.....	2	2			
	Colored.....	257	136	7	2	3

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
	1										
3	6	1		1							
		1			1						
			1	1							
				1	1						
			1								
		2									
4	1	5	2	5	1	2					
1	2			2	1	1					
2	6	2	2	3	1	4					
1	1	4	1	2							
	1	1			1						
				1							
5	4	3	8	9	10	5	5	2			
		1	1		1		1				
								1			
1	4	1	4	7	5	1	1				2
	1		1	4	1	1					
							1				
48	99	68	42	91	70	49	34	10	1		1
21	18	13	5	14	13	11	7	8			
1	2				1	4	2				
21	34	33	13	41	28	22	12	3	2		
9	2	7	2	6	5	5	1	1	1		
	1		1		1						
	1		1	3	1		2				
		1			2	1	2				
		1									
2	1	4	3	6	2	1					
	3	1		4							
1		1									
1		2	1	2							
				1							
9	6	9	14	20	38	47	55	40	11		2
2		1	8	11	20	26	38	30	6		
7	6	8	6	9	18	21	17	10	5		2

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
Females.....	Total.....	461	220	32	3	5
	White.....	205	103	12	2	2
	Indian.....	3	2			
	Colored.....	253	115	20	1	3
199. Sudden death.....	W { Male.....	52	7			
	Female.....	27	5	1		
	I { Male.....					
	Female.....	1				
	C { Male.....	39	12	1		1
	Female.....	35	8			
200. Cause not specified or ill-defined.....	W { Male.....	221	109	7	5	3
	Female.....	178	98	11	2	2
	I { Male.....	2	2			
	Female.....	2	2			
	C { Male.....	218	124	6	2	2
	Female.....	218	107	20	1	3

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
9	16	6	6	21	32	31	29	37	12	2	-----
2	4	2	1	8	13	13	14	20	9	-----	-----
				1	-----	-----	-----	-----	-----	-----	-----
7	12	4	5	12	19	18	15	17	3	2	-----
			3	4	6	6	18	7	1	-----	-----
1	1	-----	-----	3	4	5	3	3	1	-----	-----
										-----	-----
				1	-----	-----	-----	-----	-----	-----	-----
1	1	-----	-----	2	6	5	4	3	3	-----	-----
3	1	1	1	4	5	6	1	5	-----	-----	-----
										-----	-----
2	-----	1	5	7	14	20	20	23	5	-----	-----
1	3	2	1	5	9	8	11	17	8	-----	-----
										-----	-----
										-----	-----
6	5	8	6	7	12	16	13	7	2	-----	2
4	11	3	4	8	14	12	14	12	3	2	-----

Currituck.....	69	10.3	39	8.8	-----	-----	30	13.3	85	12.7	50	11.2	-----	-----	35	15.5
Dare.....	52	10.0	42	8.7	-----	-----	10	28.6	59	11.3	50	10.3	-----	-----	9	25.7
Davidson.....	418	7.7	352	7.2	-----	-----	66	11.1	435	8.0	366	7.5	-----	-----	69	11.6
Davie.....	127	8.6	102	8.3	-----	-----	25	10.2	142	9.6	113	9.1	-----	-----	29	11.8
Duplin.....	306	8.1	172	7.2	-----	-----	134	9.6	373	9.9	218	9.2	-----	-----	155	11.1
Durham.....	1,171	14.5	645	12.3	1	-----	525	18.7	781	9.7	367	7.0	-----	-----	414	14.7
Edgecombe.....	511	9.6	170	7.4	-----	-----	341	11.3	510	9.6	174	7.6	-----	-----	336	11.1
Forsyth.....	1,252	9.6	660	7.6	1	-----	591	13.6	1,243	9.6	628	7.2	-----	-----	615	14.2
Franklin.....	266	8.6	109	6.3	-----	-----	157	11.6	320	10.4	140	8.1	-----	-----	180	13.3
Gaston.....	590	6.4	465	6.0	-----	-----	125	8.6	641	6.9	496	6.4	-----	-----	145	9.9
Gates.....	113	10.7	50	9.1	-----	-----	63	12.4	138	13.0	70	12.7	-----	-----	68	13.3
Graham.....	35	5.5	34	5.5	1	-----	-----	-----	43	6.8	42	6.7	1	-----	-----	-----
Granville.....	325	10.9	145	9.4	-----	-----	180	12.4	349	11.8	160	10.6	-----	-----	189	13.0
Greene.....	117	5.9	60	5.8	-----	-----	57	5.9	153	7.7	81	7.8	-----	-----	72	7.5
Guilford.....	1,362	8.4	917	7.2	1	-----	444	12.7	1,320	8.2	881	7.0	-----	-----	439	12.6
Halifax.....	536	9.2	212	8.6	-----	-----	324	9.6	571	9.8	224	9.1	-----	-----	347	10.3
Harnett.....	317	7.4	197	6.3	3	-----	117	9.9	406	9.4	266	8.5	4	-----	136	11.5
Haywood.....	254	8.2	240	8.0	-----	-----	14	18.7	281	9.1	266	8.9	-----	-----	15	20.0
Henderson.....	269	10.3	226	9.5	-----	-----	43	17.9	272	10.4	229	9.7	-----	-----	43	17.9
Hertford.....	177	9.7	61	8.1	-----	-----	116	10.8	193	10.6	64	8.5	-----	-----	129	12.1
Hoke.....	161	10.3	52	9.0	1	-----	108	11.0	127	8.1	47	8.2	1	-----	79	8.0
Hyde.....	86	10.0	48	9.4	-----	-----	38	10.9	95	11.0	54	10.5	-----	-----	41	11.7
Iredell.....	570	11.1	435	10.6	-----	-----	135	13.2	489	9.5	363	8.8	-----	-----	126	12.4
Jackson.....	175	8.9	163	8.8	4	-----	8	6.4	162	8.2	151	8.2	4	-----	7	5.6
Johnston.....	516	8.3	358	7.5	-----	-----	158	11.1	568	9.6	426	8.9	-----	-----	172	12.1
Jones.....	104	9.7	42	7.1	-----	-----	62	12.9	117	10.9	51	8.6	-----	-----	66	13.8
Lee.....	185	9.8	104	8.1	-----	-----	81	13.5	180	9.5	96	7.4	-----	-----	84	14.0
Lenoir.....	570	14.6	310	14.0	-----	-----	260	15.4	502	12.9	248	11.2	-----	-----	254	15.0
Lincoln.....	169	6.6	141	6.5	-----	-----	28	7.6	170	6.7	143	6.6	-----	-----	27	7.3
McDowell.....	200	9.0	173	8.6	-----	-----	27	12.6	201	9.1	174	8.7	-----	-----	27	12.6
Macon.....	148	10.5	144	10.6	-----	-----	4	8.0	124	8.8	120	8.8	-----	-----	4	8.0
Madison.....	171	8.4	168	8.3	-----	-----	3	12.0	197	9.7	193	9.6	-----	-----	4	16.0
Martin.....	268	10.8	131	10.0	-----	-----	137	11.7	301	12.1	151	11.5	-----	-----	150	12.8
Mecklenburg.....	1,610	10.5	923	8.6	-----	-----	687	15.1	1,491	9.7	803	7.5	-----	-----	688	15.1
Mitchell.....	108	7.0	107	7.0	-----	-----	1	20.0	118	7.7	117	7.7	-----	-----	1	20.0
Montgomery.....	128	7.5	82	6.2	-----	-----	46	11.6	143	8.4	95	7.2	-----	-----	48	12.2

TABLE IV—Continued

COUNTY	By Place of Death						By Place of Residence					
	Total		White		Indian		Colored		Total		White	
	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate
Moore.....	252	7.9	178	8.6	---	---	74	6.6	239	7.5	165	8.0
Nash.....	663	11.2	371	11.3	---	---	292	11.1	604	10.2	343	10.5
New Hanover.....	779	17.6	365	13.5	---	---	414	23.9	653	14.7	276	10.2
Northampton.....	235	8.0	64	5.9	---	---	171	9.3	262	8.9	80	7.3
Onslow.....	197	12.6	132	11.5	---	---	65	15.7	229	14.7	158	13.8
Orange.....	167	7.3	102	6.6	---	---	65	8.7	209	9.1	131	8.5
Pamlico.....	74	7.9	44	7.0	---	---	30	9.5	85	9.0	51	8.2
Pasquotank.....	263	13.2	139	12.2	---	---	124	14.6	239	12.0	127	11.1
Pender.....	142	8.8	59	7.1	---	---	83	10.6	182	11.2	82	9.8
Perquimans.....	106	9.9	49	9.1	---	---	57	10.8	117	10.9	55	10.2
Person.....	179	7.6	87	6.1	5	---	87	9.2	217	9.2	106	7.4
Pitt.....	478	8.1	246	8.1	---	---	232	8.1	535	9.0	277	9.1
Polk.....	117	10.6	102	11.0	---	---	15	8.8	108	9.7	93	9.9
Randolph.....	309	7.9	263	7.5	---	---	46	11.2	338	8.6	290	8.3
Richmond.....	368	9.6	187	8.0	---	---	181	12.0	374	9.7	190	8.1
Robeson.....	732	10.1	338	9.9	141	---	253	10.1	730	10.0	325	9.5
Rockingham.....	490	8.9	332	7.8	---	---	158	12.8	522	9.5	355	8.4
Rowan.....	561	8.8	381	7.5	---	---	180	14.0	572	9.0	390	7.7
Rutherford.....	308	6.8	251	6.4	---	---	57	9.4	309	6.8	252	6.4
Sampson.....	364	8.6	227	8.3	5	---	132	8.9	432	10.2	283	10.3
Scotland.....	248	11.0	128	12.9	1	---	119	9.4	258	11.4	133	13.4
Stanly.....	250	7.9	209	7.5	---	---	41	11.1	250	7.9	210	7.5
Stokes.....	160	6.9	147	7.1	---	---	13	5.1	189	8.1	175	8.5
Surry.....	359	8.2	318	7.8	---	---	41	13.9	356	8.2	314	7.7
Swain.....	77	6.7	52	5.0	24	---	1	5.2	91	7.9	66	6.4
Transylvania.....	102	10.5	94	10.3	---	---	8	12.3	108	11.1	99	10.9
Tyrell.....	66	12.5	40	11.3	---	---	26	14.9	69	13.0	43	12.1

Union.....	315	7.2	213	6.5	102	9.6	325	7.5	225	6.8	100	9.4
Vance.....	288	9.7	157	9.5	131	10.0	290	9.8	161	9.7	129	9.8
Wake.....	1,371	13.0	774	11.5	507	15.8	1,176	11.2	600	8.9	576	15.3
Warren.....	220	9.1	66	7.5	154	10.0	259	10.7	88	9.9	171	11.1
Washington.....	136	11.6	71	11.5	65	11.8	141	12.1	76	12.3	65	11.8
Watauga.....	117	7.3	115	7.3	2	6.7	141	8.8	140	8.9	1	3.3
Wayne.....	851	14.7	294	9.0	557	22.0	694	12.0	290	8.9	404	15.9
Wilkes.....	390	10.3	357	10.1	33	11.8	383	10.1	350	9.9	33	11.8
Wilson.....	578	11.7	271	13.5	307	10.5	587	11.9	273	13.6	314	10.7
Yadkin.....	116	6.1	108	6.1	8	7.6	148	7.8	138	7.7	10	9.5
Yancey.....	110	7.6	109	7.6	1	6.1	124	8.6	123	8.6	1	6.1

TABLE V—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH COUNTY, BY CAUSE OF

CAUSE OF DEATH	Entire State					
	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
	White	White	Ind.	Ind.	Col.	Col.
All causes—Total recorded.....	21,210	21,045	193	193	12,573	12,491
1. Typhoid and paratyphoid fever.....	36	35	-----	-----	41	40
2. Typhus fever.....	6	5	-----	-----	1	1
3. Smallpox.....	1	1	-----	-----	-----	-----
4. Measles.....	27	27	2	2	15	15
5. Scarlet fever.....	16	15	-----	-----	1	1
6. Whooping cough.....	119	118	-----	-----	51	51
7. Diphtheria.....	133	133	2	2	33	32
8. Influenza.....	506	504	3	3	353	354
10. Tuberculosis of the respiratory system.....	711	567	3	3	1,039	951
11. Other forms of tuberculosis.....	54	59	-----	-----	105	103
12. Syphilis.....	88	83	-----	-----	275	280
13. Malaria.....	42	41	1	1	48	48
14. Dysentery.....	75	75	-----	-----	39	39
14. Acute poliomyelitis and polioencephalitis.....	13	14	-----	-----	6	6
14. Epidemic cerebrospinal meningitis.....	33	33	-----	-----	13	13
14. Other infectious and parasitic diseases.....	144	144	-----	-----	63	64
15. Cancer and other malignant tumors.....	1,446	1,465	2	2	464	461
16. Tumors, non-malignant or unspecified.....	86	94	-----	-----	54	56
17. Chronic rheumatism and gout.....	33	34	-----	-----	9	9
18. Diabetes mellitus.....	281	284	2	2	103	103
19. Alcoholism (acute or chronic).....	63	63	1	1	26	26
20. Other general diseases and chronic poisonings.....	208	209	2	2	120	120
20. Pellagra.....	314	318	1	1	139	138
21. Progressive locomotor ataxia and paresis.....	41	44	1	1	35	36
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	1,852	1,852	8	8	1,080	1,084
23. Other diseases of the nervous system and organs of special sense.....	368	379	3	3	229	228
24. Diseases of the heart.....	3,962	3,946	20	20	1,776	1,778
25. Other diseases of the circulatory system.....	363	361	3	3	170	169
26. Bronchitis.....	27	27	-----	-----	19	19
27. Pneumonias.....	1,676	1,690	27	27	1,220	1,217
28. Other diseases of the respiratory system (T. B. excepted).....	154	153	-----	-----	97	94
29. Diarrhea and enteritis (under 2 years).....	504	493	10	10	346	345
29. Diarrhea and enteritis (2 years and over).....	188	186	4	4	92	91
30. Appendicitis.....	259	255	5	5	74	75
31. Cirrhosis of the liver.....	82	82	-----	-----	39	39
31. Other diseases of the liver.....	133	136	-----	-----	29	29
32. Other diseases of the digestive system.....	439	440	2	2	279	280
33. Nephritis.....	1,885	1,881	15	15	1,035	1,035
34. Other diseases of the genitourinary system.....	252	253	1	1	141	143
35. Puerperal septicemia.....	41	40	-----	-----	43	43
36. Other diseases of pregnancy and puerperal state.....	191	191	3	3	167	168
37. Diseases of skin, bones and organs of locomotion.....	94	92	3	3	45	46
38. Congenital debility, malformation and early infancy.....	1,550	1,580	27	27	897	898
39. Senility.....	158	158	5	5	135	134
40. Suicide (total).....	279	283	1	1	25	26
41. Homicide (total).....	120	123	5	5	283	284
42. Violent and accidental (suicide and homicide excepted).....	1,649	1,603	26	26	809	808
43. Cause not specified or ill-defined.....	478	476	5	5	510	511

TABLE V—

CAUSE OF DEATH	Anson			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	125	130	165	171
1. Typhoid and paratyphoid fever.....			1	1
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....				
8. Influenza.....	2	2	2	2
10. Tuberculosis of the respiratory system.....	3	4	13	16
11. Other forms of tuberculosis.....			1	2
12. Syphilis.....	2	1	2	2
13. Malaria.....				
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....		1		
14. Other infectious and parasitic diseases.....			2	2
15. Cancer and other malignant tumors.....	9	14	6	7
16. Tumors, non-malignant or unspecified.....			1	1
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	2	2	1	1
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	1	1	2	2
20. Pellagra.....	1	2	1	1
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	18	18	21	21
23. Other diseases of the nervous system and organs of special sense.....	5	5	1	2
24. Diseases of the heart.....	19	20	35	35
25. Other diseases of the circulatory system.....	2	3	1	1
26. Bronchitis.....				
27. Pneumonias.....	11	11	7	7
28. Other diseases of the respiratory system (T. B. excepted).....				1
29. Diarrhea and enteritis (under 2 years).....			3	3
29. Diarrhea and enteritis (2 years and over).....	1		1	1
30. Appendicitis.....	1	1		
31. Cirrhosis of the liver.....			2	2
31. Other diseases of the liver.....	1	1	1	1
32. Other diseases of the digestive system.....	1	1	1	1
33. Nephritis.....	12	11	11	11
34. Other diseases of the genitourinary system.....	1	1	1	2
35. Puerperal septicemia.....			1	1
36. Other diseases of pregnancy and puerperal state.....			1	1
37. Diseases of skin, bones and organs of locomotion.....			2	2
38. Congenital debility, malformation and early infancy.....	9	8	9	9
39. Senility.....	3	3	1	1
40. Suicide (total).....				
41. Homicide (total).....			3	3
42. Violent and accidental (suicide and homicide excepted).....	15	14	10	7
43. Cause not specified or ill-defined.....	6	6	21	22

Continued

Ashe				Avery				Beaufort			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.
182	197	2	3	116	99	3	4	267	244	264	252
										2	1
								1	1		
				1							
3	3			6	5						
2	2			2	2			4	3		
4	4			2	2			5	5	6	5
2	2			3	3	1	1	2	3	18	20
				1	1					2	2
								1	1	3	3
								5	5	9	9
3	3			1	1			1	1	1	1
	1							2	1	3	3
17	17			9	7			15	17	8	8
1	1				1			1	1	3	2
								2	1		
4	4		1	1	1			1	1	1	1
				1	1			1	1	3	3
3	3			3	2			2	2	3	3
11	13			5	4			15	14	21	21
5	6			4	2		1	5	6	7	7
30	31	1	1	8	10			41	41	29	28
2	3							6	6	2	2
1	1							2	2		
21	22			10	9	1	1	20	19	13	12
1	2							2	2	4	4
3	3			7	4			15	12	5	5
4	4			3	2			3	3	4	4
	2			1	1			6	4	1	1
								1	1		
2	2							2	2		
3	6			6	4			8	7	4	3
12	12			14	12			25	23	17	17
1	1			1	2			9	5	5	4
								1	1	1	1
				1				3	3	2	2
					2			1	1	3	3
10	12			10	10			22	18	18	18
4	4			1	1			7	6	3	3
								4	3	1	1
								2	1	11	11
6	6			10	6	1	1	21	18	37	31
27	27	1	1	4	4			3	3	14	13

TABLE V—

CAUSE OF DEATH	Bertie			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	104	124	177	182
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....			1	1
8. Influenza.....	2	2	4	4
10. Tuberculosis of the respiratory system.....	6	8	10	12
11. Other forms of tuberculosis.....	2	2		
12. Syphilis.....			1	1
13. Malaria.....			2	2
14. Dysentery.....	1	1	1	1
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1	1	1	1
15. Cancer and other malignant tumors.....	5	6	8	8
16. Tumors, non-malignant or unspecified.....			1	1
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	1	1	1	1
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	1	1	2	2
20. Pellagra.....	3	4	1	1
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	15	16	23	23
23. Other diseases of the nervous system and organs of special sense.....	3	4	2	3
24. Diseases of the heart.....	21	24	14	14
25. Other diseases of the circulatory system.....	1	1		
26. Bronchitis.....				
27. Pneumonias.....	13	14	26	26
28. Other diseases of the respiratory system (T. B. excepted).....		1		
29. Diarrhea and enteritis (under 2 years).....	1	2	1	1
29. Diarrhea and enteritis (2 years and over).....				
30. Appendicitis.....				
31. Cirrhosis of the liver.....			1	1
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....		1	2	2
33. Nephritis.....	4	5	18	19
34. Other diseases of the genitourinary system.....				1
35. Puerperal septicemia.....			2	2
36. Other diseases of pregnancy and puerperal state.....	3	3	2	2
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformation and early infancy.....	5	7	26	26
39. Senility.....	1	1	7	7
40. Suicide (total).....	2	2	1	1
41. Homicide (total).....			1	1
42. Violent and accidental (suicide and homicide excepted).....	11	15	6	6
43. Cause not specified or ill-defined.....	2	2	12	12

Continued

Bladen						Brunswick				Buncombe				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
113	148	1	1	123	136	69	75	79	89	1,134	884	372	254	1
										3	3			2
										1				3
	1													4
				1	1	2	2			1	1			5
										8	8			6
										7	7			7
3	3			3	3		1			13	11	7	7	8
				4	4	1	1	1	2	231	60	135	33	10
										5	4	8	4	11
				1	1			2	3	10	9	5	5	12
2	2													13
1	2			1	1				1					14
														14
										2				14
	1				1					7	5	1	1	14
12	15			3	3	6	7	4	4	87	82	19	16	15
								2	2	3	4	1	1	16
														17
1	1					1	1			11	12	5	5	18
						1	1			2	3			19
1	1			1	1					10	12	4	3	20
	1									16	13	3	3	20
1	1									1	1			21
15	15			15	15	8	8	12	12	59	53	13	13	22
	2			1	6	1				12	11	3	3	23
22	26			16	16	14	16	20	20	192	182	59	56	24
1	2			1	1	1	1	2	2	11	12	2	2	25
				2	2					1	1	1	1	26
7	12			6	6	8	8	5	7	78	76	30	27	27
1	1			2	2	1	1			10	6	3		28
5	6			7	7	1	2	2	2	20	17	4	4	29
1	1	1	1	2	2	1	1	2	2	5	5	1	2	29
	1					1	1			9	5	1	1	30
										5	4	3	3	31
										10	8			31
3	4			2	2	3	4			26	23	5	5	32
13	17			15	16	7	8	8	8	68	63	15	15	33
	2			1	1	1	1			13	7			34
					1			1	1	3	2			35
3	3			2	2			1	1	6	6	3	3	36
	2									5	3	2	1	37
9	10			9	9	3	5	2	2	59	58	14	14	38
				3	3	2	2	1	1	6	6			39
2	2									26	23	1	2	40
				1	1				1	12	9	10	10	41
8	12			3	7	5	3	5	9	58	49	8	8	42
2	2			21	22	1	1	9	9	22	20	6	6	43

TABLE V—

CAUSE OF DEATH	Burke			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	429	343	29	26
1. Typhoid and paratyphoid fever.....	1	1		
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....	1	1	1	1
7. Diphtheria.....				
8. Influenza.....	5	5	3	3
10. Tuberculosis of the respiratory system.....	18	9	1	1
11. Other forms of tuberculosis.....				
12. Syphilis.....	4	3		
13. Malaria.....				
14. Dysentery.....	2	2		
14. Acute poliomyelitis and polioencephalitis.....	1	1		
14. Epidemic cerebrospinal meningitis.....	1	1		
14. Other infectious and parasitic diseases.....	4	4		
15. Cancer and other malignant tumors.....	14	13		
16. Tumors, non-malignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	6	5	3	3
19. Alcoholism (acute or chronic).....	1	1		
20. Other general diseases and chronic poisonings.....	35	17		
20. Pellagra.....	3	3		
21. Progressive locomotor ataxia and paresis.....	12	8		
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	29	24	3	3
23. Other diseases of the nervous system and organs of special sense.....	23	13	1	1
24. Diseases of the heart.....	102	88	3	3
25. Other diseases of the circulatory system.....	28	13		
26. Bronchitis.....				
27. Pneumonias.....	22	19	2	2
28. Other diseases of the respiratory system (T. B. excepted).....	3	2	1	1
29. Diarrhea and enteritis (under 2 years).....	6	6	1	1
29. Diarrhea and enteritis (2 years and over).....	18	11		
30. Appendicitis.....	1	1		
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....	1	1		
32. Other diseases of the digestive system.....	1	3	1	
33. Nephritis.....	11	11	3	2
34. Other diseases of the genitourinary system.....				
35. Puerperal septicemia.....		1		
36. Other diseases of pregnancy and puerperal state.....			1	
37. Diseases of skin, bones and organs of locomotion.....	3	2		
38. Congenital debility, malformation and early infancy.....	18	18		
39. Senility.....	5	5		
40. Suicide (total).....	4	2		
41. Homicide (total).....	1	3	2	2
42. Violent and accidental (suicide and homicide excepted).....	36	37	1	1
43. Cause not specified or ill-defined.....	9	9	2	2

Continued

Cabarrus				Caldwell				Camden			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.
280	358	116	127	253	261	29	32	28	31	41	46
				1	1						
1	1										
1	2			5	5	2	2			2	2
2	3			3	3				1		
13	15	5	5	4	5	1	1			3	3
5	7	4	6	6	8	4	4			3	3
				1	2						
	2	3	3	1	1						
				2	2						
1	3			4	4						
15	19	3	4	12	12	1	1	4	4	2	2
		1	1	2	2						
1	1							1	1		
5	7		1	2	2					1	1
				1	1						
1	3	1	1	4	4	1	1				
3	6			7	7	1	1		1	1	1
			1								
32	33	19	19	25	25	2	2	5	5	7	8
6	8	2	2	4	4						
48	53	21	21	28	24	3	3	9	9	6	6
3	3	1	1	1	2	1	1				
				1	1						
26	35	20	21	26	26	6	6	2	2	4	4
1	2	1	1	6	6			1	1		
4	6	1	1	11	12					1	1
2	2	1	1	5	6						
3	11		1	4	4						
1	1										
1	2			1	1						
2	6	2	2	3	5	1	2	1	1	2	2
29	34	6	7	13	12	2	3			2	2
3	5		1	5	5	1	1				
	1			1							1
3	4	1	1	4	4		1	1	1		
				1	2						
17	27	5	5	23	23	2	2	2	3	4	4
1	1			1	1						
7	7		1	3	3						
4	4	3	3	1	1			1	1		3
23	29	8	9	23	27	1	1	1	1	2	2
16	15	8	8	8	8					1	1

TABLE V—

CAUSE OF DEATH	Carteret			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	149	156	41	40
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....				
8. Influenza.....	2	2	3	3
10. Tuberculosis of the respiratory system.....	1	2	1	1
11. Other forms of tuberculosis.....	1	1		
12. Syphilis.....				
13. Malaria.....				
14. Dysentery.....	3	3		
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....				
15. Cancer and other malignant tumors.....	15	17	1	1
16. Tumors, non-malignant or unspecified.....	1	1	2	2
17. Chronic rheumatism and gout.....	1	1		
18. Diabetes mellitus.....	1	1		
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	1	1		
20. Pellagra.....	4	4	2	2
21. Progressive locomotor ataxia and paresis.....	1	1		
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	14	14	4	4
23. Other diseases of the nervous system and organs of special sense.....	3	3		
24. Diseases of the heart.....	23	21	7	7
25. Other diseases of the circulatory system.....	4	5		
26. Bronchitis.....				
27. Pneumonias.....	16	18	3	3
28. Other diseases of the respiratory system (T. B. excepted).....				
29. Diarrhea and enteritis (under 2 years).....	3	3	1	1
29. Diarrhea and enteritis (2 years and over).....	1	1		
30. Appendicitis.....			1	1
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....	3	3		
33. Nephritis.....	23	24	3	3
34. Other diseases of the genitourinary system.....	1	2	1	1
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....	2	2		
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformation and early infancy.....	11	12	2	2
39. Senility.....	1	1		
40. Suicide (total).....		1		
41. Homicide (total).....	1	1	2	2
42. Violent and accidental (suicide and homicide excepted).....	12	11	8	7
43. Cause not specified or ill-defined.....				

Continued

Caswell				Catawba				Chatham				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
50	65	64	70	323	331	57	59	121	155	80	84	1
				1	1							2
												3
1	1									1	1	4
												5
1	1			1	1					2	2	6
				1	1			1	2			7
2	2	2	2	9	9	3	3	3	3	1	1	8
3	3	2	2	7	10	3	3	2	2	4	4	10
1	1				1			1	1			11
				1	1	2	2	1	1	1	1	12
										1	1	13
								1	2			14
												14
	1											14
	1	1	1						1			14
6	7	4	4	25	25	3	3	10	11	3	3	15
				3	3							16
				1	1							17
1	1			3	3			1	1	2	2	18
					1							19
1	1			1	1			1	1			20
				6	6		1	2	3			20
					1				1	1	1	21
5	6	10	10	32	31	3	3	18	19	6	6	22
	1	1	1	6	8	1	1	2	2			23
9	10	9	9	39	70	10	10	30	32	13	13	24
		4	4	6	6			2	3	1	1	25
1	1			1	1							26
2	3	4	4	25	26	8	8	9	14	13	13	27
		1	1						1	1	1	28
		1	1						5	1	1	29
				6	6			2	5	1	1	29
				2	3	1	1	3	3	2	2	30
				2	5			1	1	1	1	31
				2	2							31
				3	5		1	1	1			31
	1	2	3	7	6	1	1	4	7	3	3	32
6	5	4	4	23	24	5	5	8	8	4	4	33
				5	4							34
				1		1	1					35
1	2		1	3	4					1	2	36
			1	1								37
5	6	3	4	14	13	1	1	10	11	6	6	38
		4	4	5	6	1	1			2	2	39
		1	1	4	4							40
	1	2	2	2	1	2	2	1	2	2	3	41
4	8	5	6	40	36	7	7	5	15	5	7	42
1	2	4	5	5	5	5	5	2	2	3	3	43

TABLE V—

CAUSE OF DEATH	Cherokee			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	115	122	1	1
1. Typhoid and paratyphoid fever.....
2. Typhus fever.....
3. Smallpox.....
4. Measles.....	2	2
5. Scarlet fever.....
6. Whooping-cough.....
7. Diphtheria.....	2	2
8. Influenza.....	3	3
10. Tuberculosis of the respiratory system.....	3	3
11. Other forms of tuberculosis.....
12. Syphilis.....
13. Malaria.....
14. Dysentery.....	1	1
14. Acute poliomyelitis and polioencephalitis.....
14. Epidemic cerebrospinal meningitis.....	1	1
14. Other infectious and parasitic diseases.....	1	1
15. Cancer and other malignant tumors.....	5	6
16. Tumors, non-malignant or unspecified.....
17. Chronic rheumatism and gout.....
18. Diabetes mellitus.....	1
19. Alcoholism (acute or chronic).....
20. Other general diseases and chronic poisonings.....	1	3
20. Pellagra.....	1
21. Progressive locomotor ataxia and paresis.....
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	10	11
23. Other diseases of the nervous system and organs of special sense.....	4	4
24. Diseases of the heart.....	22	22
25. Other diseases of the circulatory system.....	2	2
26. Bronchitis.....
27. Pneumonias.....	12	12
28. Other diseases of the respiratory system (T. B. excepted).....	3	3
29. Diarrhea and enteritis (under 2 years).....
29. Diarrhea and enteritis (2 years and over).....
30. Appendicitis.....	3	4
31. Cirrhosis of the liver.....	1	1
31. Other diseases of the liver.....	1	1
32. Other diseases of the digestive system.....	1	1
33. Nephritis.....	5	5
34. Other diseases of the genitourinary system.....	1
35. Puerperal septicemia.....	1	1
36. Other diseases of pregnancy and puerperal state.....	2	2
37. Diseases of skin, bones and organs of locomotion.....
38. Congenital debility, malformation and early infancy.....	14	13
39. Senility.....	2	2
40. Suicide (total).....	1	1
41. Homicide (total).....
42. Violent and accidental (suicide and homicide excepted).....	7	7
43. Cause not specified or ill-defined.....	6	6

Continued

Chowan				Clay				Cleveland				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
37	44	63	67	30	37			293	314	40	39	1
		1	1					2	2			2
												3
												4
1	1											5
												6
				1	1			4	4			7
1	1	2	2	1	1			6	6	2	2	8
1	1	14	14	1	1			4	7	4	4	10
	1							2	2			11
		3	3					2	2			12
		1	1									13
												14
												14
								1	1			14
1	1	1	1	1	1			5	5			14
3	4	3	3	1	1			20	21			15
												16
												17
		1	1					4	4			18
								1	1			19
								5	5			20
								5	5	1	1	20
1	1											21
1	1											21
2	1	10	10	3	4			33	34	4	4	22
	1	1	1		1			1	1	1	1	23
5	5	7	7	3	3			76	78	4	4	24
1	1							4	6	1	1	25
								1	1			26
		3	3	5	6			24	24	3	3	27
		1	1		1							28
2	2	2	2					8	7			29
2	2								1			29
								4	4	1	1	30
								1	1			31
	1											31
	1	2	2	2	2			7	8			32
	1	5	6	3	3			25	26	5	4	33
1	2							3	5			34
												35
			1					1	2		1	36
1	1							1	2			37
7	7	2	2	1	4			18	20	4	4	38
				1	1			4	4	1	1	39
3	4							1	1			40
		1	2						1	1	1	41
4	4	2	3	1	1			14	17	7	6	42
		1	1	6	6			6	6	1	1	43

TABLE V—

CAUSE OF DEATH	Columbus					
	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
	White	White	Ind.	Ind.	Col.	Col.
All causes—Total recorded.....	254	280	1	1	150	163
1. Typhoid and paratyphoid fever.....						1
2. Typhus fever.....						
3. Smallpox.....						
4. Measles.....						
5. Scarlet fever.....					1	1
6. Whooping cough.....						
7. Diphtheria.....	2	2				
8. Influenza.....	10	9			1	1
10. Tuberculosis of the respiratory system.....	4	4			9	10
11. Other forms of tuberculosis.....						
12. Syphilis.....	1	1			2	2
13. Malaria.....	1	1			1	1
14. Dysentery.....	1	1				
14. Acute poliomyelitis and polioencephalitis.....						
14. Epidemic cerebrospinal meningitis.....						
14. Other infectious and parasitic diseases.....	1	2				
15. Cancer and other malignant tumors.....	13	15			5	5
16. Tumors, non-malignant or unspecified.....						
17. Chronic rheumatism and gout.....	1	1			1	1
18. Diabetes mellitus.....	1	1			1	1
19. Alcoholism (acute or chronic).....	1	1			1	1
20. Other general diseases and chronic poisonings.....	1	1				
20. Pellagra.....	3	4			2	2
21. Progressive locomotor ataxia and paresis.....						
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	25	26			18	19
23. Other diseases of the nervous system and organs of special sense.....	2	2			2	3
24. Diseases of the heart.....	36	35			20	21
25. Other diseases of the circulatory system.....	1	2			1	1
26. Bronchitis.....						
27. Pneumonias.....	22	22			21	22
28. Other diseases of the respiratory system (T. B. excepted).....	3	4			2	2
29. Diarrhea and enteritis (under 2 years).....	10	13			4	4
29. Diarrhea and enteritis (2 years and over).....	2	2				
30. Appendicitis.....		2				1
31. Cirrhosis of the liver.....	2	2				
31. Other diseases of the liver.....		1				
32. Other diseases of the digestive system.....	5	6				
33. Nephritis.....	36	39	1	1	13	14
34. Other diseases of the genitourinary system.....	4	8				
35. Puerperal septicemia.....		1			2	2
36. Other diseases of pregnancy and puerperal state.....	1	3			2	2
37. Diseases of skin, bones and organs of locomotion.....	2	4			1	1
38. Congenital debility, malformation and early infancy.....	25	29			15	15
39. Senility.....	5	5			3	3
40. Suicide (total).....	2	2				
41. Homicide (total).....	1	1			1	3
42. Violent and accidental (suicide and homicide excepted).....	20	18			7	10
43. Cause not specified or ill-defined.....	10	10			14	14

Continued

Craven				Cumberland						Currituck				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.	
146	155	259	262	422	317	3	2	235	213	39	50	30	35	1
1	1			1								1	1	2
														3
														4
														5
				2	2									6
	1			1				2	1					7
3	3	5	5	3	1			5	5	1	1	3	3	8
	3	16	20	7	8			5	8			2	3	10
1	1	2	2	1	1			2	2					11
1	1	3	3	1	1			5	5			1	1	12
4	4	2	2					1	1					13
														14
1	1													14
				2	1									14
2	2	3	3	3				1	1					14
12	11	7	7	23	23			9	5	2	2	1	1	15
				1	1							1		16
														17
5	5	4	4	6	5			2	2	1	2	1	1	18
		1	1	2	3									19
1	1	7	7	4	5			6	7	2	2			20
2	2	2	2	6	2			1	1					20
					1									21
10	11	24	25	32	30			26	26	7	7	2	2	22
1	3	3	3	7	7			2	2					23
20	25	49	49	61	56			35	33	12	12	6	6	24
2	2	4	4	14	9			4	4	3	3			25
1	1	1	1											26
10	11	27	25	41	28			15	16	3	4	2	2	27
3	2	2	2	2	2			1	1					28
1	2	4	4	18	11			8	8	1	1	1	1	29
		3	3	7	6			3	3					29
3	2	1		9	6						1			30
2	2			5	4			1	1			1	1	31
1	1	2	2	5	1			1	1					31
2	3	5	5	9	8			16	12	1	1	1	2	32
13	13	30	30	26	21	2	1	20	20	1	1	2	2	33
2	1			11	5			6	3					34
1	1			1				3	1	1	1		1	35
2	2	1	1	4	2			3	2				1	36
				7	2			1	1		1			37
10	10	21	21	32	20			10	8			3	3	38
1	1			1	1			3	3	1	1			39
5	2			4	4						1			40
4	4	6	6	4	5			11	10				1	41
19	20	22	23	52	29	1	1	21	16	3	8	3	3	42
		2	2	7	6			6	4					43

TABLE V—

CAUSE OF DEATH	Dare			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	42	50	10	9
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....				
8. Influenza.....	1	1		
10. Tuberculosis of the respiratory system.....				
11. Other forms of tuberculosis.....				
12. Syphilis.....	2			
13. Malaria.....				
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....				
15. Cancer and other malignant tumors.....	4	6	1	1
16. Tumors, non-malignant or unspecified.....		1		
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	2	2		
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....				
20. Pellagra.....	1	1	1	1
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	8	8		
23. Other diseases of the nervous system and organs of special sense.....				
24. Diseases of the heart.....	6	7	2	2
25. Other diseases of the circulatory system.....	1	1		
26. Bronchitis.....				
27. Pneumonias.....	3	5		
28. Other diseases of the respiratory system (T. B. excepted).....	2	2	1	1
29. Diarrhea and enteritis (under 2 years).....				
29. Diarrhea and enteritis (2 years and over).....				
30. Appendicitis.....				
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....		2		
33. Nephritis.....	2	4	1	1
34. Other diseases of the genitourinary system.....				
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....				
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformation and early infancy.....	2	3		
39. Senility.....				
40. Suicide (total).....	1	1		
41. Homicide (total).....				
42. Violent and accidental (suicide and homicide excepted).....	7	6	4	3
43. Cause not specified or ill-defined.....				

Continued

Davidson				Davie				Duplin				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
352	366	66	69	102	113	25	29	172	218	134	155	1
		1	1					1	1	1	1	2
												3
												4
				1	1							5
1	1											6
4	4	1	1					2	5			7
5	6	2	2	10	11	2	2	3	3	1	1	8
9	10	4	5	2	2	1	1	3	4	6	7	10
1	1	1	1			2	2			1	2	11
		1	1							3	4	12
1	1											13
1	1							1	4			14
		1	1								1	14
	1											14
3	3									2	2	14
25	28	2	2	7	7	1	1	4	6	3	5	15
2	2			1	1							16
					1			1	1	1	1	17
6	6							1	1	1	2	18
2	2							1	1			19
2	2	1	1			1	1			1	1	20
5	6	4	4	2	2	1	1	3	3	3	4	20
1	1			1	1			1	1			21
28	26	6	6	15	16	1	2	33	34	12	12	22
6	7		1					2	4	2	5	23
57	57	9	10	30	32	7	7	20	21	11	12	24
5	5			2	2	1	1	1	1	2	2	25
2	2							1	1	1	1	26
22	23	7	7	3	4	3	4	21	24	11	13	27
1	1			2	2			2	3			28
10	10	3	3	4	5	1	1	13	19	6	6	29
4	4	1	1						1	2	2	29
5	5								1			30
1	1			1	1							31
1	1	1	1		1			1	1			31
7	6						1		2	3	4	32
42	42	5	5	4	4	2	2	21	23	14	15	33
4	6	1	1	1	1			1	4		1	34
												35
4	4	2	2					4	4	3	5	36
2	2				1				1		1	37
39	39	2	2	5	5			14	21	17	17	38
3	3	1	1	2	2					1	1	39
7	7			1	1			2	2			40
		1	1		1	2	2		1	2	2	41
31	36	5	5	7	8		1	13	18	18	20	42
3	4	4	4	1	1			2	2	5	5	43

TABLE V—

CAUSE OF DEATH	Durham					
	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
	White	White	Ind.	Ind.	Col.	Col.
All causes—Total recorded.....	645	367	1		525	414
1. Typhoid and paratyphoid fever.....						
2. Typhus fever.....						
3. Smallpox.....						
4. Measles.....						
5. Scarlet fever.....						
6. Whooping cough.....	5	2			1	
7. Diphtheria.....	7	2			1	1
8. Influenza.....	12	5			12	10
10. Tuberculosis of the respiratory system.....	26	16			42	43
11. Other forms of tuberculosis.....	1				10	7
12. Syphilis.....	5	2			29	21
13. Malaria.....	2	1			1	1
14. Dysentery.....	4				5	1
14. Acute poliomyelitis and polioencephalitis.....						
14. Epidemic cerebrospinal meningitis.....	1				2	
14. Other infectious and parasitic diseases.....	3	2			2	2
15. Cancer and other malignant tumors.....	71	36			26	18
16. Tumors, non-malignant or unspecified.....	8				4	2
17. Chronic rheumatism and gout.....	1	1			1	1
18. Diabetes mellitus.....	10	7			3	1
19. Alcoholism (acute or chronic).....	1	1			4	4
20. Other general diseases and chronic poisonings.....	4	3			4	4
20. Pellagra.....	20	6			11	5
21. Progressive locomotor ataxia and paresis.....		1				2
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	51	43			33	32
23. Other diseases of the nervous system and organs of special sense.....	20	6			6	3
24. Diseases of the heart.....	83	66			71	67
25. Other diseases of the circulatory system.....	16	6			6	5
26. Bronchitis.....	1	1			1	1
27. Pneumonias.....	43	29			53	47
28. Other diseases of the respiratory system (T. B. excepted).....	8	2			8	3
29. Diarrhea and enteritis (under 2 years).....	13	4			8	8
29. Diarrhea and enteritis (2 years and over).....	3	1			3	2
30. Appendicitis.....	7	2			6	3
31. Cirrhosis of the liver.....	3	1				
31. Other diseases of the liver.....	6	2			4	4
32. Other diseases of the digestive system.....	21	5	1		25	13
33. Nephritis.....	50	41			44	37
34. Other diseases of the genitourinary system.....	12	2			11	4
35. Puerperal septicemia.....	3	1			2	1
36. Other diseases of pregnancy and puerperal state.....	6	3			6	
37. Diseases of skin, bones and organs of locomotion.....	4	1			3	2
38. Congenital debility, malformation and early infancy.....	50	26			22	19
39. Senility.....	2	2			1	1
40. Suicide (total).....	12	12			2	1
41. Homicide (total).....	2				14	14
42. Violent and accidental (suicide and homicide excepted).....	39	18			27	13
43. Cause not specified or ill-defined.....	9	8			11	11

Continued

Edgecombe				Forsyth						Franklin			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.
170	174	341	336	660	628	1		591	615	109	140	157	180
2	2	1	1	1	1			4	4				1
				1	1								
				2	2			2	2		1		
2	1	4	3	1	1			1	1			2	2
7	7	3	3	16	16			8	8	1	2	4	4
4	4	37	38	17	19			59	65		2	7	9
2	2	3	3	1	1			7	7		1		1
1	1	17	17	5	6			11	12			2	2
1	1	6	5	1	1			1	1	1	1		
1	1	1	1					1	1		1		
		1	1	2	1						1		
		1	1	5	3			3	3				1
14	16	11	11	42	40			22	22	9	9	5	5
		2	1	4	2			2	2		1		
				2	2								
2	3	2	1	13	10			4	4	1	1	1	1
		1	1										
1	1	1	1	11	12			4	5	3	3	2	2
1	2	2	2	10	7			3	3			3	4
1	1				1			1	4	1	1		
13	13	22	22	48	45			37	37	16	16	9	10
3	4	5	5	10	9			6	8	1	2	4	7
30	31	49	50	150	152			112	116	28	31	25	25
6	5	7	7	15	15			6	7	1	1		
		2	2										
17	17	16	16	58	51			78	78	7	13	24	26
		1	1	11	11			5	5	1	2	1	1
1	1	11	11	8	7			14	14	1	2	6	6
		2	2	7	6			8	8	1	1		
2	3	3	2	11	10			3	3				1
		1	2	1	1			4	4				1
3	3	3	3	4	2						1	1	1
		1	1	15	16			27	27		2	1	3
12	12	20	20	76	72			37	37	16	17	15	15
2	3	3	2	9	7			9	8	1	3	1	2
		2	2	3	1			1	1			1	1
1	1	7	5	3	3			2	2			1	4
1	1	4	4	5	5			3	3			1	1
15	13	35	36	37	38	1		49	49	8	12	20	20
2	2	5	5					2	2				
3	3	2	2	7	6					1	1		
1	1	6	5	4	4			22	22	1	1	2	3
14	13	22	22	40	38			16	23	6	7	8	11
5	4	18	19	4	3			17	17	4	4	10	10
													43

TABLE V—

CAUSE OF DEATH	Gaston			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes--Total recorded.....	465	496	125	145
1. Typhoid and paratyphoid fever.....	1	2		
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....	3	3		
6. Whooping-cough.....	3	3		
7. Diphtheria.....	4	4		1
8. Influenza.....	15	15	5	5
10. Tuberculosis of the respiratory system.....	3	4	7	8
11. Other forms of tuberculosis.....	1			1
12. Syphilis.....	3	3	3	3
13. Malaria.....				
14. Dysentery.....	1	1		
14. Acute poliomyelitis and polioencephalitis.....	1	1		
14. Epidemic cerebrospinal meningitis.....	1	1		
14. Other infectious and parasitic diseases.....	1	1	1	1
15. Cancer and other malignant tumors.....	29	30	2	3
16. Tumors, non-malignant or unspecified.....	4	5	1	1
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	5	6	1	1
19. Alcoholism (acute or chronic).....		1		
20. Other general diseases and chronic poisonings.....	6	6	2	3
20. Pellagra.....	5	6		
21. Progressive locomotor ataxia and paresis.....		1		1
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	48	50	11	12
23. Other diseases of the nervous system and organs of special sense.....	9	11		1
24. Diseases of the heart.....	96	100	27	28
25. Other diseases of the circulatory system.....	11	12	1	1
26. Bronchitis.....	1	1		
27. Pneumonias.....	21	26	10	10
28. Other diseases of the respiratory system (T. B. excepted).....	2	3	1	1
29. Diarrhea and enteritis (under 2 years).....	11	15	2	2
29. Diarrhea and enteritis (2 years and over).....	5	5	2	2
30. Appendicitis.....	2	3	3	4
31. Cirrhosis of the liver.....	2	2		
31. Other diseases of the liver.....	3	4	2	2
32. Other diseases of the digestive system.....	14	12	1	1
33. Nephritis.....	28	33	15	16
34. Other diseases of the genitourinary system.....	4	4		1
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....	6	6		
37. Diseases of skin, bones and organs of locomotion.....	3	3		
38. Congenital debility, malformation and early infancy.....	42	43	7	8
39. Senility.....	3	3	3	3
40. Suicide (total).....	3	3	2	2
41. Homicide (total).....	5	4	3	4
42. Violent and accidental (suicide and homicide excepted).....	51	50	9	15
43. Cause not specified or ill-defined.....	9	10	4	4

Continued

Gates				Graham						Granville			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.
50	70	63	68	34	42	1	1			145	160	180	189
				2	2								
2	2	1	1	1	1								
		1	1	1	1					1	1		
	1	3	3							6	6	9	9
	1	3	4	1	1					2	4	9	9
										1	1	2	2
										1	2	6	7
1	1												
2	2	1	1	2	3					12	12	6	7
					1					1	1	1	1
										1	1		
1	2			1	1					2	2	1	1
				2	2					4	4	3	4
		1	1							1	1	6	6
15	16	13	13	1	1					17	17	16	16
1	1	2	2	2	2						2	5	7
13	13	10	10	5	6					33	35	22	22
2	2	2	2							2	2	1	1
												1	1
2	6	6	6	2	3	1	1			6	6	23	23
		1	1	1	1						1	1	2
				1	1							3	3
1	1									1	1	1	1
					1					2	2	4	5
	3												
	2	1	1	1	1					2	2	2	2
4	5	1	1	1	1					23	23	20	20
	1											3	3
			1										
1	1				1							2	2
2	3	7	7	5	7					11	12	16	16
				1	1							3	3
		1	1							2	3		
			1									3	3
3	7	6	8	2	2					12	16	8	10
		3	3	2	2							2	2

TABLE V—

CAUSE OF DEATH	Greene			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	60	81	57	72
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....			1	1
8. Influenza.....			4	4
10. Tuberculosis of the respiratory system.....	1	1	6	6
11. Other forms of tuberculosis.....			2	2
12. Syphilis.....			4	5
13. Malaria.....				
14. Dysentery.....				2
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....				
15. Cancer and other malignant tumors.....	5	5	4	5
16. Tumors, non-malignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	1	1		
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....			1	1
20. Pellagra.....		2	2	2
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	6	7	3	3
23. Other diseases of the nervous system and organs of special sense.....	1	3		2
24. Diseases of the heart.....	13	15	7	9
25. Other diseases of the circulatory system.....	1	2	1	1
26. Bronchitis.....				
27. Pneumonias.....	3	4	3	3
28. Other diseases of the respiratory system (T. B. excepted).....			1	2
29. Diarrhea and enteritis (under 2 years).....	2	5	5	5
29. Diarrhea and enteritis (2 years and over).....	1	1		
30. Appendicitis.....				
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....	1	1		1
33. Nephritis.....	10	11	3	3
34. Other diseases of the genitourinary system.....		1		
35. Puerperal septicemia.....	1	1		1
36. Other diseases of pregnancy and puerperal state.....	1	4		1
37. Diseases of skin, bones and organs of locomotion.....		1	1	1
38. Congenital debility, malformation and early infancy.....	7	10	6	6
39. Senility.....	1	1		
40. Suicide (total).....	2	2		
41. Homicide (total).....			1	1
42. Violent and accidental (suicide and homicide excepted).....	2	2	2	5
43. Cause not specified or ill-defined.....	1	1		

Continued

Guilford						Halifax				Harnett					
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.	White	White	I.	I.	C.	C.
917	881	1		444	439	212	224	324	347	197	266	3	4	117	136
				1	1	1		2	3					5	5
				1	1					1	1				
10	10			2	2			1	1		1				
2	2					1	1	3	3						
19	19			11	11	6	6	17	17	3	4			2	2
29	31			38	41	10	11	22	25	1	3			15	15
3	4			6	5	1	1	1	4	1	1			1	2
5	4			16	15	3	3	8	7					1	2
						1	1	1	1					1	1
5	5			3	3			1	1		1				
1	1			2	2										
2	1			1					1						
12	10			2	2	2	2	2	2	1	2			1	1
62	57			18	17	8	9	10	14	10	14			6	7
	2			1	1	3	4		1						
4	4														
13	10			7	7	2	3	3	4	4	5			2	2
2	2			3	2		1	1	1						
13	15			1	3	1	1	1	1	1	1				
16	16			4	4	5	6	1	2	1	4			2	2
1	3			1	3		1								
84	85			34	34	21	22	31	32	16	18	2	2	11	11
10	12			3	4	1	2	6	8	2	3				
182	180			63	62	30	34	37	37	44	47			20	21
26	27			11	11	3	3	1	1	4	8			2	3
											1				
66	63			46	44	16	18	27	28	12	17			12	12
7	6			5	5	1	2	5	5	4	5				
17	14			6	6	6	4	23	23	5	9			4	5
12	13			3	4	3	3	1	1	1	1				
15	12			1	2	3	1	3	3		3				
5	5			1		3	3			1	2				
7	4			2	1	3	3			1	4				
22	22			16	17	5	5	3	3	2	4			6	9
67	64			40	42	20	20	30	31	23	25		1	9	9
20	14			5	5		1	4	8	1	1				1
4	3			1	1	1	1	2	1		1			3	35
12	9			3	2	3	2	4	6	3	5			1	36
5	5			1	1	1	1	1	1		2				
56	52			20	20	17	19	32	32	34	41			7	7
7	5			1	1	1	1	9	8	1	1				
18	20					6	6	1		2	2				
3	3			19	18		1	2	2		1				
71	65	1		44	38	23	20	19	20	17	27			4	8
2	2			1	1	1	2	9	9	1	1	1	1	6	7

TABLE V—

CAUSE OF DEATH	Haywood			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	240	266	14	15
1. Typhoid and paratyphoid fever.....
2. Typhus fever.....
3. Smallpox.....
4. Measles.....
5. Scarlet fever.....
6. Whooping-cough.....	6	6
7. Diphtheria.....	3	3
8. Influenza.....	12	12
10. Tuberculosis of the respiratory system.....	9	10	2	2
11. Other forms of tuberculosis.....	1	1
12. Syphilis.....	2	2	2	2
13. Malaria.....
14. Dysentery.....
14. Acute poliomyelitis and polioencephalitis.....
14. Epidemic cerebrospinal meningitis.....	1	3
14. Other infectious and parasitic diseases.....	2	3
15. Cancer and other malignant tumors.....	23	22
16. Tumors, non-malignant or unspecified.....
17. Chronic rheumatism and gout.....
18. Diabetes mellitus.....	3	3
19. Alcoholism (acute or chronic).....	1	1
20. Other general diseases and chronic poisonings.....	1	1	1	1
20. Pellagra.....	2	3
21. Progressive locomotor ataxia and paresis.....
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	10	11
23. Other diseases of the nervous system and organs of special sense.....	4	5
24. Diseases of the heart.....	42	46	4	4
25. Other diseases of the circulatory system.....	2	3	1	1
26. Bronchitis.....
27. Pneumonias.....	26	28
28. Other diseases of the respiratory system (T. B. excepted).....
29. Diarrhea and enteritis (under 2 years).....	4	6
29. Diarrhea and enteritis (2 years and over).....	1	2
30. Appendicitis.....	4	5
31. Cirrhosis of the liver.....	1	1	1	1
31. Other diseases of the liver.....	3	3
32. Other diseases of the digestive system.....	2	2
33. Nephritis.....	24	24	3	4
34. Other diseases of the genitourinary system.....	1	1
35. Puerperal septicemia.....
36. Other diseases of pregnancy and puerperal state.....	1	1
37. Diseases of skin, bones and organs of locomotion.....	1
38. Congenital debility, malformation and early infancy.....	16	17
39. Senility.....	1	1
40. Suicide (total).....	1	1
41. Homicide (total).....	2
42. Violent and accidental (suicide and homicide excepted).....	21	26
43. Cause not specified or ill-defined.....	10	10

TABLE V—

CAUSE OF DEATH	Hyde			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	48	54	38	41
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....				
8. Influenza.....				
10. Tuberculosis of the respiratory system.....	1	2	1	1
11. Other forms of tuberculosis.....				
12. Syphilis.....	1	1		
13. Malaria.....	1	1	1	1
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....				
15. Cancer and other malignant tumors.....	3		1	1
16. Tumors, non-malignant or unspecified.....		1		
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....				
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	2	2		
20. Pellagra.....				
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	7	7	6	6
23. Other diseases of the nervous system and organs of special sense.....	3	3	1	2
24. Diseases of the heart.....	9	10	4	4
25. Other diseases of the circulatory system.....	1	1		1
26. Bronchitis.....				
27. Pneumonias.....	3	3	1	1
28. Other diseases of the respiratory system (T. B. excepted).....				
29. Diarrhea and enteritis (under 2 years).....				
29. Diarrhea and enteritis (2 years and over).....				
30. Appendicitis.....				
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....				
33. Nephritis.....		1	5	5
34. Other diseases of the genitourinary system.....		1	1	1
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....	1	1	3	3
37. Diseases of skin, bones and organs of locomotion.....			1	1
38. Congenital debility, malformation and early infaney.....	5	5	5	5
39. Senility.....	2	2	1	1
40. Suicide (total).....	1	1		
41. Homicide (total).....	1	1		
42. Violent and accidental (suicide and homicide excepted).....	3	4	2	3
43. Cause not specified or ill-defined.....	4	4	5	5

Continued

Iredell				Jackson						Johnston			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.
435	363	135	126	163	151	4	4	8	7	358	426	158	172
										1	1	2	2
3	3												
	1			5	5					4	5	1	1
1				5	5					2	3	1	1
21	18	13	13	3	3					5	8	9	9
1	1	9	9	1	1	1	1			6	8	11	11
3	2			1	1						1		
		4	4	1	1							1	1
1										2	3	2	2
				2	2					2	4		
1	1												
												1	1
1	1	1	1	1	1					2	2		
31	28	8	7	7	7			1	1	18	21	5	6
1		1	1	1	1					4	4		
										3	3		
7	4	1	1	3	2					5	5	1	1
5	2												
2	2	1	1	1	1					3	3	3	3
12	12	3	2	2	2					3	8	3	3
		1	1										
34	32	8	8	10	10			2	2	40	41	14	15
8	6	1	1							3	7	1	1
71	66	15	15	26	26			1	1	67	72	26	26
3	2	2	2			1	1			5	8	2	2
35	29	13	12	16	17	2	2			32	38	7	8
4	4												
6	5	2	2	2	2					9	15	7	7
6	6			1	2			1	1	3	4	2	2
12	4	4	3	7	4					2	4		
		2	2							1	1	2	2
4	2	1								1	3		
12	7	5	5	6	5					7	10	1	4
56	49	16	15	18	15			1		30	32	8	10
7	5	2	2	1	1						1	4	6
2	2	1	1							1	1		
6	3	2	1	2	2					7	8	7	8
3	2									1	2		
31	26	1	1	16	16					39	49	15	15
		3	3	1	1					3	3	5	5
3	2			2	2					7	7		
3	3	3	3							1	1	2	3
35	29	10	8	18	12			2	2	32	33	7	9
4	4	2	2	4	4					7	7	8	8

TABLE V—

CAUSE OF DEATH	Jones			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	42	51	62	66
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....				
8. Influenza.....	1	1	9	9
10. Tuberculosis of the respiratory system.....			3	3
11. Other forms of tuberculosis.....			1	1
12. Syphilis.....				1
13. Malaria.....				
14. Dysentery.....			1	1
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....				
15. Cancer and other malignant tumors.....	4	4	1	1
16. Tumors, non-malignant or unspecified.....				
17. Chronic rheumatism and gout.....			1	1
18. Diabetes mellitus.....				
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....			1	1
20. Pellagra.....		1	1	1
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	9	9	7	7
23. Other diseases of the nervous system and organs of special sense.....	1	1		
24. Diseases of the heart.....	7	9	8	8
25. Other diseases of the circulatory system.....				
26. Bronchitis.....				
27. Pneumonias.....	3	5	7	9
28. Other diseases of the respiratory system (T. B. excepted).....				
29. Diarrhea and enteritis (under 2 years).....	1	1	3	3
29. Diarrhea and enteritis (2 years and over).....	1	1		
30. Appendicitis.....				1
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....	1	1	2	2
33. Nephritis.....	4	4	7	7
34. Other diseases of the genitourinary system.....		1		
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....		1	2	2
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformation and early infancy.....	4	6	2	2
39. Senility.....			1	1
40. Suicide (total).....	1	1		
41. Homicide (total).....				
42. Violent and accidental (suicide and homicide excepted).....	1	1	3	3
43. Cause not specified or ill-defined.....	4	4	2	2

Continued

Lee				Lenoir				Lincoln			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.
104	96	81	84	310	248	260	254	141	143	28	27
						1	1				
		1	1								
		1	1	6	2				1		
1	1			7	6	4	4	8	9		
1	2	2	4	3	3	21	24	1	1	1	1
1	2					2	2	1	1		
		3	3		2	9	8		1		
1	1			1	1						
				5	1						
						1	1				
1	1			1		2	2	1	1		
7	7			19	20	7	7	12	12		
		1	1	2	2	2	2	1	2	1	1
						2	2				
						1	2	3	3		
1	1	1	1	4	4	1	1	2	1		
				2	2	1	2				
5	4	2	2	3	2	2	2	2	2	1	1
		1	1								
9	7	5	6	21	20	19	19	12	12	3	3
1	2	1	1	8	5	3	2	2	2		
22	21	14	14	59	53	31	30	28	27	6	6
		1	2	3	1	5	6	1	1	1	1
3	4	9	9	38	30	27	23	9	9	2	2
				5	3	2	2	1	1	1	1
6	4	1	1	14	7	11	10	3	3		
2	3	1	1	1	1						
2	1	1	1	2	2	2	2	1	1	2	1
				5	4						
3	3			2	2						
2	2			8	6	5	6	5	5	3	3
12	11	8	9	26	24	16	16	17	18	4	4
1	1	2	3	8	5	2	1	1	2		
						3	1				
		2	1	9	5	4	4	1	1		
1	1			1							
7	5	6	6	24	16	36	36	17	16		
		1	1	1	1	3	3				
2	2			3	4						
		2	1	1	1	5	5				
12	9	13	12	14	9	17	15	8	7		
1	1	2	2	4	4	13	13	4	4	3	3

1
2
3
4
5
6
7
8
10
11
12
13
14
14
14
15
16
17
18
19
20
20
21
22
23
24
25
26
27
28
29
29
30
31
31
32
33
34
35
36
37
38
39
40
41
42
43

TABLE V—

CAUSE OF DEATH	McDowell			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	173	174	27	27
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....	3	3		
7. Diphtheria.....				
8. Influenza.....	6	6		
10. Tuberculosis of the respiratory system.....	4	6	1	1
11. Other forms of tuberculosis.....				
12. Syphilis.....	1		1	1
13. Malaria.....				
14. Dysentery.....	2	2		
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1	1		
15. Cancer and other malignant tumors.....	15	14	1	1
16. Tumors, non-malignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	2	2	1	1
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	1	1		
20. Pellagra.....	3	3		
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	5	5		
23. Other diseases of the nervous system and organs of special sense.....	4	4	1	1
24. Diseases of the heart.....	23	23	4	4
25. Other diseases of the circulatory system.....	4	4		
26. Bronchitis.....				
27. Pneumonias.....	11	11		
28. Other diseases of the respiratory system (T. B. excepted).....				
29. Diarrhea and enteritis (under 2 years).....	6	6		
29. Diarrhea and enteritis (2 years and over).....	2	3		
30. Appendicitis.....	4	4	1	1
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....	1	1		
32. Other diseases of the digestive system.....	5	4	1	1
33. Nephritis.....	15	14	9	9
34. Other diseases of the genitourinary system.....		1		
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....	6	6		
37. Diseases of skin, bones and organs of locomotion.....			2	2
38. Congenital debility, malformation and early infancy.....	20	21	2	2
39. Senility.....				
40. Suicide (total).....	3	3		
41. Homicide (total).....	1	1	1	1
42. Violent and accidental (suicide and homicide excepted).....	18	18	2	2
43. Cause not specified or ill-defined.....	7	7		

Continued

Macon				Madison				Martin				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
144	120	4	4	168	193	3	4	131	151	137	150	1
				2	2							2
												3
1	1			2	2							4
												5
				1	1							6
3	3			1	1			1	3	1	1	7
6	6			5	5			3	3	10	11	8
1	2	2	2	9	10			8	8	13	13	10
		1	1	1	2							11
										1	2	12
								1	1	3	3	13
3	2			1	1			2	2			14
										1	1	14
3												14
				2	2				1			14
10	10			11	12			5	6	6	6	15
											1	16
				1	1				1			17
								2	2			18
								1	1			19
3	3				1							20
1	1			2	2			3	3	1	1	20
1	1											21
9	10			13	13			17	16	12	12	22
4	5			1	3				2	1	1	23
19	17			26	30			21	21	16	16	24
2	2			4	5			1	1			25
				1	1							26
13	11			17	19		1	19	21	17	18	27
1				1	1			1	1	1	1	28
1	1			2	3			5	8	3	3	29
1	1			4	4			1	1	1	1	29
7	4				1				1			30
								1	1			31
					1				2	3		31
4	2			1	2			1	2	5	6	32
14	14	1	1	8	11	2	2	11	11	6	7	33
3	2			1	2			4	7		1	34
												35
1	1			1	1					6	6	36
3	2							1	1			37
11	7			9	9			5	8	12	12	38
1	1			8	8			2	2	2	3	39
								3	4			40
1					2	1	1			1	2	41
12	6			9	11			6	5	6	10	42
5	5			24	24			4	4	12	12	43

TABLE V—

CAUSE OF DEATH	Mecklenburg			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	923	803	687	688
1. Typhoid and paratyphoid fever.....	3	2		
2. Typhus fever.....			1	1
3. Smallpox.....				
4. Measles.....	2	2	3	3
5. Scarlet fever.....				
6. Whooping-cough.....	7	6	3	3
7. Diphtheria.....	2	1	2	1
8. Influenza.....	21	17	22	22
10. Tuberculosis of the respiratory system.....	19	22	45	45
11. Other forms of tuberculosis.....	3	3	2	2
12. Syphilis.....	10	7	13	15
13. Malaria.....	1		1	1
14. Dysentery.....			2	2
14. Acute poliomyelitis and polioencephalitis.....	1		1	1
14. Epidemic cerebrospinal meningitis.....	3	2	2	2
14. Other infectious and parasitic diseases.....	9	7	1	1
15. Cancer and other malignant tumors.....	70	66	16	15
16. Tumors, non-malignant or unspecified.....	8	6	4	4
17. Chronic rheumatism and gout.....	1	1		
18. Diabetes mellitus.....	17	18	2	2
19. Alcoholism (acute or chronic).....	6	6	3	3
20. Other general diseases and chronic poisonings.....	6	6	7	7
20. Pellagra.....	14	9	10	10
21. Progressive locomotor ataxia and paresis.....	1	3		2
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	81	80	76	78
23. Other diseases of the nervous system and organs of special sense.....	12	13	14	14
24. Diseases of the heart.....	173	166	100	101
25. Other diseases of the circulatory system.....	11	11	6	7
26. Bronchitis.....				
27. Pneumonias.....	69	58	106	106
28. Other diseases of the respiratory system (T. B. excepted).....	6	5	3	3
29. Diarrhea and enteritis (under 2 years).....	28	14	15	15
29. Diarrhea and enteritis (2 years and over).....	4	3	6	6
30. Appendicitis.....	19	13	7	8
31. Cirrhosis of the liver.....	4	4	1	1
31. Other diseases of the liver.....	9	7		
32. Other diseases of the digestive system.....	29	22	16	17
33. Nephritis.....	67	58	36	34
34. Other diseases of the genitourinary system.....	15	8	16	13
35. Puerperal septicemia.....	3	3	2	2
36. Other diseases of pregnancy and puerperal state.....	7	6	8	8
37. Diseases of skin, bones and organs of locomotion.....	6	3	1	2
38. Congenital debility, malformation and early infancy.....	65	52	45	44
39. Senility.....	5	5	1	2
40. Suicide (total).....	10	12		
41. Homicide (total).....	3	3	30	29
42. Violent and accidental (suicide and homicide excepted).....	86	66	47	46
43. Cause not specified or ill-defined.....	7	7	11	10

Continued

Mitchell				Montgomery				Moore				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
107	117	1	1	82	95	46	48	178	165	74	74	1
								1	1			2
						1	1					3
												4
3	3											5
1	2			1	1							6
1	1							1	2			7
8	8			2	2	3	3					8
5	5	1	1	5	5	3	4	8	5	4	4	10
										1	1	11
						1	1			1	1	12
												13
										1	1	14
												14
								2	3	1	1	14
3	3			8	8	3	3	6	7	5	5	15
						1	1	2	3			16
				1	1							17
3	3			2	2			3	2			18
				1	1							19
1	1				1	2	2	3	3			20
4	4			2	2			5	7	4	3	20
				1	1							21
3	4			2	3	4	4	11	11	9	9	22
1	4				1			5	7		1	23
17	17			23	24	10	10	45	39	5	5	24
2	3			2	2	2	2	2	1	3	3	25
												26
9	10			8	10	4	4	16	12	6	6	27
				1	1			2	2	3	3	28
4	4			2	2							29
1	1			1	1			1	1			29
								8	5	1	1	30
								1	1			31
1	1							1	1			31
2	2			1	2			3	1			32
5	5			2	2	3	3	16	17	9	9	33
	2			3	4	1	1	1	2	1		34
								1	1			35
					1	1	1	2		1	1	36
								3	3			37
3	3			3	4	1	1	10	10	5	5	38
2	2			2	2			1	1			39
				1	1			2	2			40
							1	1	1	2	3	41
7	8			6	9	5	5	14	13	6	6	42
21	21			2	2	1	1	1	1	6	6	43

TABLE V—

CAUSE OF DEATH	Nash			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	371	343	292	261
1. Typhoid and paratyphoid fever.....	1	1	2	1
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....	1			
6. Whooping-cough.....				
7. Diphtheria.....			1	
8. Influenza.....	6	6	5	5
10. Tuberculosis of the respiratory system.....	8	12	20	26
11. Other forms of tuberculosis.....			8	6
12. Syphilis.....	1	1	10	10
13. Malaria.....	1	1	1	1
14. Dysentery.....		1		
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....	3	3	1	
14. Other infectious and parasitic diseases.....	1	2	1	1
15. Cancer and other malignant tumors.....	30	27	12	8
16. Tumors, non-malignant or unspecified.....	4	4	6	5
17. Chronic rheumatism and gout.....	1	1		
18. Diabetes mellitus.....	7	3	4	6
19. Alcoholism (acute or chronic).....	2			
20. Other general diseases and chronic poisonings.....	4	4	1	
20. Pellagra.....	10	9	5	5
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	34	37	19	19
23. Other diseases of the nervous system and organs of special sense.....	7	9	5	6
24. Diseases of the heart.....	47	49	27	23
25. Other diseases of the circulatory system.....	6	6	1	2
26. Bronchitis.....	1	1	1	1
27. Pneumonias.....	32	26	26	25
28. Other diseases of the respiratory system (T. B. excepted).....	4	2	4	3
29. Diarrhea and enteritis (under 2 years).....	10	8	9	8
29. Diarrhea and enteritis (2 years and over).....	3	1	3	3
30. Appendicitis.....	12	8	4	4
31. Cirrhosis of the liver.....	1	1	1	1
31. Other diseases of the liver.....	4	2	1	1
32. Other diseases of the digestive system.....	9	7	4	3
33. Nephritis.....	35	32	21	18
34. Other diseases of the genitourinary system.....	8	4	10	3
35. Puerperal septicemia.....			2	1
36. Other diseases of pregnancy and puerperal state.....	3	4	7	4
37. Diseases of skin, bones and organs of locomotion.....	4	4	1	1
38. Congenital debility, malformation and early infancy.....	23	23	25	23
39. Senility.....	2	2		1
40. Suicide (total).....	4	5	3	3
41. Homicide (total).....	2	1	5	5
42. Violent and accidental (suicide and homicide excepted).....	34	30	20	14
43. Cause not specified or ill-defined.....	6	6	16	15

Continued

New Hanover				Northampton				Onslow				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
365	276	414	377	64	80	171	182	132	158	65	71	1
4	3	1						1	1			2
												3
						1	1					4
												5
						3	3	1	1			6
		1	1									7
5	3	4	4	3	3	1	1	4	5			8
7	7	26	24	2	2	12	15	1	1	5	5	10
1		8	7									11
2	2	9	10			6	7			4	4	12
						1	1	1	1			13
1		1	1			1	1	2	3	2	2	14
		1										14
		3										14
4		3	2			1	1	2	4			14
28	24	19	16	2	2	8	8	5	6	2	2	15
4	3	2	2						1			16
												17
2	2	7	6	1	2	1	1	2	1			18
	1	1	1			1	1			1	1	19
		3	4	2	2	1	1			1	1	20
6	5	5	4		1	3	3	2	2			20
1	1		2					1	1	1	1	21
21	18	58	56	11	11	14	14	16	16	8	8	22
5	4	7	6	1	3	1	5	1	2		1	23
64	60	53	53	13	16	19	19	17	18	5	5	24
4	3	10	10	1	1			3	4	2	2	25
		1	1							1	1	26
26	23	44	39	8	8	18	18	22	25	9	9	27
6	6	1	1			1	2		1			28
13		6	6		2	7	7	3	5	2	2	29
1					1			2	2	1	1	29
8	3	1			1				1		1	30
3	2	2	2						1			31
2	1							2	2			31
9	4	9	7		2	3	3		1	3	3	32
43	42	45	42	10	10	17	17	16	17	5	5	33
12	9	8	7			1	1					34
2	2	2	1								1	35
4	3	4	2			1	1	4	5			36
4		2	1			1	1					37
28	12	22	21	3	5	11	12	10	14	7	8	38
		1	1			7	7			1	1	39
6	5			2	2	2	2	2	3			40
3	2	11	9			4	4	2	2			41
34	24	27	19	3	4	12	13	10	12	5	7	42
2	2	6	6	2	2	12	12					43

TABLE V—

CAUSE OF DEATH	Orange			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	102	131	65	78
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....	1	1		
7. Diphtheria.....				
8. Influenza.....	3	4		
10. Tuberculosis of the respiratory system.....	5	7	4	4
11. Other forms of tuberculosis.....				
12. Syphilis.....			1	2
13. Malaria.....				
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....				
15. Cancer and other malignant tumors.....	4	7	3	3
16. Tumors, non-malignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	1	1	3	3
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....				
20. Pellagra.....	1	2	1	2
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	14	16	4	5
23. Other diseases of the nervous system and organs of special sense.....				3
24. Diseases of the heart.....	25	27	16	16
25. Other diseases of the circulatory system.....		3	2	2
26. Bronchitis.....				
27. Pneumonias.....	4	7	9	10
28. Other diseases of the respiratory system (T. B. excepted).....	1	2		
29. Diarrhea and enteritis (under 2 years).....		1		
29. Diarrhea and enteritis (2 years and over).....				
30. Appendicitis.....		1		
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....	1	3	1	1
32. Other diseases of the digestive system.....	2	3		1
33. Nephritis.....	16	16	9	10
34. Other diseases of the genitourinary system.....				
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....		1		1
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformation and early infancy.....	4	11	4	5
39. Senility.....	1	1	1	1
40. Suicide (total).....	2	2		
41. Homicide (total).....			3	3
42. Violent and accidental (suicide and homicide excepted).....	13	11	2	4
43. Cause not specified or ill-defined.....	4	4	2	2

Continued

Pamlico				Pasquotank				Pender				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
44	51	30	34	139	127	124	112	59	82	83	100	1
									1	1	1	2
												3
												4
												5
						3	3			1	1	6
1	1	1	1	3	2	1	1					7
				1	1	2	2		1	3	3	8
		3	3	3	3	10	10	1	1	2	4	10
				1	1	1	1		1	1	1	11
1	1	1	1			1	1			2	2	12
						3	3					13
									1			14
												14
						1	1		1		1	14
5	5	1	1	6	6	2	2	4	5	1	2	15
				1		1	1	1	2	1	2	16
												17
				2	2	3	3				1	18
				1	1			1	1			19
1	1						1				1	20
1	1			6	5	1	1		1			20
											1	21
8	7	2	2	7	6	8	8	15	15	5	6	22
1	1		1			2	3	2	3	1	1	23
5	6	1	1	34	33	15	15	22	24	15	16	24
		1	1	3	3			1	2	1	1	25
1	1	1	1									26
3	3		1	10	9	4	4	1	3	4	5	27
	1			1	1	1	1			1	1	28
		1	1	5	5	4	4		1	7	7	29
				1	1	3	4	1	1			29
	2			5	4	3	2		1			30
				1	1	2	2		1			31
				4	4	1	1					31
				2	1	2	2	1	2	1	2	32
2	2	7	7	22	21	15	15			10	13	33
				2	1	2	2			1	3	34
						4	2					35
1	1	1	1	1	1	4	2					36
									2			37
5	5	1	1	3	3	1	1	1	1	5	5	38
1	1	2	3			3	3			4	4	39
3	5			3	3		1					40
		1	1			5			1			41
4	5	4	5	9	7	13	7	5	7	7	7	42
1	1	2	2	2	2	3	3	3	3	9	9	43

TABLE V—

CAUSE OF DEATH	Perquimans			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	49	55	57	62
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	1	1	1	1
5. Scarlet fever.....	1	1		
6. Whooping-cough.....	1	1	1	1
7. Diphtheria.....			1	1
8. Influenza.....	3	3	1	2
10. Tuberculosis of the respiratory system.....	1	1	1	1
11. Other forms of tuberculosis.....	1	1		
12. Syphilis.....			2	2
13. Malaria.....	1	1		
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....				
15. Cancer and other malignant tumors.....	7	7	1	1
16. Tumors, non-malignant or unspecified.....	1	1		
17. Chronic rheumatism and gout.....	1	1	1	1
18. Diabetes mellitus.....				
19. Alcoholism (acute or chronic).....		1		
20. Other general diseases and chronic poisonings.....			1	1
20. Pellagra.....				
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	1	2	9	9
23. Other diseases of the nervous system and organs of special sense.....				
24. Diseases of the heart.....	8	8	11	11
25. Other diseases of the circulatory system.....				
26. Bronchitis.....				
27. Pneumonias.....	2	4	7	7
28. Other diseases of the respiratory system (T. B. excepted).....				
29. Diarrhea and enteritis (under 2 years).....	2	2	2	2
29. Diarrhea and enteritis (2 years and over).....	1	1		
30. Appendicitis.....				1
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....			1	1
33. Nephritis.....	5	5	5	5
34. Other diseases of the genitourinary system.....	1	1	1	1
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....			2	2
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformation and early infancy.....	7	7		
39. Senility.....				
40. Suicide (total).....				
41. Homicide (total).....			1	1
42. Violent and accidental (suicide and homicide excepted).....	3	5	2	5
43. Cause not specified or ill-defined.....	1	1	6	6

Continued

[illegible]

TABLE V—

CAUSE OF DEATH	Randolph			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	263	290	46	48
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....	1	1		
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....			1	1
7. Diphtheria.....	1	1		
8. Influenza.....	8	8	2	2
10. Tuberculosis of the respiratory system.....	4	4	4	5
11. Other forms of tuberculosis.....	1	1	1	1
12. Syphilis.....			3	3
13. Malaria.....	1	1		
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1	1		
15. Cancer and other malignant tumors.....	25	28	4	5
16. Tumors, non-malignant or unspecified.....		1		
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	2	3		
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	9	9		
20. Fellagra.....	5	5		
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	35	37	1	1
23. Other diseases of the nervous system and organs of special sense.....	1	3	2	2
24. Diseases of the heart.....	49	50	4	4
25. Other diseases of the circulatory system.....	1	3		
26. Bronchitis.....	1	1		
27. Pneumonias.....	27	28	4	4
28. Other diseases of the respiratory system (T. B. excepted).....				
29. Diarrhea and enteritis (under 2 years).....	7	10	2	2
29. Diarrhea and enteritis (2 years and over).....	2	2		
30. Appendicitis.....	3	4	1	
31. Cirrhosis of the liver.....	1	1		
31. Other diseases of the liver.....		1		1
32. Other diseases of the digestive system.....	5	4		
33. Nephritis.....	24	26	6	6
34. Other diseases of the genitourinary system.....		1	1	1
35. Puerperal septicemia.....		1		
36. Other diseases of pregnancy and puerperal state.....	1	2	1	1
37. Diseases of skin, bones and organs of locomotion.....	1	1	1	1
38. Congenital debility, malformation and early infancy.....	20	21	2	2
39. Senility.....	2	2	1	1
40. Suicide (total).....	4	4		
41. Homicide (total).....	2	2	1	1
42. Violent and accidental (suicide and homicide excepted).....	17	21	3	3
43. Cause not specified or ill-defined.....	2	2	1	1

Continued

Richmond				Robeson						Rockingham			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.
187	190	181	184	338	325	141	145	253	260	332	355	158	167
		2	2							1	1	1	1
				6	5	1	1	1	1	1	1		
								2	2	7	7	3	3
		1	1	1	1	2	2	1	1	3	3	1	1
6	6	8	8	8	9	3	3	8	8	10	10	2	3
6	6	7	7	4	5	1	1	17	18	8	10	12	13
										1	1		
		1	1	1	1			2	2	1	1	4	5
2	2			1	1	1	1	1	1				
				2	2			1	1		1	2	2
	1			1	1					1	2		
										2	2		
4	3	3	2	4	4			1	1	1	1		
9	10	9	9	20	20	2	2	8	9	18	18	3	3
1	1				1					1	1		
				1	1							1	1
2	2			3	3	1	1	3	4	9	9	2	2
		1	2	1	1	1	1	1	1	2	2		
		3	3	2	2	1	1	3	5	5	6		
1	1	3	4	4	2			1		3	3	1	1
						1	1			2	2		
23	22	19	21	21	21	5	5	17	17	30	30	11	11
1	2		1	7	8	3	3	4	2	7	8	3	5
43	44	31	31	58	60	17	17	34	35	54	57	18	18
3	3	1	1	4	5	1	1	3	3	5	6	2	2
								1	1				
7	8	15	16	27	24	17	17	33	32	40	40	20	20
3	4			3	2			5	5	3	3		
2	2	1	1	11	10	10	10	10	10	7	8	3	3
		2	2	3	3	3	3			3	3		
1	2	1	1	2	1	5	5	1	2	5	7	2	2
		2	1		1			2	2	2	2		1
		1	1							2	4		
6	7	1	1	4	3		1	5	5	8	8	6	6
17	18	30	30	36	35	10	10	26	27	20	20	27	27
2	2	3	2	8	5			2	3	3	8		
		1	1	1	1			3	3				
		5	5	4	2	2	2	2	2	5	5	3	4
				4	2	3	3	2	2	2	1	1	1
20	21	11	11	26	25	20	21	11	12	21	23	5	5
				8	8	5	5	4	4	2	2	1	1
1	1	1	1	5	5	1	1			6	6		
1	1	3	3	3	3	4	4	6	6	4	4	4	4
20	15	8	8	31	29	17	18	20	19	23	24	9	10
6	6	7	7	13	13	4	4	13	13	5	5	10	10

TABLE V—

CAUSE OF DEATH	Rowan			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	381	390	180	182
1. Typhoid and paratyphoid fever.....	—	—	1	1
2. Typhus fever.....	—	—	—	—
3. Smallpox.....	—	—	—	—
4. Measles.....	—	—	1	1
5. Scarlet fever.....	—	—	—	—
6. Whooping-cough.....	4	2	1	1
7. Diphtheria.....	6	6	—	—
8. Influenza.....	11	10	6	6
10. Tuberculosis of the respiratory system.....	10	12	7	10
11. Other forms of tuberculosis.....	—	1	3	3
12. Syphilis.....	2	2	5	5
13. Malaria.....	—	—	—	—
14. Dysentery.....	—	—	—	—
14. Acute poliomyelitis and polioencephalitis.....	1	1	—	—
14. Epidemic cerebrospinal meningitis.....	—	—	—	—
14. Other infectious and parasitic diseases.....	2	2	2	2
15. Cancer and other malignant tumors.....	31	30	10	10
16. Tumors, non-malignant or unspecified.....	1	1	—	—
17. Chronic rheumatism and gout.....	—	—	—	—
18. Diabetes mellitus.....	10	10	1	—
19. Alcoholism (acute or chronic).....	—	—	—	—
20. Other general diseases and chronic poisonings.....	4	4	1	1
20. Pellagra.....	6	5	1	1
21. Progressive locomotor ataxia and paresis.....	—	—	—	—
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	27	28	20	19
23. Other diseases of the nervous system and organs of special sense.....	4	5	4	5
24. Diseases of the heart.....	84	86	28	29
25. Other diseases of the circulatory system.....	12	12	1	2
26. Bronchitis.....	—	—	—	—
27. Pneumonias.....	27	24	19	19
28. Other diseases of the respiratory system (T. B. excepted).....	1	1	—	—
29. Diarrhea and enteritis (under 2 years).....	7	7	3	3
29. Diarrhea and enteritis (2 years and over).....	3	3	1	—
30. Appendicitis.....	8	10	1	1
31. Cirrhosis of the liver.....	3	3	1	1
31. Other diseases of the liver.....	4	3	—	—
32. Other diseases of the digestive system.....	8	13	5	4
33. Nephritis.....	34	35	15	15
34. Other diseases of the genitourinary system.....	5	4	—	—
35. Puerperal septicemia.....	1	—	—	—
36. Other diseases of pregnancy and puerperal state.....	2	2	4	4
37. Diseases of skin, bones and organs of locomotion.....	2	1	—	—
38. Congenital debility, malformation and early infancy.....	23	24	13	13
39. Senility.....	—	—	—	—
40. Suicide (total).....	7	8	—	—
41. Homicide (total).....	1	1	4	4
42. Violent and accidental (suicide and homicide excepted).....	29	33	14	14
43. Cause not specified or ill-defined.....	1	1	8	8

Continued

Rutherford				Sampson						Scotland					
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	I.	I.	C.	C.
251	252	57	57	227	283	5	5	132	144	128	133	1		119	125
				1	2			1	1						1
				2	2										2
															3
		1	1	1	1			1	1						4
															5
3	4									1	1				6
2	2								1						7
2	2	2	2	2	2			4	4	2	2			3	3
6	6	5	4	3	4			7	8	2	2			6	8
														2	2
1	1	1	1						1	1	1			1	12
										2	2			1	1
															13
															14
				1	1										14
1					1										14
8	8	1	1	3	4			1	1		1			1	2
22	21	5	4	12	14			3	3	5	6			10	10
2	2	1	1	1	1					1	1				16
				1	1										17
2	2	1	1	3	3					1	1			2	2
1	2			2	2					3	2				19
4	4	1	1					3	3					1	1
4	5	1	1	1	1			3	3	1	1	1		1	1
			1		1										21
15	15	4	4	30	32			7	7	12	12			11	11
4	5			5	5			5	5	2	2			3	4
62	61	11	12	42	46	1	1	24	25	33	33			24	24
2	2			4	5			3	3	1	1			1	1
1	1														25
16	17	3	3	13	20			11	11	11	12			7	8
1	1	1	1	1	1				1	1	1			2	2
2	4	3	3	6	12			5	5	3	4			7	7
3	4			2	3				1	2	2			1	1
2	2				2					1	1			1	
3	3			1	1									1	31
		1	1	2	3										31
8	8	1	1	3	4			2	3	4	6			4	4
23	23	4	4	29	30	1	1	13	12	6	6			3	3
				2	5			1	1	1	1			1	2
2	1				1					1	1				35
1	1			3	4	1	1	3	4	1	1			1	1
					2			1	1	1	1				37
23	22	6	6	30	35	2	2	17	18	14	14			12	12
3	3			1	1					1	1				39
				6	6					2	2				40
								2	2	1	1			4	4
22	20	2	2	10	21			5	9	9	9			5	4
		2	2	4	4			8	8	2	2			5	5

TABLE V—

CAUSE OF DEATH	Stanly			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	209	210	41	40
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	1	1	1	1
5. Scarlet fever.....	1	1		
6. Whooping-cough.....	2	2		
7. Diphtheria.....	1	1		
8. Influenza.....			3	3
10. Tuberculosis of the respiratory system.....	7	8	3	4
11. Other forms of tuberculosis.....	1	1		
12. Syphilis.....	1	1	2	2
13. Malaria.....				
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....		1		
15. Cancer and other malignant tumors.....	12	13	1	1
16. Tumors, non-malignant or unspecified.....		1		
17. Chronic rheumatism and gout.....	1	1		
18. Diabetes mellitus.....	3	3	1	1
19. Alcoholism (acute or chronic).....	1	1		
20. Other general diseases and chronic poisonings.....				
20. Pellagra.....	4	3	2	2
21. Progressive locomotor ataxia and paresis.....	1	1		
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	17	17	3	2
23. Other diseases of the nervous system and organs of special sense.....	3	2		
24. Diseases of the heart.....	44	41	4	4
25. Other diseases of the circulatory system.....	7	7		
26. Bronchitis.....				
27. Pneumonias.....	20	20	3	3
28. Other diseases of the respiratory system (T. B. excepted).....	4	4		
29. Diarrhea and enteritis (under 2 years).....	5	5		
29. Diarrhea and enteritis (2 years and over).....				
30. Appendicitis.....	3	2	1	
31. Cirrhosis of the liver.....	1	1		
31. Other diseases of the liver.....	1	1	1	1
32. Other diseases of the digestive system.....	3	5	1	1
33. Nephritis.....	10	10	3	3
34. Other diseases of the genitourinary system.....	1	1	1	1
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....	1	1		
37. Diseases of skin, bones and organs of locomotion.....	1	1		
38. Congenital debility, malformation and early infancy.....	16	18	2	2
39. Senility.....	3	3		
40. Suicide (total).....	2	2		1
41. Homicide (total).....	1	1	4	3
42. Violent and accidental (suicide and homicide excepted).....	24	23	2	2
43. Cause not specified or ill-defined.....	6	6	3	3

Continued

Stokes				Surry				Swain					
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.
147	175	13	14	318	314	41	42	52	66	24	24	1	1
												1	1
								1	1	1	1		
2	2			3	3	3	3	1	1				
1	1			2	2			2	2				
3	3			5	5	1	1	1	1				
6	8	1	1	7	7	4	4	1	2	1	1		
			1	3	3			1	1				
1	1	1	1										
1	1												
				1					1				
				2	2			1	1				
11	14	1	1	28	27			8	8				
1	1		1		1								
1	1												
2	3			5	5	1	1			1	1		
				1	1								
				6	7			2	2	1	1		
4	4			4	5			1	1				
1	3												
11	12			22	23	2	2	4	4				
2	3			4	6		1	1	1				
30	31	2	2	48	48	7	6	3	4	2	2		
1	2			5	5	2	2	1	1	1	1		
14	19	2	2	33	34	2	2	4	5	6	6		
1	1			1	1								
3	3			11	10	2	2						
					2								
1	1			7	5				2				
				3	2								
		1	1										
1	2			5	4			1	1				
4	5			4	4				2				
10	12	1	1	28	27	2	2	6	7				
2	2			3	2		1			1	1		
1	2												
	1			4	4	2	2	1	1				
									1				
19	22			26	25	4	4	3	3	2	2		
1	1	1	1	4	4								
4	4			6	5			1	1				
1	1			2	2			2	2	1	1		
6	6	2	1	22	20	5	5	2	6	7	7		
1	1	1	1	13	13	4	4	4	4				

TABLE V—

CAUSE OF DEATH	Transylvania			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	94	99	8	9
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....	2	2		
8. Influenza.....	2	2		
10. Tuberculosis of the respiratory system.....	2	2		
11. Other forms of tuberculosis.....			1	1
12. Syphilis.....				
13. Malaria.....				
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1	1		
15. Cancer and other malignant tumors.....	5	7	1	1
16. Tumors, non-malignant or unspecified.....		1		
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	4	3		
19. Alcoholism (acute or chronic).....	2	2		
20. Other general diseases and chronic poisonings.....				1
20. Pellagra.....	2	2		
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	5	5	1	1
23. Other diseases of the nervous system and organs of special sense.....	1	1		
24. Diseases of the heart.....	19	19		
25. Other diseases of the circulatory system.....				
26. Bronchitis.....				
27. Pneumonias.....	8	8	2	2
28. Other diseases of the respiratory system (T. B. excepted).....	1	1		
29. Diarrhea and enteritis (under 2 years).....	2	2		
29. Diarrhea and enteritis (2 years and over).....	1	1		
30. Appendicitis.....	1	1		
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....	1	1		
33. Nephritis.....	16	16	2	2
34. Other diseases of the genitourinary system.....		2		
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....	1	1		
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformation and early infancy.....	11	12	1	1
39. Senility.....	1	1		
40. Suicide (total).....				
41. Homicide (total).....	1	1		
42. Violent and accidental (suicide and homicide excepted).....	3	3		
43. Cause not specified or ill-defined.....	2	2		

Continued

Tyrrell				Union				Vance				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
40	43	26	26	213	225	102	100	157	161	131	129	1
						1	1					2
												3
												4
				1	1							5
						3	3					6
				1	1				1			7
1	1	1	1	4	5	10	10	3	4	11	11	8
1	1	1	1	4	4	6	6	6	5	5	7	10
						1		2	2	1	1	11
				1	2					1	1	12
1	1	2	2									13
												14
												14
												14
								3	3			14
2	2	1	1	13	16	2	2	14	16	6	5	15
				1	1			1	2			16
												17
				3	3							18
				1		1	1	1	1			19
1	1				1	1	1	2	2			20
1	1			5	6			1	3	1	1	20
												21
		1	1	16	17	12	11	13	13	10	10	22
1	1			6	7	2	2	1	2	2	3	23
2	2	1	1	38	40	15	15	33	33	18	19	24
				8	9	1	1	1	1	1	1	25
												26
11	11	4	4	18	19	12	12	9	9	14	14	27
				2	2			2	2			28
				7	7	3	3	2	1	1	1	29
				4	4	1	1	2	2	1	1	29
1	1	2	2	4	5			1	1	2	3	30
				1	1							31
				4	4					2	2	31
				2	3	4	4	1	3	6	5	32
11	11	5	5	22	22	5	6	21	20	13	13	33
	1			3	3	1	1	1	2			34
						1	1					35
1	1			3	2	1	1	3	3	4	3	36
					1	2	2					37
2	3			14	14	5	5	9	8	10	10	38
				2	2	1	2			1	1	39
1	1			1	1			1	1	1	1	40
				1				5	6	3	2	41
3	4	4	4	20	19	10	8	18	14	13	10	42
		1	1	3	3	1	1	1	1	4	4	43

TABLE V—

CAUSE OF DEATH	Wake			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	774	600	597	576
1. Typhoid and paratyphoid fever.....	1	1	4	3
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....		1	3	3
7. Diphtheria.....	1	1		
8. Influenza.....	16	16	17	16
10. Tuberculosis of the respiratory system.....	22	12	37	40
11. Other forms of tuberculosis.....	1		5	4
12. Syphilis.....	3	1	8	6
13. Malaria.....	1	1		
14. Dysentery.....	11	6	3	4
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....	4	3		
14. Other infectious and parasitic diseases.....	2	2	4	4
15. Cancer and other malignant tumors.....	51	47	19	21
16. Tumors, non-malignant or unspecified.....	3	3		1
17. Chronic rheumatism and gout.....	1	1		
18. Diabetes mellitus.....	11	11	3	3
19. Alcoholism (acute or chronic).....	5	1		
20. Other general diseases and chronic poisonings.....	3	2	6	6
20. Pellagra.....	11	10	2	2
21. Progressive locomotor ataxia and paresis.....	11	3	1	2
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	73	71	59	57
23. Other diseases of the nervous system and organs of special sense.....	40	9	5	5
24. Diseases of the heart.....	187	141	92	92
25. Other diseases of the circulatory system.....	18	12	8	7
26. Bronchitis.....	2	1	2	2
27. Pneumonias.....	57	47	79	77
28. Other diseases of the respiratory system (T. B. excepted).....	4	3	3	3
29. Diarrhea and enteritis (under 2 years).....	5	4	11	10
29. Diarrhea and enteritis (2 years and over).....	3		2	3
30. Appendicitis.....	9	8	2	1
31. Cirrhosis of the liver.....	1	1	1	1
31. Other diseases of the liver.....	2	1	1	1
32. Other diseases of the digestive system.....	19	13	13	11
33. Nephritis.....	46	44	51	49
34. Other diseases of the genitourinary system.....	11	11	10	11
35. Puerperal septicemia.....	2	1		
36. Other diseases of pregnancy and puerperal state.....	5	5	7	8
37. Diseases of skin, bones and organs of locomotion.....	2	2	3	3
38. Congenital debility, malformation and early infancy.....	56	47	57	56
39. Senility.....	5	5	5	5
40. Suicide (total).....	8	6	1	1
41. Homicide (total).....	5	5	17	14
42. Violent and accidental (suicide and homicide excepted).....	54	39	54	42
43. Cause not specified or ill-defined.....	2	2	2	2

Continued

Warren				Washington				Watauga			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.
66	88	154	171	71	76	65	65	115	140	2	1
		1	1			2	2	4	4		
		1	2	1	1			2	2		
2	2	5	6	2	2	2	2	4	4		
	1	6	7		1	2	2				
		2	2								
		2	2			2	2				
						1	1				
								3	3		
		2	2	1	1	1	1				
2	5	7	8	6	6	3	3	8	10		
		2	2								
	2	1	1	1	1	1	1	2	3		
1	1		3	1	1	2	2		1		
1	1	2	2			1	1		1		
		1	1								
5	5	13	13	7	8	6	6	10	11	1	
1	2	1	1	1	2			1	3	1	1
16	15	30	30	10	10	6	6	20	21		
2	2	3	3	3	3	1	1	2	2		
								1	1		
4	6	14	13	9	9	6	6	8	9		
	1	1	1			1	1	1	3		
1	2	1	1	4	4	2	2	4	5		
2	2				1	2	2	1	2		
	1								1		
						1	1				
1	2	2	2			4	4		1		
15	17	15	16	9	10	5	5	14	16		
		1	3			1	1	1	1		
	1	5	6					1	2		
								1	2		
7	8	17	18	5	5	9	9	9	9		
1	1	4	4								
			1	1	1			2	3		
1	1			2	2			2	2		
3	8	8	13	7	7			6	8		
1	2	7	7	1	1	4	4	8	8		

TABLE V—

CAUSE OF DEATH	Wayne			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	294	290	557	404
1. Typhoid and paratyphoid fever.....			1	1
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....			3	3
7. Diphtheria.....	2	2		
8. Influenza.....	5	5	7	7
10. Tuberculosis of the respiratory system.....	6	9	68	33
11. Other forms of tuberculosis.....			4	4
12. Syphilis.....	2	2	12	9
13. Malaria.....	1	1		
14. Dysentery.....			5	4
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	3	3	2	1
15. Cancer and other malignant tumors.....	17	18	12	12
16. Tumors, non-malignant or unspecified.....		1	2	2
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	5	5	2	1
19. Alcoholism (acute or chronic).....	2	2	1	1
20. Other general diseases and chronic poisonings.....	1	1	25	8
20. Pellagra.....	2	2	7	7
21. Progressive locomotor ataxia and paresis.....		1	27	10
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	40	43	29	27
23. Other diseases of the nervous system and organs of special sense.....	2	2	81	33
24. Diseases of the heart.....	57	54	52	49
25. Other diseases of the circulatory system.....	4	5	27	19
26. Bronchitis.....			1	1
27. Pneumonias.....	11	10	27	26
28. Other diseases of the respiratory system (T. B. excepted).....	1	2	4	4
29. Diarrhea and enteritis (under 2 years).....	19	21	24	24
29. Diarrhea and enteritis (2 years and over).....	1	1	14	8
30. Appendicitis.....	6	4	2	2
31. Cirrhosis of the liver.....			2	2
31. Other diseases of the liver.....	5	5		
32. Other diseases of the digestive system.....	4	3	7	8
33. Nephritis.....	28	27	26	25
34. Other diseases of the genitourinary system.....	6	5	5	5
35. Puerperal septicemia.....			1	1
36. Other diseases of pregnancy and puerperal state.....	4	4	7	7
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformation and early infancy.....	18	17	17	17
39. Senility.....	4	4	15	9
40. Suicide (total).....	6	6	2	
41. Homicide (total).....	2	2	7	7
42. Violent and accidental (suicide and homicide excepted).....	26	19	17	15
43. Cause not specified or ill-defined.....	4	4	12	12

Continued

Wilkes				Wilson				Yadkin				Yancey				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	W.	W.	C.	C.	
357	350	33	33	271	273	307	314	108	138	8	10	109	123	1	1	1
2	2			1	1	2	2					1	1			2
																3
																4
1	1															5
3	3	1	2					1	1			2	2			6
7	7			3	3							1	1			7
13	13	2	2	8	9	5	5	1	1			10	10			8
9	9	2	2	7	11	34	38	3	4			6	6			10
				3	2	4	4					1	1			11
	1					5	5			2	2		1			12
				1	1	1	1									13
2	2			2	2											14
2	2															14
						1	2		2							14
4	5			3	2	3	3	1	1			2	2			14
17	17	2	2	14	17	13	12	8	10			8	10			15
1	2			3	2	2	2									16
2	2											1	1			17
2	3	1				4	3	3	4							18
	3								1							19
1	1								1				1			20
8	8			5	5		1	1	2			2	2			20
																21
27	27	5	5	22	20	19	19	5	5			6	7			22
3	4			9	7	4	8	1	2			1	1			23
76	76	6	6	40	43	32	32	27	29	2	3	14	14			24
1	1	1	1	6	6	2	3					2	2			25
1	1															26
31	32	1	1	15	15	26	26	13	15			8	8			27
4	2			1	1	2	2		1			2	2			28
6	6			11	8	16	16			1	1	3	5			29
3	3			1	1	2	3					4	4			29
4	2					3	3	1	3				1			30
1	1	1	1	5	5			2	3				1			31
3	3							1	2							31
16	13	3	3	7	6	6	6		1			2	3			32
23	24	3	3	34	36	25	25	13	14	1	1	5	5			33
5	6	1	1	1	3	4	3	1	1				1			34
1						1	2		1			1	2			35
2	2			2	2	5	4	2	2			2	2			36
1	1					2	1									37
18	17	1	1	24	22	30	30	11	11	2	2	10	10			38
4	4					1	1	1	1			1	2	1	1	39
2	2			6	6			2	3							40
2	1					4	4		1			2	2			41
25	17	3	3	26	26	14	13	4	10			7	9			42
24	24			11	11	35	35	6	6			4	4			43

TABLE VI—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN CITIES OR TOWNS, BY CAUSE

CAUSE OF DEATH	Total					
	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
	White	White	Ind.	Ind.	Col.	Col.
All causes—Total recorded.....	5,694	3,754	6	2	4,112	3,713
1. Typhoid and paratyphoid fever.....	14	5	—	—	14	8
2. Typhus fever.....	2	1	—	—	1	1
3. Smallpox.....	—	—	—	—	—	—
4. Measles.....	1	1	—	—	4	4
5. Scarlet fever.....	3	2	—	—	—	—
6. Whooping cough.....	23	15	—	—	13	12
7. Diphtheria.....	33	13	—	—	7	3
8. Influenza.....	113	77	—	—	88	83
10. Tuberculosis of the respiratory system.....	142	118	—	—	268	342
11. Other forms of tuberculosis.....	16	9	—	—	60	50
12. Syphilis.....	32	21	—	—	98	86
13. Malaria.....	11	5	—	—	6	6
14. Dysentery.....	24	5	—	—	14	8
14. Acute poliomyelitis and polioencephalitis.....	5	3	—	—	4	3
14. Epidemic cerebrospinal meningitis.....	19	3	—	—	11	8
14. Other infectious and parasitic diseases.....	54	29	—	—	23	18
15. Cancer and other malignant tumors.....	405	288	—	—	165	134
16. Tumors, non-malignant or unspecified.....	41	21	—	—	26	22
17. Chronic rheumatism and gout.....	14	11	—	—	6	6
18. Diabetes mellitus.....	84	61	—	—	45	35
19. Alcoholism (acute or chronic).....	23	20	—	—	13	12
20. Other general diseases and chronic poisonings.....	108	56	—	—	47	34
20. Pellagra.....	35	33	—	—	30	33
21. Progressive locomotor ataxia and paresis.....	13	9	—	—	3	7
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	373	318	—	—	319	314
23. Other diseases of the nervous system and organs of special sense.....	135	57	—	—	58	52
24. Diseases of the heart.....	945	773	—	—	587	571
25. Other diseases of the circulatory system.....	97	62	—	—	54	53
26. Bronchitis.....	4	2	—	—	7	7
27. Pneumonias.....	423	270	—	—	465	427
28. Other diseases of the respiratory system (T. B. excepted).....	59	38	—	—	31	21
29. Diarrhea and enteritis (under 2 years).....	162	65	—	—	90	86
29. Diarrhea and enteritis (2 years and over).....	34	18	—	—	31	25
30. Appendicitis.....	135	63	—	—	41	25
31. Cirrhosis of the liver.....	34	24	—	—	16	15
31. Other diseases of the liver.....	62	24	—	—	13	10
32. Other diseases of the digestive system.....	197	108	1	—	140	108
33. Nephritis.....	413	331	2	1	314	299
34. Other diseases of the genitourinary system.....	131	51	—	—	79	47
35. Puerperal septicemia.....	22	7	—	—	22	10
36. Other diseases of pregnancy and puerperal state.....	71	30	—	—	60	30
37. Diseases of skin, bones and organs of locomotion.....	47	16	—	—	19	11
38. Congenital debility, malformation and early infancy.....	413	246	1	—	259	235
39. Senility.....	19	16	—	—	15	16
40. Suicide (total).....	98	87	—	—	6	6
41. Homicide (total).....	39	21	—	—	157	139
42. Violent and accidental (suicide and homicide excepted).....	521	286	2	1	286	198
43. Cause not specified or ill-defined.....	45	35	—	—	97	93

OF DEATH (ABRIDGED INTERNATIONAL LIST) ALSO BY COLOR OF DECEDENT—1937

Asheville				Charlotte				Concord			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.
571	418	207	216	696	480	529	518	80	104	45	50
1				3	2						
1						1	1				
						3	3				
1	1										
3	2			5	3	1	1	1	1		
1	1			2	1	1			1		
8	4	6	6	17	13	19	19	6	7	2	2
54	26	20	26	6	14	20	34	1	2	4	5
1	1	4	4	3	3	2	2				
7	6	3	2	6	3	4	6		1	2	2
				1		1	1				
						2	2				
				1		1	1				
2				2	1	2	2				
4	4	1	1	9	1	1	1	1	1		
46	41	12	13	51	36	9	8	4	5		
2	1	1	1	8	5	4	4				
1	1	1	1	1	1						
6	5	5	5	13	12	2	1	3	3		
2	3			5	5	3	3				
8	7	2	2	10	2	9	7				
6	6	3	3	4	4	7	7		1		
				1	3						1
35	28	10	10	52	44	56	58	9	10	5	5
9	5	2	2	10	7	13	14	2	3		
100	94	46	47	122	104	71	71	14	15	9	9
3	3	1	2	6	6	5	5	1	1		
1	1	1	1								
37	28	26	26	46	25	91	88	5	6	7	7
4	3			5	3	3	3		1		
13	4	4	4	25	8	11	11	1	1		
4	3	1	1	3	2	5	4	2	2	1	1
7	2	1	1	18	7	7	5	2	4		
2	2	2	3	4	4	1	1				
9	4			7	4						
19	13	5	5	28	19	14	13		2	1	1
33	27	12	12	44	30	17	18	14	14	3	4
10	4			15	8	12	9		1		1
3	1			3		2	1				
4	4	2	2	6	4	8	7				
4	3	1	1	6	2	2	1				
30	20	11	11	60	32	41	34	3	7	3	3
2	2			3	3	1	2		1		
17	13	1	1	7	9			2	2		
11	5	10	10	2	2	29	28			1	1
47	28	7	7	71	45	40	35	6	10	3	4
13	12	6	6	5	3	8	7	2	2	4	4

TABLE VI—

CAUSE OF DEATH	Durham					
	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
	White	White	Ind.	Ind.	Col.	Col.
All causes—Total recorded.....	551	253	1	-----	473	357
1. Typhoid and paratyphoid fever.....	-----	-----	-----	-----	-----	-----
2. Typhus fever.....	-----	-----	-----	-----	-----	-----
3. Smallpox.....	-----	-----	-----	-----	-----	-----
4. Measles.....	-----	-----	-----	-----	-----	-----
5. Scarlet fever.....	-----	-----	-----	-----	-----	-----
6. Whooping cough.....	5	2	-----	-----	1	-----
7. Diphtheria.....	7	1	-----	-----	1	-----
8. Influenza.....	10	3	-----	-----	11	9
10. Tuberculosis of the respiratory system.....	20	10	-----	-----	33	35
11. Other forms of tuberculosis.....	1	-----	-----	-----	10	6
12. Syphilis.....	3	-----	-----	-----	25	19
13. Malaria.....	2	-----	-----	-----	1	1
14. Dysentery.....	4	-----	-----	-----	5	1
14. Acute poliomyelitis and polioencephalitis.....	-----	-----	-----	-----	-----	-----
14. Epidemic cerebrospinal meningitis.....	1	-----	-----	-----	2	-----
14. Other infectious and parasitic diseases.....	3	2	-----	-----	2	1
15. Cancer and other malignant tumors.....	60	21	-----	-----	23	15
16. Tumors, non-malignant or unspecified.....	8	-----	-----	-----	4	2
17. Chronic rheumatism and gout.....	2	1	-----	-----	2	2
18. Diabetes mellitus.....	9	6	-----	-----	3	1
19. Alcoholism (acute or chronic).....	-----	-----	-----	-----	4	4
20. Other general diseases and chronic poisonings.....	19	6	-----	-----	9	2
20. Pellagra.....	3	2	-----	-----	3	3
21. Progressive locomotor ataxia and paresis.....	-----	1	-----	-----	-----	1
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	42	33	-----	-----	30	29
23. Other diseases of the nervous system and organs of special sense.....	18	4	-----	-----	6	2
24. Diseases of the heart.....	68	47	-----	-----	61	56
25. Other diseases of the circulatory system.....	13	3	-----	-----	5	4
26. Bronchitis.....	1	1	-----	-----	1	1
27. Pneumonias.....	32	18	-----	-----	49	43
28. Other diseases of the respiratory system (T. B. excepted).....	8	2	-----	-----	8	3
29. Diarrhea and enteritis (under 2 years).....	13	4	-----	-----	8	8
29. Diarrhea and enteritis (2 years and over).....	3	1	-----	-----	2	1
30. Appendicitis.....	7	2	-----	-----	6	3
31. Cirrhosis of the liver.....	3	1	-----	-----	-----	-----
31. Other diseases of the liver.....	6	2	-----	-----	4	4
32. Other diseases of the digestive system.....	21	5	1	-----	24	11
33. Nephritis.....	36	28	-----	-----	37	31
34. Other diseases of the genitourinary system.....	11	-----	-----	-----	11	4
35. Puerperal septicemia.....	3	1	-----	-----	2	1
36. Other diseases of pregnancy and puerperal state.....	6	2	-----	-----	6	-----
37. Diseases of skin, bones and organs of locomotion.....	4	-----	-----	-----	3	2
38. Congenital debility, malformation and early infancy.....	48	19	-----	-----	21	16
39. Senility.....	1	1	-----	-----	-----	-----
40. Suicide (total).....	11	11	-----	-----	2	1
41. Homicide (total).....	2	-----	-----	-----	14	14
42. Violent and accidental (suicide and homicide excepted).....	30	8	-----	-----	24	11
43. Cause not specified or ill-defined.....	7	5	-----	-----	10	10

Continued

Elizabeth City				Fayetteville						Gastonia				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.	
98	80	93	76	259	120	3	2	157	127	175	147	54	55	1
				1										2
														3
														4
										1	1			5
		2	2							1	1			6
3	2	1	1	1				2	1	2	2			7
1	1	2	2	2				4	4	6	5	1	1	8
2	2	8	8	4	5			2	5		1	2	3	10
1	1	1	1	1	1			1	1					11
								3	3	1	1			12
		2	2											13
										1	1			14
				1						1				14
		1	1	3						1	1	1	1	14
4	4	1	1	10	10			8	4	10	8	2	3	15
1		1	1	1	1					2	2			16
				2	1					1	1			17
1	1	3	2	3	3			2	2					18
1	1			1	2									19
5	4	1	1	3						2	1			20
				1	1			3	3	2	1			20
					1									21
5	4	3	3	7	5			13	14	11	12	6	6	22
		2	3	7	4			2	2	4	4			23
24	23	10	10	25	17			23	21	24	24	13	13	24
3	3			5				2	2	2	1			25
														26
6	5			34	17			6	6	7	8	6	6	27
		1	1					1		2	3			28
3	3	2	2	16	6			4	4	7	7	1	1	29
		2	2	5	4			3	1	1	1	1	1	29
5	2	3	2	5	2					2	2	2	1	30
1	1	2	2	2	1									31
4	2	1	1	5						1	1			31
2	1	1	1	8	6			13	9	8	4			32
11	10	11	11	11	5	2	1	14	14	10	9	9	10	33
2	1	2	2	9	2			6	2	2	1			34
		4	2	1				3	1					35
1	1	3	1	4	2			3	1	5	3			36
				6				1	1	1	1			37
1	1	1	1	24	10			6	4	21	17	2	2	38
		2	2					3	3			1	1	39
										1	2			40
		5		2	1			8	7	4	2	1	1	41
8	4	13	5	44	12	1	1	17	10	30	18	4	3	42
1	1	2	2	3				4	2	1	1	2	2	43

TABLE VI—

CAUSE OF DEATH	Goldsboro			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	142	90	162	144
1. Typhoid and paratyphoid fever.....			1	1
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....			2	2
7. Diphtheria.....	2	1		
8. Influenza.....	1	1	2	2
10. Tuberculosis of the respiratory system.....	2	2	19	19
11. Other forms of tuberculosis.....			1	1
12. Syphilis.....	2	2	4	4
13. Malaria.....	1			
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	3	2		
15. Cancer and other malignant tumors.....	7	5	7	5
16. Tumors, non-malignant or unspecified.....			1	1
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	2	1	2	1
19. Alcoholism (acute or chronic).....	1	1		
20. Other general diseases and chronic poisonings.....	2	2	3	3
20. Pellagra.....			1	1
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	13	12	11	10
23. Other diseases of the nervous system and organs of special sense.....	1	1	5	6
24. Diseases of the heart.....	24	21	16	15
25. Other diseases of the circulatory system.....	2	2	2	1
26. Bronchitis.....			1	1
27. Pneumonias.....	3	2	10	8
28. Other diseases of the respiratory system (T. B. excepted).....	1	1	3	3
29. Diarrhea and enteritis (under 2 years).....	12	8	12	12
29. Diarrhea and enteritis (2 years and over).....			2	1
30. Appendicitis.....	6	2	2	2
31. Cirrhosis of the liver.....			1	1
31. Other diseases of the liver.....	3			
32. Other diseases of the digestive system.....	3		6	7
33. Nephritis.....	8	6	8	7
34. Other diseases of the genitourinary system.....	5	2	5	4
35. Puerperal septicemia.....			1	
36. Other diseases of pregnancy and puerperal state.....	2		5	1
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformation and early infancy.....	9	6	7	7
39. Senility.....	1	1		
40. Suicide (total).....	3	3		
41. Homicide (total).....	2	1	6	6
42. Violent and accidental (suicide and homicide excepted).....	21	5	11	7
43. Cause not specified or ill-defined.....			5	5

Continued

Greensboro						High Point				Kinston				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
424	309	1		244	232	245	227	105	105	209	95	127	98	1
				1	1									2
														3
								1	1					4
														5
2	2			1	1	3	3	1	1					6
1	1									6	1			7
9	8			6	5	6	6			4	3	2	2	8
11	16			19	25	2	4	8	10	2	1	9	9	10
1				6	5	1	1					2	2	11
3	1			6	4			5	4		2	7	5	12
										1				13
2	1			2	2	2	2	1	1	4				14
						1		2	2					14
1				1		1	1					1		14
4	3			2	2	6	6			1		2	2	14
23	15			11	10	20	18	6	5	13	9	2	2	15
				1	1		1			2	2	2	1	16
2	1			2	2	1	1							17
8	6			2	1	2	1	4	4					18
				2	1	2	2	1	1	3	3	1	1	19
6	5			2	2	5	5			3	2	1		20
4	4				1	2	3			1		1	1	20
	1				1			1	1					21
34	29			22	21	23	24	8	8	9	4	7	7	22
4	3			2	1	4	2	1	1	6		2		23
79	65			28	28	50	49	15	15	29	22	13	10	24
15	13			6	6	4	4	3	3	3	1	3	4	25
														26
31	26			29	27	17	15	13	13	28	11	15	10	27
5	3			3	3	2	2			4	1	2	1	28
7	3			2	2	4	2	1	1	13	3	2	1	29
4	3			2	2									29
11	5			1	1	4	3			2	1	2		30
1	1			1		4	4			3				31
6	3			1	1	1	1	1		1				31
10	5			7	6	12	9	6	7	8	4	3	2	32
30	27			20	20	13	12	9	11	16	12	8	8	33
16	5			4	4	2	1	1	1	8	1	1		34
2	2					1		1	1			3	1	35
7	2			3	1	4	2			9	2	3	1	36
5	2			1	1					1				37
24	15			12	10	20	20	3	3	16	3	13	12	38
4	3					1				1	1	2	2	39
9	9					5	5							40
2	1			12	11			4	4			4	2	41
41	20	1		24	23	19	17	9	7	11	5	10	8	42
						1	1			1	1	4	4	43

TABLE VI—

CAUSE OF DEATH	New Bern			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	93	79	134	130
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....	1	1		
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....				
8. Influenza.....	2	2	2	2
10. Tuberculosis of the respiratory system.....		3	9	11
11. Other forms of tuberculosis.....			2	2
12. Syphilis.....	1		1	1
13. Malaria.....	3	3	1	1
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....	1	1		
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	2	1		
15. Cancer and other malignant tumors.....	8	6	5	5
16. Tumors, non-malignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	4	4	3	3
19. Alcoholism (acute or chronic).....			1	1
20. Other general diseases and chronic poisonings.....	2	2	1	1
20. Pellagra.....			5	5
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	3	3	9	9
23. Other diseases of the nervous system and organs of special sense.....		1		
24. Diseases of the heart.....	10	10	22	22
25. Other diseases of the circulatory system.....			1	1
26. Bronchitis.....				
27. Pneumonias.....	7	7	17	15
28. Other diseases of the respiratory system (T. B. excepted).....	2	1	1	
29. Diarrhea and enteritis (under 2 years).....				
29. Diarrhea and enteritis (2 years and over).....			2	2
30. Appendicitis.....	3	1	1	
31. Cirrhosis of the liver.....	2	2		
31. Other diseases of the liver.....	1	1	2	2
32. Other diseases of the digestive system.....	2		2	1
33. Nephritis.....	6	6	17	17
34. Other diseases of the genitourinary system.....	2	1		
35. Puerperal septicemia.....	1	1		
36. Other diseases of pregnancy and puerperal state.....	2	1	1	1
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformation and early infancy.....	7	5	10	10
39. Senility.....				
40. Suicide (total).....	4	1		
41. Homicide (total).....	4	3	6	6
42. Violent and accidental (suicide and homicide excepted).....	13	12	13	12
43. Cause not specified or ill-defined.....				

Continued

Raleigh				Rocky Mount				Salisbury				Shelby			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	W.	W.	C.	C.
509	221	341	274	251	128	221	158	169	115	76	67	110	87	13	10
1	1	3	1	1	-----	2	-----	-----	-----	-----	-----	2	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	1	2	2	-----	-----	-----	-----	3	-----	1	1	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1	-----	-----	-----	-----	-----	1	-----	3	-----	-----	-----	-----	-----	-----	-----
9	4	9	7	1	1	5	5	5	1	2	2	3	2	-----	-----
17	4	20	24	2	1	10	16	2	4	2	4	1	1	1	1
1	-----	5	3	1	1	9	6	-----	-----	3	3	-----	-----	-----	-----
2	-----	5	5	1	1	6	5	2	-----	4	3	-----	-----	-----	-----
1	1	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
10	1	3	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
4	1	-----	-----	3	-----	1	1	-----	-----	-----	-----	1	-----	-----	-----
1	1	3	2	-----	-----	1	-----	2	2	-----	-----	3	3	-----	-----
31	17	14	10	26	19	11	6	15	13	5	5	3	4	-----	-----
1	-----	-----	-----	4	3	5	4	1	-----	-----	-----	-----	-----	-----	-----
1	1	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5	4	2	2	6	2	2	1	5	4	1	-----	2	-----	-----	-----
5	1	-----	-----	2	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----
7	5	1	-----	10	4	5	5	3	1	-----	-----	-----	-----	-----	-----
1	-----	1	1	-----	-----	1	-----	2	2	-----	-----	3	2	-----	-----
11	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
35	26	31	29	9	8	8	8	9	9	10	9	9	9	1	1
38	2	3	1	5	6	3	2	2	2	-----	1	1	1	1	1
117	56	51	49	29	23	28	23	29	21	15	14	23	23	1	1
14	5	4	3	5	4	3	2	2	1	1	1	2	3	-----	-----
2	-----	2	2	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----
35	15	41	34	25	9	11	8	11	6	7	6	15	12	1	-----
4	1	1	1	4	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
2	-----	7	6	8	3	5	3	2	2	-----	-----	7	1	-----	-----
3	-----	-----	-----	3	1	1	1	1	1	-----	-----	-----	-----	-----	-----
9	3	2	1	12	2	4	1	8	4	1	-----	4	4	1	1
1	1	1	-----	1	-----	1	1	2	-----	1	1	1	1	-----	-----
2	1	1	1	4	-----	1	-----	3	2	-----	-----	-----	-----	-----	-----
18	6	10	6	8	2	3	2	6	5	3	2	6	4	-----	-----
22	15	30	25	18	13	22	17	15	12	6	6	9	6	3	2
10	3	7	4	6	1	10	1	4	2	-----	-----	2	1	-----	-----
2	1	-----	-----	-----	-----	2	1	1	-----	-----	-----	-----	-----	-----	-----
4	2	3	2	2	-----	6	3	2	-----	3	2	1	1	-----	-----
2	1	3	2	4	1	1	-----	2	-----	-----	-----	1	1	-----	-----
33	13	28	26	16	5	17	14	5	5	2	2	6	6	-----	-----
3	2	2	2	2	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
6	4	-----	-----	4	5	3	3	4	4	-----	-----	-----	-----	-----	-----
3	2	11	7	1	-----	7	5	1	-----	3	3	-----	-----	1	1
35	18	33	13	25	8	14	4	16	12	5	1	5	2	3	2
-----	-----	1	1	-----	-----	9	8	-----	-----	1	1	-----	-----	-----	-----

TABLE VI—

CAUSE OF DEATH	Statesville			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	176	97	38	31
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....				
8. Influenza.....	6	5	4	4
10. Tuberculosis of the respiratory system.....			1	1
11. Other forms of tuberculosis.....	3	1		
12. Syphilis.....			2	2
13. Malaria.....	1			
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....	1	1		
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....				
15. Cancer and other malignant tumors.....	14	9		
16. Tumors, non-malignant or unspecified.....	1		1	1
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	5	2		
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	6	2	2	1
20. Pellagra.....	1	1		
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	8	9		
23. Other diseases of the nervous system and organs of special sense.....	7	2		
24. Diseases of the heart.....	26	20	5	5
25. Other diseases of the circulatory system.....	2	1	1	1
26. Bronchitis.....				
27. Pneumonias.....	14	7	3	3
28. Other diseases of the respiratory system (T. B. excepted).....	2	1		
29. Diarrhea and enteritis (under 2 years).....	3	2	1	1
29. Diarrhea and enteritis (2 years and over).....	2			
30. Appendicitis.....	7	2	1	1
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....	2		1	
32. Other diseases of the digestive system.....	7	2	2	
33. Nephritis.....	16	10	7	7
34. Other diseases of the genitourinary system.....	4		1	
35. Puerperal septicemia.....	1			
36. Other diseases of pregnancy and puerperal state.....	3		2	1
37. Diseases of skin, bones and organs of locomotion.....	3	2		
38. Congenital debility, malformation and early infancy.....	10	8		
39. Senility.....			1	1
40. Suicide (total).....	2			
41. Homicide (total).....			1	1
42. Violent and accidental (suicide and homicide excepted).....	18	8	2	1
43. Cause not specified or ill-defined.....	1	2		

Continued

[illegible]

TABLE VII—DEATH RATES PER 100,000 POPULATION (BY PLACE OF DEATH, ALSO BY PLACE OF USUAL RESIDENCE) IN EACH COUNTY;
FROM *NINE IMPORTANT CAUSES, WITH ESTIMATED POPULATION—1937

COUNTY	Esti- mated Popula- tion 1937	Rate per 100,000 Population																	
		Diarrhea and Enteritis (under 2 Years of Age)		Diphtheria		Malaria		Measles		Pellagra		Scarlet Fever		Tuberculosis of the Respir- atory System		Typhoid Fever		Whooping- cough	
		Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.
Entire State.....	3,492,000	24.6	24.3	4.8	4.8	2.6	2.6	1.3	1.3	13.0	13.1	0.5	0.5	50.2	43.6	2.2	2.1	4.9	4.8
Alamance.....	47,100	2.1	8.5	2.1	6.4					6.4	12.7			38.2	42.5			2.1	2.1
Alexander.....	13,300	37.6	37.6			7.5								15.0	30.1				
Alleghany.....	7,186	13.9	13.9	13.9	13.9					27.8	27.8			27.8	27.8				
Anson.....	29,900	10.0	10.0							6.7	10.0			53.5	66.9	3.3	3.3		
Ashe.....	21,000	14.3	14.3	9.5	9.5					14.3	14.3			9.5	9.5				
Avery.....	12,600	55.6	31.7	15.9	15.9					23.8	15.9	7.9	7.9	31.7	31.7			47.6	39.7
Beaufort.....	37,200	53.8	45.7	10.8	8.1	37.6	37.6			13.4	13.4			53.8	61.8	5.4	2.7		
Bertie.....	26,800	7.5	11.2	3.7	3.7	7.5	7.5			14.9	18.7			59.7	74.6				
Bladen.....	23,800	50.4	54.6			8.4	8.4	4.2	4.2					16.8	16.8			4.2	4.2
Brunswick.....	16,300	18.4	24.5											12.3	18.4			12.3	12.3
Buncombe.....	115,900	20.7	18.1	6.0	6.0					16.4	13.8	0.9	0.9	315.8	80.2	2.6	2.6	6.9	6.9
Burke.....	32,700	21.4	21.4							9.2	9.2			58.1	30.6	3.1	3.1	6.1	6.1
Cabarrus.....	50,000	10.0	14.0	4.0	6.0					6.0	12.0	2.0	2.0	18.0	26.0			2.0	4.0
Caldwell.....	32,300	34.1	37.2	9.3	9.3					24.8	24.8			31.0	37.2	3.1	3.1	21.7	21.7
Camden.....	5,500	18.2	18.2			18.2				18.2	36.4			54.5	54.5			36.4	36.4
Carteret.....	17,700	22.6	22.6							33.9	33.9			11.3	16.9				
Caswell.....	19,500	5.1				5.1	5.1							25.6	25.6			5.1	5.1
Catawba.....	49,400	12.1	12.1	2.0	2.0					12.1	14.2			20.2	26.3	2.0	2.0	2.0	2.0
Chatham.....	24,400	12.3	24.6	4.1	8.2	4.1	4.1	4.1	4.1	8.2	12.3			24.6	24.6			8.2	8.2
Cherokee.....	16,600			12.0	12.0			12.0	12.0		6.0			18.1	18.1				
Chowan.....	11,600	34.5	34.5			8.6	8.6			8.6	8.6	8.6	8.6	129.3	129.3	8.6	8.6		

[illegible]

TABLE VII—Continued

COUNTY		Estimated Population 1937	Rate per 100,000 Population																							
			Diphtheria		Malaria		Measles		Tellagra		Scarlet Fever		Tuberculosis of the Respiratory System		Typhoid Fever		Whooping-cough									
			Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.								
Martin	24,800	32.3	44.4	8.1	16.1	16.1	16.1			16.1	16.1			84.7	84.7											
Mecklenburg	153,100	28.1	18.9	2.6	1.3	0.7	3.3	3.3	15.7	12.4			41.8	43.8	2.0	1.3	6.5	5.9								
Mitchell	15,400	26.0	26.0	6.5					26.0	26.0	19.5	19.5	39.0	39.0		6.5	13.0									
Montgomery	17,100	11.7	11.7				5.8	5.8	11.7	11.7			46.8	52.6			5.8	5.8								
Moore	31,900			3.1	6.3				28.2	31.3			37.6	28.2												
Nash	59,000	32.2	27.1	1.7					25.4	23.7	1.7		47.5	64.4	5.1	3.4										
New Hanover	44,300	42.9	13.5	2.3	2.3				24.8	20.3			74.5	70.0	11.3	6.8										
Northampton	29,300	23.9	30.7				3.4	3.4	10.2	13.7			47.8	58.0			10.2	10.2								
Onslow	15,600	32.1	44.9				6.4	6.4	12.8	12.8			38.5	38.5	6.4	6.4	6.4	6.4								
Orange	22,900		4.4						8.7	17.5			39.3	48.0			4.4	4.4								
Pamlico	9,400	10.6	10.6	21.3	21.3				10.6	10.6			31.9	31.9												
Pasquotank	19,900	45.2	45.2	20.1	15.1	15.1			35.2	30.2			65.3	65.3			15.1	15.1								
Pender	16,200	43.2	49.4										18.5	30.9	6.2	12.3	6.2	6.2								
Perquimans	10,688	37.4	37.4	9.4	9.4	9.4	18.7	18.7		6.2			18.7	18.7			18.7	18.7								
Person	23,700	16.9	16.9						21.1	21.1			54.9	59.1												
Pitt	59,200	55.7	57.4	3.4	3.4	6.8	8.4		6.8	8.4			54.1	60.8												
Polk	11,000	72.7	27.3	18.2	18.2				18.2	18.2			45.5	45.5	9.1	9.1	36.4	27.3								
Randolph	39,100	23.0	30.7	2.6	2.6	2.6			12.8	12.8			20.5	23.0			2.6	2.6								
Richmond	38,500	7.8	7.8	2.6	2.6	5.2	5.2		10.4	13.0			33.8	33.8	5.2	5.2										
Robeson	72,800	42.6	41.2	5.5	5.5	4.1	4.1	11.0	9.6	5.5	4.1		30.2	33.0			2.7	2.7								
Rockingham	54,800	18.2	20.1	7.3	7.3		1.8	1.8	7.3	7.3			36.5	42.0	3.6	3.6	18.2	18.2								
Rowan	63,400	15.8	15.8	9.5	9.5		1.6	1.6	11.0	9.5			26.8	34.7	1.6	1.6	7.9	4.7								

Rutherford.....	45,300	11.0	15.5	4.4	4.4	---	---	---	2.2	2.2	11.0	13.2	---	---	22.1	24.3	---	---	---	---	---	---	6.0	8.8
Sampson.....	42,300	26.0	40.2	2.4	2.4	---	---	---	4.7	4.7	9.5	9.5	---	---	28.4	23.6	---	---	---	---	---	---	---	---
Scotland.....	22,600	44.2	48.7	---	---	13.3	13.3	---	---	---	13.3	8.8	---	---	44.2	35.4	---	---	---	---	---	---	4.4	4.4
Stanly.....	31,700	15.8	15.8	3.2	3.2	---	---	---	6.3	6.3	18.9	15.8	---	---	37.9	31.5	3.2	---	---	---	---	---	6.3	6.3
Stokes.....	23,200	12.9	12.9	4.3	4.3	---	---	---	---	---	4.3	12.9	---	---	38.8	30.2	---	---	---	---	---	---	8.6	8.6
Surry.....	43,600	12.8	27.5	4.6	4.6	---	---	---	---	---	9.2	11.5	---	---	25.2	25.2	---	---	---	---	---	---	13.8	13.8
Swain.....	11,568	---	17.3	17.3	---	---	---	---	17.3	17.3	8.6	8.6	---	---	25.9	17.3	---	---	---	---	---	---	8.6	8.6
Tennessee.....	9,750	20.5	20.5	20.5	20.5	---	---	---	---	---	20.5	20.5	---	---	20.5	20.5	---	---	---	---	---	---	---	---
Tyrrell.....	5,300	---	---	---	---	56.6	56.6	---	---	---	18.9	18.9	---	---	37.7	37.7	---	---	---	---	---	---	---	---
Union.....	43,600	22.9	22.9	2.3	2.3	---	---	---	---	---	11.5	13.8	2.3	2.3	22.9	22.9	2.3	2.3	2.3	2.3	2.3	2.3	6.9	6.9
Vance.....	29,700	10.1	6.7	---	---	---	---	---	---	---	6.7	13.5	---	---	40.4	37.0	---	---	---	---	---	---	---	---
Wake.....	105,200	15.2	13.3	1.0	1.0	1.0	1.0	---	---	---	12.4	11.4	---	---	49.4	56.1	---	---	---	---	---	---	2.9	3.8
Warren.....	24,300	8.2	12.3	4.1	8.2	---	---	---	---	---	12.3	12.3	---	---	32.9	24.7	---	---	---	---	---	---	4.1	4.1
Washington.....	11,700	51.3	51.3	8.5	8.5	8.5	8.5	---	---	---	8.5	8.5	---	---	25.6	17.1	---	---	---	---	---	---	17.1	17.1
Watauga.....	16,100	24.8	31.1	12.4	12.4	---	---	---	---	---	---	6.2	---	---	---	---	---	---	---	---	---	---	---	---
Wayne.....	58,000	74.1	77.6	3.4	3.4	1.7	1.7	---	---	---	15.5	15.5	---	---	72.4	127.6	---	---	---	---	---	---	24.8	24.8
Wilkes.....	38,000	15.8	15.8	18.4	18.4	---	---	---	---	---	21.1	21.1	2.6	2.6	28.9	28.9	2.6	---	---	---	---	---	5.2	5.2
Wilson.....	49,200	54.9	48.8	6.1	6.1	4.1	4.1	---	---	---	10.2	12.2	---	---	99.6	83.3	---	---	---	---	---	---	10.5	13.2
Yadkin.....	18,900	5.3	5.3	---	---	---	---	---	---	---	5.3	10.6	---	---	21.2	15.9	---	---	---	---	---	---	5.3	5.3
Yancey.....	14,486	20.7	34.5	6.9	6.9	---	---	---	---	---	13.8	13.8	---	---	41.4	41.4	---	---	---	---	---	---	13.8	13.8

*Randolph County, 1 death from Smallpox—Rate 2.6—Rate for the State—0.03.

TABLE VIII—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY CAUSE AND

CAUSE OF DEATH	Total	Under 1 Day	1 Day
All causes.....	5,164	1,243	303
1. Typhoid fever and paratyphoid fever.....	4		
6. Smallpox.....			
7. Measles.....	10		
8. Scarlet fever.....	1		
9. Whooping-cough.....	109		
10. Diphtheria and croup.....	27	1	
11. Influenza.....	118		
13. Dysentery.....	47		
15. Erysipelas.....	4		
16. Acute poliomyelitis and acute polioencephalitis.....	1		
18. Epidemic cerebrospinal meningitis.....	8		
22. Tetanus.....	2		
23. Tuberculosis of the respiratory system.....	4		
24-32. Tuberculosis of the meninges and central nervous system.....	13		
34. Syphilis.....	82	15	5
36. Purulent infection, septicemia.....	8	1	
63. Rickets.....	6		
79. Meningitis.....	19		
86. Infantile convulsions.....	25	2	1
89. Diseases of the mastoid process.....	23		
90-95. Pericarditis, endocarditis and myocarditis (acute) and other diseases of the heart.....	3		
106. Bronchitis.....	15	1	
107. Bronchopneumonia.....	451	5	4
108. Lobar pneumonia.....	109		2
110. Pleurisy.....	2		
117. Ulcer of the stomach and duodenum.....			
119. Diarrhea and enteritis.....	691	1	1
121. Appendicitis.....			
122. Hernia, intestinal obstruction.....	16		
130. Acute nephritis.....	3		
151. Furuncle.....	2		1
152. Phlegmon, acute abscess.....	4		
153. Other diseases of the skin and of the cellular tissue.....			
157. Congenital malformation.....	312	63	19
158. Congenital debility.....	241	52	13
159. Premature birth.....	1,563	868	177
160. Injury at birth.....	230	85	36
161. Other diseases peculiar to early infancy.....	141	46	12
181. Accidental burns.....	10		
182. Accidental mechanical suffocation.....	62		1
186. Accidental fall.....	2		
172. Infanticide.....			
199-200. Sudden death; cause not specified or ill-defined.....	474	84	25
Total—All other causes.....	322	19	6

BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE—1937

2 Days	3 to 6 Days	7 to 13 Days	14 to 20 Days	21 to 29 Days	1 Month	2 Months	3 to 5 Months	6 to 8 Months	9 to 11 Months
205	373	303	195	183	452	367	753	475	312
				1			1		2
					2		2	2	4
						1			
		1	1	4	18	11	28	26	20
	2	2	1	1	2	2	6	6	4
	3	1	3	5	16	22	26	26	16
		2	1	1	2	7	16	9	9
			1		1		1	1	
			2				1	1	3
	1	1						2	2
						1	3	5	4
3	7	6	5	5	10	5	14	7	
	2		2				1	2	
	1	4							1
		2		1	3	3	5	5	
1	3	3	4	1	2	1	5		2
		1		1	1	3	9	5	3
				1		1		1	
5	13	14	10	18	66	40	5	2	3
2	1	4	2	1	8	10	121	85	70
							38	24	17
								1	1
	3	11	11	16	68	96	236	158	90
					2	3	6	5	
		1				1			1
						1			
					1	2		1	
24	31	39	14	14	37	19	30	14	8
12	18	21	11	13	33	16	38	10	4
80	154	108	70	43	32	23	6	1	1
32	47	14	3	4	5	1	2	1	
10	29	18	8	7	8		2	1	
							2	3	5
	1	1	1	4	20	11	20	3	
								2	
27	44	34	24	26	67	48	57	22	16
9	13	15	21	15	47	37	72	42	26

TABLE IX—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) AND MATERNAL DEATHS IN EACH COUNTY WITH RATE PER 1,000 LIVE BIRTHS—1937

COUNTY	Infant Mortality				Maternal Mortality			
	Place of Death		Place of Residence		Place of Death		Place of Residence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Entire State.....	5,164	65.2	5,157	65.2	445	5.6	445	5.6
Alamance.....	55	51.7	66	59.1	3	2.8	3	2.7
Alexander.....	27	83.9	27	82.3	-----	-----	2	6.1
Alleghany.....	9	65.2	9	61.2	-----	-----	-----	-----
Anson.....	34	48.2	33	47.7	2	2.8	2	2.9
Ashes.....	36	69.4	38	71.4	-----	-----	-----	-----
Avery.....	29	64.3	27	69.0	1	2.2	-----	-----
Beaufort.....	96	99.5	88	94.6	7	7.3	7	7.5
Bertie.....	66	85.9	69	89.6	7	9.1	7	7.5
Bladen.....	49	64.8	52	65.7	5	6.6	6	7.6
Brunswick.....	16	40.6	20	47.6	2	5.1	2	4.8
Buncombe.....	134	68.9	128	67.3	12	6.2	11	5.8
Burke.....	35	46.3	36	46.7	1	1.3	1	1.3
Cabarrus.....	47	51.1	61	57.7	4	4.4	6	5.7
Caldwell.....	71	74.2	74	76.7	5	5.2	5	5.2
Camden.....	10	87.0	11	90.9	1	8.7	2	16.5
Carteret.....	24	63.2	25	66.1	2	5.3	2	5.3
Caswell.....	15	33.8	17	37.0	1	2.3	3	6.5
Catawba.....	50	47.4	47	44.6	5	4.7	5	4.7
Chatham.....	33	75.9	37	81.1	1	2.3	2	4.4
Cherokee.....	19	38.9	18	37.3	3	6.1	3	6.2
Chowan.....	16	54.1	16	53.3	-----	-----	1	3.3
Clay.....	8	53.3	12	75.5	-----	-----	-----	-----
Cleveland.....	46	36.3	48	37.8	1	0.8	3	2.4
Columbus.....	103	80.9	111	84.9	5	3.9	8	6.1
Craven.....	49	72.3	51	73.9	4	5.9	4	5.8
Cumberland.....	90	71.9	62	52.2	11	8.8	5	4.2
Currituck.....	6	67.4	6	63.2	1	1.1	3	3.2
Dare.....	6	52.2	7	59.8	-----	-----	-----	-----
Davidson.....	72	67.4	72	66.6	6	5.6	6	5.6
Davie.....	13	41.4	15	44.6	-----	-----	-----	-----
Duplin.....	73	72.8	91	87.8	7	7.0	9	8.7
Durham.....	147	89.4	92	67.2	17	10.3	5	3.7
Edgecombe.....	96	80.2	94	79.3	10	8.4	8	6.8
Forsyth.....	167	68.2	164	69.4	9	3.7	7	3.0
Franklin.....	54	75.6	64	86.6	2	2.8	5	6.8
Gaston.....	83	49.7	90	52.4	6	3.6	6	3.5
Gates.....	16	67.8	17	70.5	1	4.2	2	8.3
Graham.....	8	52.3	10	62.1	-----	-----	1	6.2
Granville.....	49	68.5	51	71.1	2	2.8	2	2.8
Greene.....	25	44.6	35	60.3	2	3.6	7	12.1
Guilford.....	139	52.2	130	49.8	20	7.5	15	5.7
Halifax.....	113	70.2	115	72.3	10	6.2	10	6.3
Harnett.....	63	60.6	80	74.8	3	2.9	10	9.4
Haywood.....	39	46.9	42	49.8	1	1.2	1	1.2
Henderson.....	29	54.9	29	56.0	2	3.8	3	5.8
Hertford.....	30	63.7	31	64.9	5	10.6	5	10.5
Hoke.....	31	76.0	31	74.9	2	4.9	2	4.8
Hyde.....	19	83.3	19	81.9	4	17.5	4	17.2
Iredell.....	58	48.5	50	47.2	11	9.2	7	6.6

TABLE IX—Continued

COUNTY	Infant Mortality				Maternal Mortality			
	Place of Death		Place of Residence		Place of Death		Place of Residence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Jackson.....	32	65.2	32	64.3	2	4.1	2	4.0
Johnston.....	89	55.8	111	67.2	15	9.4	17	10.3
Jones.....	15	55.4	17	58.6	2	7.4	3	10.3
Lee.....	30	71.8	27	65.9	2	4.8	1	2.4
Lenoir.....	112	106.9	92	92.7	16	15.3	10	10.1
Lincoln.....	29	53.3	28	53.9	1	1.8	1	1.9
McDowell.....	39	67.2	40	67.7	6	10.3	6	10.2
Macon.....	23	54.1	17	41.0	1	2.4	1	2.4
Madison.....	37	67.8	38	67.7	1	1.8	1	1.8
Martin.....	46	60.6	53	68.5	6	7.9	6	7.8
Mecklenburg.....	228	84.4	195	75.6	20	7.4	19	7.4
Mitchell.....	24	54.0	25	55.7				
Montgomery.....	12	38.7	14	42.9	1	3.2	2	6.1
Moore.....	27	47.0	26	45.8	4	7.0	2	3.5
Nash.....	92	62.2	88	60.2	12	8.1	9	6.2
New Hanover.....	92	92.0	50	55.7	12	12.0	8	8.9
Northampton.....	46	74.1	52	77.6	1	1.6	1	1.5
Onslow.....	39	72.9	49	89.7	4	7.5	6	11.0
Orange.....	16	41.2	27	59.5	2	5.2	2	4.4
Pamlico.....	11	47.6	11	46.8			2	8.5
Pasquotank.....	25	69.6	25	71.0	9	25.1	5	14.2
Pender.....	22	53.4	28	65.1				
Perquimans.....	19	78.8	19	78.5	2	8.3	2	8.3
Person.....	33	50.8	37	55.5			1	1.5
Pitt.....	108	76.0	110	75.3	2	1.4	2	1.4
Polk.....	23	92.0	17	74.6				
Randolph.....	37	48.2	40	49.7	2	2.6	4	5.0
Richmond.....	53	63.5	54	63.6	6	7.2	6	7.1
Robeson.....	143	65.7	145	68.2	12	5.5	10	4.7
Rockingham.....	73	57.3	79	62.0	8	6.3	9	7.1
Rowan.....	74	57.6	74	58.3	7	5.4	6	4.7
Rutherford.....	54	52.8	55	53.8	3	2.9	2	2.0
Sampson.....	70	57.2	83	66.0	7	5.7	10	7.9
Scotland.....	45	93.0	47	95.3	3	6.2	3	6.1
Stanly.....	35	50.4	38	55.7	1	1.4	1	1.5
Stokes.....	37	70.6	43	77.9	1	1.9	3	5.4
Surry.....	64	58.8	62	58.1	6	5.5	6	5.6
Swain.....	15	38.8	16	41.6	1	2.6	1	2.6
Transylvania.....	18	68.2	19	71.2	1	3.8	1	3.7
Tyrrell.....	5	31.8	6	38.2	2	1.3	2	1.3
Union.....	39	41.4	42	44.8	5	5.3	4	4.3
Vance.....	32	45.8	30	43.5	7	10.0	6	8.7
Wake.....	187	92.8	169	83.9	14	6.9	14	7.0
Warren.....	47	70.4	51	75.2	5	7.5	7	10.3
Washington.....	26	94.2	26	93.2				
Watauga.....	24	56.6	25	57.7	1	2.4	4	9.2
Wayne.....	105	86.2	103	84.3	12	9.9	12	9.8
Wilkes.....	65	63.4	63	61.0	3	2.9	2	1.9
Wilson.....	103	81.5	98	79.6	8	6.3	8	6.5
Yadkin.....	19	46.0	20	44.0	2	4.8	3	6.6
Yancey.....	21	49.1	23	52.3	3	7.0	4	9.1

TABLE X—CASES AND DEATHS FROM SPECIAL

DISEASES		Total	Jan.	Feb.
Total cases.....		50,591	2,823	3,574
Total deaths (all causes).....		33,976	2,885	2,825
1. Anthrax.....	Cases.....			
	Deaths.....			
2. Chancroid.....	Cases.....	148	13	23
	Deaths.....			
3. Chickenpox.....	Cases.....	5,409	671	614
	Deaths.....	3		1
4. Diphtheria.....	Cases.....	2,056	168	113
	Deaths.....	168	16	13
5. Endemic typhus.....	Cases.....	68	4	6
	Deaths.....	7		
6. German measles.....	Cases.....	2,855	93	109
	Deaths.....	2	1	
7. Gonorrhea.....	Cases.....	2,877	211	248
	Deaths.....	10	1	1
8. Influenza.....	Cases.....	1,979	231	408
	Deaths.....	862	107	161
9. Malaria.....	Cases.....	876		
	Deaths.....	91	4	3
10. Measles.....	Cases.....	7,937	273	336
	Deaths.....	44	1	4
11. Meningococcus meningitis (epidemic).....	Cases.....	169	13	13
	Deaths.....	46	3	5
12. Mumps (parotitis).....	Cases.....			
	Deaths.....	2		
13. Ophthalmia neonatorum.....	Cases.....	17	2	
	Deaths.....			
14. Paratyphoid fever.....	Cases.....	16		
	Deaths.....	2		
15. Pellagra.....	Cases.....	576	11	39
	Deaths.....	330	23	28
16. Pneumonia (all forms).....	Cases.....			
	Deaths.....	2,723	346	363
17. Poliomyelitis (acute).....	Cases.....	106	2	2
	Deaths.....	19	1	1
18. Scarlet fever.....	Cases.....	2,073	216	172
	Deaths.....	17	4	1
19. Septic sore throat.....	Cases.....	125	12	4
	Deaths.....	25	2	6
20. Smallpox.....	Cases.....	11	2	1
	Deaths.....	1		
21. Syphilis.....	Cases.....	12,299	506	847
	Deaths.....	363	30	28
22. Trachoma.....	Cases.....			
	Deaths.....			
23. Tuberculosis of the respiratory system.....	Cases.....	2,632	107	220
	Deaths.....	1,753	152	161
24. Tuberculosis (all other forms).....	Cases.....			
	Deaths.....	159	10	13
25. Tularemia.....	Cases.....	13	4	3
	Deaths.....	1		

DISEASES BY MONTH OF OCCURRENCE—1937

Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
5,361 3,382	5,339 2,979	4,718 2,821	4,339 2,746	3,553 2,760	3,379 2,517	3,581 2,422	3,818 2,773	4,636 2,791	5,470 3,075
17	17	7	9	7	13	9	10	14	9
819	699	418	211	68	25	14	198	659	1,013
64	1	49	46	43	94	357	504	1	170
6	6	2		1	9	24	30	35	26
3	5	1	4	10	5	4	5	13	8
700	1,085	690	76	20	5	7	15	20	35
1									
202	214	239	220	193	335	262	303	266	184
1	2		1	1	1		1	1	
956	243	48	17			2	16	12	46
277	116	49	10	6	6	15	21	31	63
4	5	1	32	52	174	313	204	76	24
593	860	1,104	1,169	379	130	94	276	819	1,904
7	4	4	6	6	2		1	4	5
20	32	22	13	11	11	7	6	11	10
5	5	4	3	2	2	2	2	4	9
2	2	1	3	2	1	1	1	1	1
1	1	1	2	4	1	2		4	
22	43	65	119	91	42	45	34	35	30
42	29	25	37	34	28	22	34	11	17
463	356	202	97	98	83	83	171	246	215
2	1	3	14	30	23	12	11	6	
167	162	1	2	2	6	3	2	1	
		130	67	63	82	184	301	288	241
10	1	1		2			3	5	
1	6	8	4	3	11	12	20	20	15
1	1	1		2			3	6	3
1	3		1	1			1		1
1,049	1,201	1,005	1,143	1,049	1,179	1,383	1,161	1,030	746
35	42	30	31	31	26	36	24	25	25
176	155	204	135	239	421	310	304	236	125
190	180	153	144	137	124	120	131	135	126
18	9	14	10	10	18	21	10	18	8
1		1	2		1				1
				1					

TABLE X—

DISEASES		Total	Jan.	Feb.
26. Typhoid fever.....	Cases.....	493	22	17
	Deaths.....	75	4	1
27. Undulant fever.....	Cases.....	26	2	4
	Deaths.....	3	-----	1
28. Whooping-cough.....	Cases.....	7,782	259	394
	Deaths.....	170	6	7
29. Diarrhea and enteritis (under 2 years).....	Cases.....	-----	-----	-----
	Deaths.....	860	9	12
30. Rocky Mountain spotted fever.....	Cases.....	27	-----	-----
	Deaths.....	5	-----	-----
31. Milk sickness.....	Cases.....	-----	-----	-----
	Deaths.....	-----	-----	-----
32. Rabies.....	Cases.....	2	-----	1
	Deaths.....	1	-----	-----
33. Automobile fatalities (total).....	Deaths.....	1,056	78	69
34. Dengue fever.....	Cases.....	-----	-----	-----
35. Dysentery Bacillary.....	Cases.....	19	1	-----

Continued

Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
11	16	14	30	106	99	64	46	51	17
1	4	6	6	18	17	10	3	3	2
3	1	2	-----	5	2	4	-----	3	-----
1	-----	-----	-----	1	-----	-----	-----	-----	-----
542	529	705	1,013	1,165	720	483	401	682	889
14	7	8	25	24	22	14	12	14	17
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
16	18	62	228	206	104	72	75	46	12
-----	-----	-----	4	11	6	3	1	1	1
-----	-----	-----	-----	-----	3	2	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	1	-----	-----	-----	-----	-----	-----
71	68	82	64	88	103	111	101	103	118
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	3	-----	4	1	-----	8	-----	2	-----

TABLE XI—CASES FROM THIRTY-THREE OF THE

COUNTY OR CITY	Anthrax	Chancroid	Chicken Pox	Cholera	Dengue Fever	Diphtheria	Dysentery (Bac.)	Endemic Typhus	German Measles	Gonorrhea	Influenza	Malaria	Measles	Meningitis
Alamance			30			34			7	11			25	3
Alexander		1	24			6				17	103		1	
Alleghany			78			3				18	1			
Anson			40			18		1	3		34		4	1
Ashe						2								
Avery			1			6				11			6	
Beaufort			13			40		1		16		6	3	2
Bertie						2			1	4		2	8	1
Bladen			5			7				8		30	38	
Brunswick		1	4			8			1	17		9	4	1
Buncombe			15			38		1	7	14	6		343	1
Asheville			87			31			6	21			421	4
Burke		1	4			9			1	8				2
Cabarrus			56			68			2	10	26		104	
Caldwell			10			32	2		1	3				
Camden			1			2								
Carteret			18			39			1	12	11	4	8	
Caswell			65			11				7			308	
Catawba			1			44				1	6		14	2
Chatham			2			6		1	1	8		1	1	
Cherokee			7			22			5	5			43	2
Chowan			48			5				2		5	29	1
Clay			1			6							87	
Cleveland			10			38		1	5	5	1		7	1
Columbus		6	7			28			1	92		17	15	2
Craven			59			8		1		1	20	105	1	
New Bern		1	29			6		5		10	47	62	4	1
Cumberland			112			22			7	65		1	276	4
Currituck			1						1				5	
Dare		2	11			3				8			5	1
Davidson			127			38			8	4	8	1	18	1
Davie						1							2	
Duplin			13			56	1			17		2	2	1
Durham		1	209			20			1	23		1	21	
Durham		17	778			63	3		5	282			18	4
Edgecombe			17			41				16	29	30	37	2
Forsyth			3			8			1	20	1		1	1
Winston-Salem		71	203			20			2	272	51	1	27	4
Franklin			53			24		1	1	111	217	5	3	3
Gaston			89			67		1	8	57	143	20	11	2
Gates			12			2				1	277	13	131	
Graham						10				2			221	
Granville			214			10			3	25	13		31	1
Greene		2	26			18				27	2	7	1	
Guilford			71			23			7	18	11		25	
Greensboro		2	118			8			13	237		1	67	1
High Point			223			22			4	33	62	3	22	1
Halifax			67			40			1	25		124	3	3
Harnett			45			29				16	1	5	23	
Haywood		1	17			72				18			127	4
Henderson			18			11	1			7	12		5	1
Hertford			9			5				13			57	1
Hoke			6			5				50	31		1	
Hyde			7							1		9	1	
Iredell		1	62			43			12	79	334	7	122	
Jackson			10			15			18				21	
Johnston		2	11			37	2			2		3	13	

REPORTABLE DISEASES BY COUNTIES—1937

Ophthalmia Neon	Para-typhoid	Pellagra	Plague	Polio-myelitis	Psittacosis	Rabies	Rocky Mountain Spotted Fever	Scarlet Fever	Septic Sore Throat	Smallpox	Syphilis	Trachoma	Tuberculosis	Tularemia	Typhoid Fever	Typhus (Europ)	Undulant Fever	Vincent's Infection	Whooping- cough	Yellow Fever
1		5						180			73		29	1	1				46	
		9						28			3		7		2				59	
				1				3			2		3		1				11	
	1	3		1				9	1		5		12	1	7					
											1		3						1	
		4						19	1		4		18		2				20	
		6						5			135		24		12		2		8	
1		2		2			1	5	2		54		15	1	1		1		10	
		21						2	1		97		12		1				4	
		3		1				2	2		31		3		1				48	
	1	8		2			1	44			39		31		9		2		87	
		6						30			674		108		5		1		67	
		46		1				34			53		14		9				7	
		2		1				55	3		124		19	1	1				305	
		3		2				41	1		53		6		2				54	
								2			2		2						3	
		1							2		16		8		1				4	
		1					1	14			4		5		4				2	
	1	3						36	1		4		16		6				4	
		1						5			5		7		3		1			
	1							5			12		2		16				6	
				1				11	4		40		16		4		2		28	
				2				6			3		1		1					
1		4		1			1	39		1	24		27		13				8	
3		4		4			2	12	1		217		18		6				33	
						1					56		16		6				2	
		4		1							219		20		3				4	
		31		2				21			469		24		1				34	
		2						6			6		3		1					
		4						4			2		15						1	
		1					1	35	3		6		21		4				390	
								7											4	
				1				5			91		15		2		1		2	
		5		1				3			22		16		1				233	
1		10		4				35			530		118		3				329	
		9						4	3		134		63	1	18					
		7						63			39		7		6				174	
1		15						141	1		1,190		173		15				287	
	1	29					1	10		1	130		30		2				82	
		15		4				46	4		89		25		5				133	
											12		10		1					
								2			4				8				22	
		5		1			3	9			109		18		4				22	
		2						5			47		24		2				4	
		6		4			1	73			104		23		2				394	
	2	7		1			1	94			634		71		3		2		361	
		7		2				24	2		31		52	1	7		1		316	
1	1	11					3	4	21		282		59		16				9	
		9		3			2	14	7	2	332		26		17				20	
		4		1				31			29		22		2				155	
1		1		2				10	1		7		6		1		1		12	
											151		17				1			
2		8						2			31		11							
	1	2						2			10									
				3				59	6		123		28		5				28	
		2						12			1		5		8				22	
		7		1				7			14		26		14				23	

TABLE XI—

COUNTY OR CITY	Anthrax	Chancroid	Chicken Pox	Cholera	Dengue Fever	Diphtheria	Dysentery (Bac.)	Endemic Typhus	German Measles	Gonorrhea	Influenza	Malaria	Measles	Meningitis
Jones			2			2				1	19	3	1	
Lee			94			7	3		1		2		17	1
Lenoir			36			48		6	2	10		7	10	1
Lincoln			16			12			2	26	83		2	1
McDowell			1			9				9	3		1	2
Macon			32			16			4				132	2
Madison			2			19			1		4		35	1
Martin			55			35			1	3		12	2	
Mecklenburg						11		1	67	7		5	327	5
Charlotte		9	18			42		3	2,398	191		1	736	30
Mitchell			1			9				1				2
Montgomery			4			4							594	1
Moore			33			4		2	2	38	2		158	
Nash			31			28			1	74	33	1	1	2
Rocky Mount			142			6			1		2		7	2
New Hanover			32			3		1	3	14			6	
Wilmington		5	163			16		5	7	226	1		7	27
Northampton						4		1		5		1	27	
Onslow			13			3			2	2	2	1	3	
Orange			41			5		1		24			48	
Pamlico			100			10				5		7		
Pasquotank			14			6			3			2	54	1
Pender			2			13							6	1
Perquimans			18			8				8	1	157	50	
Person			82			3	2			8	28		8	1
Pitt		2	21			86				7		112	5	1
Polk						6							1	1
Randolph		7	156			17	1		4	60	202	6	122	
Richmond		1	74			7			3	14		1	419	
Robeson		3	49			22	4	4		111	9	8	324	
Rockingham			31			49			19	5			49	2
Rowan		4	103			62			16	37	1	2	217	3
Rutherford			15			23			1	41	4		5	1
Sampson			30			23		16	12	10		4	599	2
Scotland			1			3		1		3		1	3	
Stanly			12			16		5		6	11		804	
Stokes			13			2				2	6		4	
Surry			76			12			1	7	1		18	2
Swain			38			2			120	5			123	1
Transylvania			13			3			1	9				
Tyrrell						3						25	6	
Union		2	30			10			35	20	9	8	58	3
Vance		2	69			21		1	1	21			4	
Wake		1	76			32			6	17			101	6
Raleigh			217			5		2	4	73	9	2	22	4
Warren			6			2					4		3	
Washington			63			3				4		29	4	
Watauga			28			11				7			18	
Wayne			10			15		2			7	1	5	2
Goldsboro			26			4		3	4	3	73	2	15	1
Wilkes			7			23		1		13	5		1	
Wilson			24			29			4	15		4	2	1
Yadkin			98			9				4	11			
Yancey						1				1			2	
Total		148	5,409			2,056	19	68	2,855	2,877	1,979	876	7,937	169

Continued

Ophthalmia Neon	Para-typhoid	Pellagra	Plague	Polomyelitis	Psittacosis	Rabies	Rocky Mountain Spotted Fever	Scarlet Fever	Septic Sore Throat	Smallpox	Syphilis	Trachoma	Tuberculosis	Tularemia	Typhoid Fever	Typhus (Europ)	Undulant Fever	Vincent's Infection	Whooping- cough	Yellow Fever
	1	2		2				8	1		9				2				5	
		2		5				3	1		30		8		2				8	
		4						26			202		37	1	4				2	
		1		1				9	1		9		4		1				9	
		3						12	5		10		6		2				8	
			1					11	3		1		6		1				16	
				1				11	1		28		23		9				26	
		10		2				22	1		5		40		3		1		5	
1	5	5		5				36	4		1,286		128		8		2		316	
								23		1	1								1,028	
		1				1	1	3					5		1				56	
		9					1	7	2		282		68	1					10	
		12						12	1		139		44	1	4				28	
								23			2		38		1				5	
		4		1				7	1		40		2		3				10	
1	1	6		1				5	1		369		40		6				86	
		1						1			11		13		3				262	
								4			12		3		3				3	
1				3				3			109		23						6	
		1									7		5						32	
								12			1		10		2				2	
	1	1		1				2			1		4		5				6	
		1		1				4	1		17		7						4	
		8		3				21	1		47		13						24	
	1							15	5	1	359		86	2	12		1		137	
		2									2		5		3				1	
		14					2	44	3	1	183		16		4				12	
		3		3				17			231		30		18				129	
1		13		1			1	17	3		256		53		8				28	
		4		2				41	3	2	24		32		9				11	
	1	7		6				64	1		35		25		5				44	
		20		1			1	12	1		104		31						156	
		6		1				34			150		26		33				39	
		2						2			5		37						7	
				2				23			46		26	2	1				1	
		7		2				12			3		8		1				96	
1		9		1				46	1		160		29		3				17	
		3						7			6		18		3				118	
								2			14		1			1			49	
		1									15		6		1				12	
		2		1				9	3	1	36		16		6					
		3		1				2	2		211		18		4				104	
		10		1				12	1		90		31		14				12	
	1	5						16			537		79		4				122	
		1		1				5		1	2		6		3				263	
		2						1	2		134		11						1	
								15			27		1		2				93	
		43		2			1	2			60		38		9				161	
		9		1			1	1			362		58		6		6		10	
		1		2				44	6		24		4		6				38	
	1						1	6	3		14		50		7				179	
								12			7		7		1				13	
		2						32			4		3		2				60	
17	16	576		106		2	27	2,073	125	11	12,299		2632	13	493		26		7,782	

TABLE XII—DEATH RATES PER 100,000 POPULATION FROM TEN IMPORTANT CAUSES, FOR THE STATE AS A WHOLE, WITH ESTIMATED POPULATION FOR EACH YEAR—1914-1937, INCLUSIVE

YEAR	Estimated Population	Death Rate per 100,000 Population from—									
		Diarrhea and Enteritis (Under 2 Years of Age)	Diphtheria	Malaria	Measles	Pellagra	Scarlet Fever	Smallpox	Tuberculosis (All Forms)	Typhoid Fever	Whooping-cough
1914.....	2,339,452	81.2	15.8	10.8	7.6	23.6	0.9	1.1	139.3	35.8	18.7
1915.....	2,371,095	72.9	22.1	12.7	0.5	35.0	1.2	0.4	156.4	31.3	11.5
1916.....	2,402,738	72.7	17.3	12.9	7.1	19.4	2.5	0.5	146.3	29.1	18.1
1917.....	2,434,381	91.4	12.6	12.0	44.8	24.9	1.6	0.4	141.5	30.2	26.2
1918.....	2,466,024	77.5	10.2	8.2	12.4	25.7	0.9	0.1	137.5	22.2	28.5
1919.....	2,497,667	55.1	9.6	8.1	5.0	15.3	0.9	0.3	120.3	17.0	8.7
1920.....	*2,559,123	59.9	11.1	8.2	2.3	11.6	1.5	1.0	113.6	12.5	13.4
1921.....	2,614,335	61.7	13.9	6.6	4.9	12.7	1.3	0.8	101.0	11.7	14.6
1922.....	2,649,982	52.4	19.2	6.7	0.4	11.5	2.4	0.2	97.5	11.2	7.2
1923.....	2,686,325	53.0	12.3	5.6	19.0	8.3	0.9	0.4	94.7	9.9	18.6
1924.....	2,722,669	54.5	11.8	4.5	15.6	10.0	1.0	0.8	99.1	9.9	17.4
1925.....	2,812,000	52.0	11.0	4.3	0.4	14.1	1.1	0.2	89.0	9.8	5.3
1926.....	2,858,000	49.8	9.2	2.9	2.9	16.0	1.1	0.4	96.8	9.4	10.1
1927.....	2,897,000	40.7	9.5	1.8	7.9	23.7	1.0	0.4	88.9	7.8	21.8
1928.....	2,936,000	44.8	12.0	2.2	17.0	29.2	1.4	0.5	83.3	6.3	6.5
1929.....	2,975,000	33.3	10.8	2.2	0.5	32.0	1.8	0.03	85.8	5.5	9.0
1930.....	*3,170,276	35.0	8.6	1.4	0.06	32.0	1.2	0.1	76.4	4.7	9.5
1931.....	3,217,000	26.0	7.1	1.5	3.1	21.6	1.8	0.06	71.4	4.8	6.5
1932.....	3,244,000	19.9	5.1	1.7	1.8	14.6	1.0	-----	67.8	4.9	7.4
1933.....	3,275,000	24.5	6.6	1.5	2.8	12.0	1.4	-----	64.4	3.9	6.1
1934.....	3,306,000	30.3	6.3	2.4	10.1	13.2	1.2	-----	64.8	2.8	12.9
1935.....	3,417,000	24.9	4.9	2.8	2.0	11.4	0.6	-----	56.7	2.4	9.0
1936.....	3,457,000	24.2	5.5	4.5	0.3	10.3	0.6	-----	60.8	2.1	1.1
1937.....	3,492,000	24.6	4.8	2.6	1.3	13.0	0.5	0.03	54.8	2.2	4.9

*U. S. Census years.



